

Product Catalogue 2017

- Nilfisk blue line



Based on our in-depth knowledge of your needs, challenges and daily working environment we work dedicated to deliver the right solution and to improve your productivity, so that you can focus on doing your job.

Automotive

Cleanliness is a big part of your business

- Let us help you create the right atmosphere for you to optimize your business

Receiving your customers in a nice atmosphere, cleanliness is an absolute must. Nilfisk can offer you the perfect solution concept so you can have your attention on selling.

Our diverse range of solutions directly supports your economic goals as well as securing value retention or shortening down cleaning times, reducing maintenance costs and consistently increasing profits.

Agriculture

Agriculture places the most demanding requirements on people and equipment

From pig farmers to wine producers - we offer the right solution for every task

We combine tailored stationary systems for your farm buildings and storage facilities with mobile units for machinery, outdoor spaces, court yards, machine pools or production.

From pressure washers to vacuum systems and floor care equipment be it mobile or stationary we can offer a product to meet your every day cleaning requirement - with sufficient power to handle the job.

Industry - Iron & Metal

Increase productivity, cleanliness and safety

Soils ranging from ordinary dust and dirt to oil and debris are commonplace on factory floors, requiring an industrial-strength floor cleaning solution

Nilfisk's rugged floor cleaning equipment tackles these challenges with ease, cleaning thoroughly while delivering a low maintenance design that increases productivity.

The equipment also boasts large debris trays and high quality air filters that work together to capture floor soils without contaminating the air - maintaining a healthy environment for your employees.

Building & Construction

Each day in building and construction presents demanding cleaning challenges

From painters, masons to building companies to even large construction companies - we offer the right solution for every task

The construction industry face the toughest working conditions every day - with difficult cleaning conditions, types of dust and waste being hazardous and the hardness on the body with intense tasks.

This requires efficient and robust products that resist shocks, products that are mobile and easy to store, simple to use and minimizes the risk of exposure.

Food & Beverage

Safe, sanitary floors are crucial in food and beverage production

Improper or insufficient cleaning may result in contaminated product – potentially resulting in costly recalls, consumer health risks and a loss of confidence in your brand.

Nilfisk equipment provides the superior scrubbing power required to maintain the highest level of clean in these challenging environments. High traction flooring in particular may capture food particles more easily, requiring thorough, frequent cleaning.

For the food and beverage industry, reaching a high level of hygiene is top priority.





Nilfisk – with you all the way

Every day, throughout the world, people need clean work-places, institutions, factories, hospitals, schools, airports and homes. And as global populations grow bigger, and living standards improve, the demand for cleaning and improved quality of life worldwide increases.

Our solutions help our customers around the world, professional as well as private, keep their facilities and homes clean. By empowering our customers with the world's leading cleaning technology we are clearing the way for a safer, cleaner and more productive everyday.

Dedicated to getting you greener

At Nilfisk we are committed to setting standards for our industry and the cleaning services we offer you. Nilfisk is the proud signatory to the United Nations Global Compact and the Carbon Disclosure Project. Therefore, we have also worked closely with our suppliers to have them sign and commit to the ten principles of the United Nations Global Compact.

We focus on our own internal consumption of resources and work actively to lower our carbon footprint.

Our production facilities are certified under ISO 9001 and ISO 14001 Environmental Management System, and we collect detailed figures and monitor all emissions deriving from our company.

ISO 9001 ensures a standardized approach to the basic handling of production by ensuring specific standards.

ISO 14001 ensures environmental stewardship, and requires an environmental management system which addresses processes and activities related to management and control of environmental everyday tasks.

We focus on lowering your total cost of operation and maximize your return on investment by developing efficient, easy-to-use and reliable products with improved environmental performance – using less energy, less water and less detergent. It is our goal to accomplish more with less – meaning reducing cost for you as our customer whilst simultaneously improving our environmental footprint.



CONTENTS

Pressure Washers					
Pressure Washers	10	ATTIX 33	112	Batteries & Chargers for Sweepers	216
Naming strategy	11	ATTIX 44	113	Accessories for Sweepers	217
MC Family overview	12	ATTIX 7	114		
MH Family overview	13	ATTIX 7 Fire Brigade	115	SPINTEC 443	226
MC/MH PE-DE Family overview	14	ATTIX 961-01	116	SPINTEC 443 H	227
SC/SH Family overview	15	ATTIX 965-21 SD XC	117	SPINTEC 443 DS	228
MC 2C	16	ATTIX 115 / 125	118	SPINTEC 551 UH	229
MC 3C	17	ATTIX 145 / 155	119	Accessories for Polishers & Burnishers	230
MC 4M	18	SB STATION	120		
MC 5M	19	H&S intro	122	Detergents	
MC 6P	21	ATTIX 33 H & M-class	124	Why and how to use detergent	233
MC 7P	22	ATTIX 44 H & M-class	125	The equipment for your detergent applications	234
MC 8P	23	ATTIX 7 M-class	126		
MH 1C	24	ATTIX H-class	127	Vehicle Cleaning	236
MH 2C	25	ATTIX 965-0H/M SD XC	128	Industrial & Buildings	237
MH 2M	26	Accessory set for Vacuum Cleaners	130	Floor Care	238
MH 3M	27	Accessories for Vacuum Cleaners	138	Care & Maintenance of Machines and Plants	239
MH 4M	28	Hose connection and distributors	164		
MH 5M	29	Suction hose systems	165	CarWash Systems	240
MH 5M E	30				
MH 6P	31	ATTIX 40 / 791 TYPE 22	166	Consumer	
MH 7P	32	ATTIX 995-0H/M SD XC TYPE 22	167	Introduction consumer	242
MH 8P	33	Accessories for TYPE 22 Vacuum Cleaners	168	Consumer HPW	
MC PE / DE	34			Compact range	244
MH PE / DE	35	Carpet Extractors		Excellent range	252
SC UNO 4M PS	36	HOME CLEANER, TW 300	172	Pro range	260
SC UNO 5M, 6P & 7P	37	Accessories for Carpet Extractors	173	Accessories for Consumer HPW	262
SC DUO 6P & 7P	38			Consumer Wet&Dry	
SC DELTA 7P	39	Floor Cleaning Equipment		Buddy range	270
SH SOLAR D	40	Floor Cleaning Equipment	174	Multi II range	275
SH SOLAR E	41	The SCRUBTEC family	176	Accessories for Consumer W&D	278
SH SOLAR G	42	The FLOORTEC family	177		
SH TRUCK	43	The SPINTEC range	177	Consumer Central Vac	
SH AUTO 5M	44	Eco Brilliance Pads	178	Supreme range	280
Accessories High Pressure Washers	46	Eco Pads	179	Accessories for Consumer CV	286
Increased Flexibility with Options	86	Batteries	180	Consumer Steam Cleaner	
Liquid sprayers	88			Steamtec range	288
HydroScrub P300, P400 & S500	89	SCRUBTEC 130 E	182	Accessories for Consumer Steamer	289
MERLION	90	SCRUBTEC 334 C	183		
MERMAID	91	SCRUBTEC 337.2	184	Service Solutions	290
Vacuum Cleaners		SCRUBTEC 343.2	185		
Vacuum Cleaners	92	SCRUBTEC 453	186		
Naming & acronyms	93	SCRUBTEC 553	187		
Energy labelling	94	SCRUBTEC 651 / 653 / 661	188		
Family overview	95	SCRUBTEC 8	189		
Features	100	SCRUBTEC R 2	190		
SALTIX 10	102	SCRUBTEC R 4 + BOOST R 4	191		
MAXXI II 35 WD	103	SCRUBTEC R 6	192		
MAXXI II 55 WD	104	Batteries & Chargers for Scrubber Dryers	193		
MAXXI II 75 WD	105	Accessories for Scrubber Dryers	194		
AERO 21	106	FLOORTEC 480 M	208		
AERO 26	107	BK 900	209		
AERO 31	108	FLOORTEC 350 B	210		
ATTIX 30	109	FLOORTEC 760	211		
ATTIX 40 INOX	110	FLOORTEC R 360	212		
ATTIX 50	111	FLOORTEC R 670	213		
		FLOORTEC R 870	214		
		FLOORTEC R 985	215		

High Pressure Washers

 **Nilfisk®**



MC 2C



MC 3C



MC 4M



MC 5M



MC 6P



MC 7P



MC 8P



MH 1C



MH 2C



MH 2M



MH 3M



MH 4M



MH 5M



MH 5M E



MH 6P



MH 7P



MH 8P



MC PE



MC DE



MH PE



MH DE



SC UNO 4M PS



SC UNO 5M



SC UNO 6P



SC UNO 7P



SC DUO 6P



SC DUO 7P



SC DELTA



SH SOLAR D



SH SOLAR E



SH SOLAR G



SH TRUCK



SH AUTO 5M




MERLION



MERMAID








High pressure washers, wet&dry vacuum cleaners and other products designed for the domestic user - with todays living in mind





Nilfisk professional high pressure washers clearing
the way to more efficient and productive cleaning

Naming strategy in the Nilfisk High Pressure Washer Ranges

The name definitions are aimed at giving an easy and more transparent overview of key technical details and features of our products. In this way, we aim to facilitate the business process for our key partners.

The product naming strategy is devised to be more transparent about the technical specification to enable the right choice of machine.

MC 3C-150/660 XT

TYPE OF MACHINE

MC = Mobile Cold Water Washer

MH = Mobile Hot Water Washer

SC = Stationary Cold Water Washer

SH = Stationary Hot Water Washer

MC PE/DE = Mobile Cold Water Petrol/Diesel Washer

MH PE/DE = Mobile Hot Water Petrol/Diesel Washer

CLASS OF MODEL

The number 3 etc.

= Number indicates type of pump or work profile

CLASS OF MODEL

C = Compact class with 2800 rpm motor

M = Mid range class with 1450 rpm motor

P = Premium class with 1450 rpm motor

EQUIPMENT

Indicate standard equipment

X = hose reel

T = additional lance or equipped with 4-in-1 lance

XT = hose reel and additional lance or equipped with 4-in-1 lance

2X = hose reel and cable reel

PA = pressure activated

FA = flow activated

FFA = food and flow activated

FBFA = food with water break tank

F = food

PS = portable / stationary

PE = petrol

DE = diesel

ST = Stainless Steel

E = electrical heated

D = diesel heated

G = gas heated

► 150/660 = Water flow l/h Qmax

► 150/660 = Pump pressure in bar

Nilfisk boilers have been certified as high efficiency boilers by EUUnited - a guarantee of their high performance and low run costs. The new MH ranges include the EcoMode hot water stage to optimize water temperature and fuel consumption for a wide range of applications and provide lower cost cleaning.



MC range - ideal for building & construction, agriculture, rental, industry and food industry

The MC range of mobile cold water pressure washers include solutions from semiprofessional and infrequent use to our premium class range, ideal for the most demanding and heavy duty industrial cleaning tasks. The MC range clears the way for efficient cold water cleaning in a wide range of environments.



The MC 2C model is compact and lightweight unit designed for the most basic commercial cleaning tasks by craftsmen, tradesmen and around small farms. Robust and durable pump for low intensity or infrequent use.



The MC 3C is an innovative compact commercial pressure washer for everyday, light duty cleaning tasks. Easy to transport, the MC 3C also includes a wide range of storage solutions and new innovative detergent system to make cleaning more intuitive and productive.



Built on the same platform as the MC3 line, the MC 4M is equipped with a more heavy duty pump and motor, ideal for more intense commercial cleaning applications. Ideal storage facilities make storage and transport easy. The detergent system improves cleaning efficiency both when using detergent and when only in normal high pressure mode.



The MC 5M range with additional features for wider applications and more mobility. The range combines robustness, ergonomics, serviceability and pure cleaning power for extended use in tough environments.



MC 6 FA is heavy duty cold water high pressure washers for the most intense uses and for wide applications.

The MC 6 range also offer a FFA model are equipped with a stainless steel, non rusting frame and grey, non marking wheels and hose to protect the working environment.



MC 7 FA is heavy duty cold water high pressure washers for the most intense uses and for wide applications.



MC 7 FFA model is equipped with a stainless steel, non rusting frame and grey, non marking wheels and hose to protect the working environment. MC 7 FBFA food industry model includes an additional water break tank and external detergent injector ensuring full separation from the water network and the possibility to apply foam or special detergents.



The MC 8P is the ideal partner for applications requiring considerable cleaning power and water flow combined with a rugged and simple steel frame – perfect for agriculture, construction and transport.

The MH generation – high efficiency and intuitive use reducing cleaning costs

NEW range

The new generation of hot water mobile pressure washers maintains our unmatched levels of fuel efficiency and low running costs whilst optimizing ease of use and mobility.

EcoPower™

The MH 1C, MH 2C and MH 2M entry level compact hot water units combine ground breaking design with efficient performance, low emission and reduced running costs. Ideal for craftsmen and small garages, the vertical design gives a reduced footprint and makes transport and storage easier. The EcoPower™ boiler continues to give fuel savings in comparison to many other models on the market. Whether it is a single or a three phase machine, the MH 1C, MH 2C and MH 2M offer great cleaning efficiency.



The new MH 3M and 4M generations combine compact and easy to manoeuvre design with high efficiency heating, low run costs and intuitive use. Both models are equipped with slow running industrial motors and the MH 4M is equipped with a flow activated unloader system for even higher levels of user comfort and reliability.



The new MH 5M, 6P and 7P are based on the same intuitive and mobile design concept as the MH 3 and 4. Equipped also with the high efficiency EcoPower™ boiler system, the models also offer the benefits of flow activated unloaders systems for added comfort and on board maintenance diagnostics for reduced downtime and service costs.

The MH 6P and MH 7P ranges are equipped with our unique 4 piston pumps for heavy duty work cycles and long lifetime. The MH 6P also includes models with high water flow for tougher applications in transport, construction and agriculture.



In addition to these core models, Nilfisk still offers the high flow MH 8P – a full range, whatever the application.

And at last, MH 5M E, is adapted for use in the food industry or hazardous areas and benefits from many of the same features as the MH 5M, including WDK dual chemical system, robust steel chassis and frame.

Independent of electrical power and normal water sources

Petrol and diesel powered cold or hot water pressure are totally independent of electrical power sources - and even of normal water sources - these make them highly flexible. Powered by a petrol or diesel engine and capable of drawing water from a tank, river or well, they are the ideal solution for cleaning agricultural or construction materials in the middle of a field or building site. The ideal solution for all cleaning jobs, customised, efficient and economical. The Nilfisk offering is completed by a wide range of petrol and diesel driven units - both hot and cold water.



The MC PE offer a wide range of available performances and engine sizes, mean that you will find a Nilfisk product to solve all traditional cold water applications easily and quickly.

Large wheels, lightweight and easy to maneuver design and ergonomic accessory package ensure that the cleaning tasks are done with the lowest level of stress and effort. Ceramic pistons pumps ensure long working life. The thermal dump valve protects against overheating and damage if the user makes a long working pause, leaving the machine running by error.

The MC PE models are equipped with reliable Honda engines from 5 HP to 13 HP. Good performance, durability and sustainability are characteristics and trademark of Honda, making them the best choice of engines for the Nilfisk line.



The MC DE model is equipped with a Yanmar 10 HP motor – also well known for the same benefits as the Honda motors include electric start function.

All motors have a low oil shut off security function and the motor-pumps can be fitted with an optional speeder control to reduce noise level when the machine is running idle.

It has the big advantage of being totally independent of usual electrical power sources – and even of normal water networks. It is able to suck water from a tank, a river or a well, they represent an ideal solution for cleaning agricultural or construction material in the middle of a field or on a building site.



The MH PE is a comprehensive range of petrol powered hot water models for professional use. Powered by a petrol motor and able to draw water from a tank, river or well, totally independent of electrical power and normal water sources. Ideal for fully autonomous use in the construction or agriculture, industrial segments or by contract cleaners. Easy to use control panel. Versions with high flow or high pressure.

MH PE exists in both mobile or trailer-mountable units and offer high efficiency, low cleaning costs and ease of use. A wide range of pump versions exist - either with direct drive or with belt drive of the pumps. All machines offer efficient and low cost water heating with the EcoPower™ boiler system.



The MH DE is a comprehensive range of diesel powered hot water models for professional use. Powered by a diesel driven motor and able to draw water from a tank, river or well, totally independent of electrical power and normal water sources. Ideal for all cleaning jobs in construction or agriculture. Easy oil drain from motor and pumps combined with low pump oil safety protects pump against running dry, keeping service costs low.

MH DE exists in both mobile or trailer-mountable units and offer high efficiency, low cleaning costs and ease of use. A wide range of pump versions exist - either with direct drive or with belt drive of the pumps. All machines offer efficient and low cost water heating with the EcoPower™ boiler system.

Fixed cleaning applications - optimal cleaning - optimal profits

Nilfisk offers a full line of products for stationary cold and hot water units, also for self service applications. You may be interested in maintaining hygiene levels in a slaughter-house, kitchen or processing plant. You may be interested in degreasing metal components at an industrial site.....



Nilfisk has the most complete range of stationary solutions on the market and is an ideal and trustworthy partner for your installation projects. We do not simply provide a standard product, but can modify it to your specific needs.

Machines can easily be installed in any location around the site. A carefully planned and optimised piping system will then ensure that you can easily and quickly clean at any area of your installation. Stationary units offer numerous advantages. For example, the units are pre-set for your own individual needs.

With the SC UNO and SC DUO range of cold water stationary high pressure washers, you meet the latest demands for top performance levels within many different industries. This range meets the latest demands for top performance levels within many different industries. Powered by either one or two pumps they also handle heavy duty cleaning tasks in agricultural environments, building and construction, supermarkets, and transportation, such as large vehicles and ships.

By introducing the innovative foam cabinet for the SC UNO 5, 6, 7 and SC DUO models, Nilfisk meets specific hygiene needs. The foam material is approved for use in the food industry, and as an added benefit, it reduces the noise level, adding comfort for both the user and the surroundings.

All models offer a variety of configurations according to user situations, and are built to be easy to understand and simple and intuitive to operate – at an attractive price level. Furthermore, intuitive user functions and the opportunity to customize the machines with equipment suited for your environment ensure high productivity.

The SH SOLAR E offers electrical heated hot water cleaning and the SH SOLAR D and G lines offer efficient and low cost water heating with the EcoPower™ boiler system. The clean burning brings you hot water at the lowest possible cost. At full power, the boiler offers significantly hotter water, thus reducing cleaning time for tasks involving oils, and greases.

The SH TRUCK is a standard functioning hot water unit (diesel fired) placed in a stainless steel, fully enclosed cabinet. As such, it is ideal for being fixed outdoors. This eliminates the need to bring the machine indoors every day and reduces the risk of theft. SH TRUCK is the ideal outdoor stationary pressure washer for use in haulage companies, fleet parks or for cleaning of animal and food transport vehicles near slaughterhouses.. Simply placed in the vehicle park or forecourt, the SH TRUCK offers simple, efficient and cost effective cleaning – all year round.

The SH AUTO motor pumps are controlled by a new frequency modulator, adjusting the incoming electrical frequency to the motor unit. As the frequency is adjusted, motor speed is increased or decreased accordingly. As a result of this change in speed, water flow and pressure from the pump are modified by a change in speed of the pistons. The new technology then reduces wear and tear and enables us to implement pumps without additional complex unloader parts. In addition, running at lower frequencies and speeds, motor pumps are much quieter...giving a more comfortable cleaning experience for the user. At the same time, noise levels are reduced and overall comfort of use increased.





Ideal cold water cleaning for everyday tasks

- Automatic Start/stop
 - Ergo accessory concept
 - Brass cylinder head for long life
 - Steel reinforced High Pressure Hose (standard 10 m, XT 15 m)
 - Detergent injector hose and doser
 - Removable integrated detergent tank (2 l)
 - Water flow regulation
 - Adjustable transport handle

The MC 2C range is destined for low intensity use and routine cleaning tasks. They offer excellent cleaning performance, professional spray equipment, good storage facilities and handling.



TECHNICAL DATA	MC 2C-120/520 T	MC 2C-120/520 XT	MC 2C-140/610 XT	MC 2C-150/650	MC 2C-150/650 XT
Pump pressure (bar/MPa)	120/12	120/12	140/14	150/15	150/15
Cleaning impact (kg/force)	2.2	2.2	2.5	2.9	2.9
Water flow Qmax/Qiec (l/h)	520/470	520/470	610/540	650/570	650/570
Max inlet temperature (°C)	60	60	60	60	60
Pump (RPM)	2800	2800	2800	2800	2800
Length x width x height (mm)	394x391x955	394x391x955	394x391x955	394x391x955	394x391x955
Weight (kg)	27	28.1	28.1	26.3	28.1
Power consumption (kW)	2.3	2.3	2.9	3.3	3.3
Voltage/phase/frequency/current (V~/Hz/A)	230/1/50/10	230/1/50/10	230/1/50/12.6	230/1/50/14.5	230/1/50/14.5
El cable (m)	5	5	5	5	5
Ceramic Coated Pistons				3	3
Stainless steel pistons	3	3	3		
Detergent tank (l)	2	2	2	2	2
Suction height - primed (m)	0.5	0.5	0.5	0.5	0.5
Nozzle size	.0350	.0350	.0370	.0370	.0370
FEATURES					
Single-phase	•	•	•	•	•
Ergo accessory system	•	•	•	•	•
Hose reel		•	•		•
Brass cylinder head	•	•	•	•	•
Automatic start/stop	•	•	•	•	•
Water flow regulation	•	•	•	•	•
STANDARD EQUIPMENT					
GARDENA MALE 3/4 INCH	106404529	106404529	106404529	106404529	106404529
HOSE DN6 10M 1W FOR P-2	126528620			126528620	
-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL		101406176	101406176		101406176
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122
FLEXOPOWER PLUS 960 W/O NOZZLE BLUE				106408229	
4-IN-1 LANCE INCL 0350 ALUMINUM HEAD	106408251	106408251			
4-IN-1 LANCE INCL 0370 ALUMINUM HEAD			106408252		106408252
NOZZLE 0370 INDICATION RING BRONZE				101119737	
ITEM NO.	128470180	128470136	128470135	128470140	128470138



Compact cold water high pressure washer with external FoamSprayer detergent system

- Powered by a 2800 rpm high-quality motor pump
- Brass pump head and three stainless steel pistons
- Pressure activated unloader system
- Pump oil tank with oil level sight and fill/empty function
- Easy opening and removing of cabinet for access to the pump
- Innovative holder protects Spray Gun from damage during storage and transport
- Turnable cable hook for easier removal and wind-up of power cable
- Robust design with larger 250 mm wheels optimizes transport over rough surfaces and steps
- Aluminum lifting bar

MC 3C is designed for light, general cleaning tasks and is the ideal choice for tradesmen, small building companies, small garages and farms. This range is equipped with a professional 2800 rpm motor pump unit with stainless steel pistons for light cleaning tasks, developed for low to medium intensity use.



TECHNICAL DATA	MC 3C-140/660	MC 3C-150/660	MC 3C-150/660 XT	MC 3C-160/770	MC 3C-170/820	MC 3C-170/820 XT
Pump pressure (bar/MPa)	140/14	150/15	150/15	160/16	170/17	170/17
Cleaning impact (kg/force)	2.9	3	3	3.6	4	4
Water flow Qmax/Qiec (l/h)	660/600	660/600	660/600	770/700	820/750	820/750
Max inlet temperature (°C)	60	60	60	60	60	60
Pump (RPM)	2800	2800	2800	2800	2800	2800
Length x width x height (mm)	382x382x1017	382x382x1017	382x382x1017	382x382x1017	382x382x1017	382x382x1017
Weight (kg)	36	36	38	36	36	38
Power consumption (kW)	3.5	3.5	3.5	4	4.4	4.4
Voltage/phase/frequency/current (V~/HZ/A)	230/1/50/15	230/1/50/15	230/1/50/15	400/3/50/7.1	400/3/50/7.4	400/3/50/7.4
El cable (m)	5	5	5	5	5	5
Stainless steel pistons	3	3	3	3	3	3
Suction height dry (m)	0.5	0.5	0.5	0.5	0.5	0.5
Nozzle size	.0370	.0370	.0370	25045	.0435	.0435
FEATURES						
Hose reel			•			•
Hose storage holders	•	•		•	•	
Spray Gun Holder	•	•	•	•	•	•
Cable Hook, turnable	•	•	•	•	•	•
Lock for Hose Reel			•			•
Foam Sprayer		•	•		•	•
Detergent Canister 2,5 ltr		•	•		•	•
STANDARD EQUIPMENT						
ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496	101119496
GARDENA MALE 3/4 INCH	106404529	106404529	106404529	106404529	106404529	106404529
10 M WIRE HOSE DN6	301002275	301002275		301002275	301002275	
HP-HOSE DN6X15M MC 3-4			107142542			107142542
HOSE REEL FOR MC 3-4			107145803			107145803
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122	106403122
FLEXOPOWER PLUS 990 W/O NOZZLE BLUE		106408228		106408228		
UNIVERSAL PLUS LANCE 940 BEND W/O NOZZLE	106403036			106403036		
4-IN-1 LANCE INCL 0370 ALUMINUM HEAD			106408252			
4-IN-1 LANCE INCL 0435 ALUMINUM HEAD						106408254
HP-NOZZLE 1/8-27NPT MEG 25045				107142579		
NOZZLE 0370 INDICATION RING BRONZE	101119737	101119737			101119739	
NOZZLE 0435 INDICATION RING BLUE			106403162		106403162	106403162
DETERGENT TANK W.SAFETY CAP - 2.5 LTR.			106403162		106403162	106403162
ITEM NO.	107146375	107146376	107146380	107146381	107146382	107146384



Mid range cold water high pressure washer with external FoamSprayer detergent system

- Powered by a 1450 rpm high-quality motor pump
- Brass pump head and three ceramic coated pistons
- Pressure activated unloader system
- Pump oil tank with oil level sight and fill/empty function
- Easy opening and removing of cabinet for access to the pump
- Innovative holder protects Spray Gun from damage during storage and transport
- Turnable cable hook for easier removal and wind-up of power cable
- Robust design with larger 250 mm wheels optimizes transport over rough surfaces and steps
- Aluminum lifting bar

MC 4M is designed for light, general cleaning tasks and is the ideal choice for tradesmen, small building companies, small garages and farms. This range is equipped with a professional 1450 rpm motor pump unit with ceramic coated pistons, developed for low to medium intensity use.



TECHNICAL DATA

	MC 4M-140/620	MC 4M-160/620	MC 4M-160/620 XT	MC 4M-160/720	MC 4M-180/740	MC 4M-180/740 XT
Pump pressure (bar/MPa)	140/14	160/16	160/16	160/16	180/18	180/18
Cleaning impact (kg/force)	2.8	2.9	2.9	3.4	3.6	3.6
Water flow Qmax/Qiec (l/h)	620/580	620/560	620/560	720/660	740/660	740/660
Max inlet temperature (°C)	60	60	60	60	60	60
Pump (RPM)	1450	1450	1450	1450	1450	1450
Length x width x height (mm)	382x382x1017	382x382x1017	382x382x1017	382x382x1017	382x382x1017	382x382x1017
Weight (kg)	39	39	41	39	40	42
Power consumption (kW)	2.9	3	3	3.5	4	4
Voltage/phase/frequency/current (V~/Hz/A)	230/1/50/12.5	230/1/50/13.4	230/1/50/13.4	400/3/50/6.5	400/3/50/7.4	400/3/50/7.7
El cable (m)	5	5	5	5	5	5
Ceramic Coated Pistons	3	3	3	3	3	3
Suction height dry (m)	0.5	0.5	0.5	0.5	0.5	0.5
Nozzle size	25035	.0340	.0340	25040	.0370	.0370

FEATURES

Hose reel			•			•
Spray Gun Holder	•	•	•	•	•	•
Cable Hook, turnable	•	•	•	•	•	•
Lock for Hose Reel			•			•
Foam Sprayer		•	•		•	•
Detergent Canister 2,5 ltr		•	•		•	•

STANDARD EQUIPMENT

ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496	101119496
GARDENA MALE 3/4 INCH	106404529	106404529	106404529	106404529	106404529	106404529
10 M WIRE HOSE DN6	301002275	301002275		301002275	301002275	
HP-HOSE DN6X15M MC 3-4			107142542			107142542
HOSE REEL FOR MC 3-4			107145803			107145803
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122	106403122
FLEXOPOWER PLUS 990 W/O NOZZLE BLUE		106408228			106408228	
UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036			106403036		
4-IN-1 LANCE INCL 0340 ALUMINUM HEAD			106408250			
4-IN-1 LANCE INCL 0370 ALUMINUM HEAD						106408252
HP NOZZLE 25040 1/8 INCH NPT				2504		
HP-NOZZLE 1/8-27NPT MEG 25035	107142577					
NOZZLE 0340 INDICATION RING VIOLET		101119735				
NOZZLE 0370 INDICATION RING BRONZE					101119737	
DETERGENT TANK W.SAFETY CAP - 2.5 LTR.		106403162	106403162		106403162	106403162
HOLDER F. FOAM GUN		107142504	107142504		107142504	107142504
BRACKET F. DETERGENT TANK 2.5L		107142505	107142505		107142505	107142505
ITEM NO.	107146395	107146400	107146403	107146404	107146406	107146410



Innovative and versatile mid range cold water high pressure washers

- Tough and sturdy design with 30 mm steel frame
 - Optimal storage and transport with foldable handle and easy lifting points
 - High mobility with large rear wheels and most models with front castor wheel or a foot
 - Easy accessibility to pump, optimal service concept
 - Ergonomic accessory concept
 - 1450 rpm motor and 3 ceramic piston pump for intense use
 - Ergonomic accessory concept

The MC 5M PA-FA mid range are the most versatile partners for demanding customers in agriculture, industry, construction and automotive. The MC 5M range succeeds in combining an unmatched level of mobility and ease of use with unbeatable robustness, optimal service and great storage features.




TECHNICAL DATA	MC 5M-180/840	MC 5M-180/840 XT	MC 5M-200/1000	MC 5M-200/1000 XT	MC 5M-200/1050
Pump pressure (bar/MPa)	180/18	180/18	200/20	200/20	200/20
Cleaning impact (kg/force)	4.1	4.1	5.3	5.3	5.6
Water flow Qmax/Qiec (l/h)	840/760	840/760	1000/940	1000/940	1050/960
Max inlet temperature (°C)	60	60	60	60	60
Pump (RPM)	1450	1450	1450	1450	1450
Length x width x height (mm)	735x570x1020	890x570x1020	735x570x1020	890x570x1020	735x570x1020
Weight (kg)	66	72	71	76	73
Power consumption (kW)	4.8	4.8	6.1	6.1	6.1
Voltagephase/frequency/current (V~/Hz/A)	400/3/50/8.5	400/3/50/8.5	400/3/50/11.4	400/3/50/11.4	400/3/50/11.4
El cable (m)	5	5	5	5	5
Ceramic pistons	3	3	3	3	3
Suction height dry (m)	1	1	1	1	1
Nozzle size	.0400	.0400	.0500	.0500	.0500
FEATURES					
Detergent tank					•
Hose reel		•		•	
Parking brake					•
Automatic start/stop	•	•	•	•	•
Water flow regulation					•
1 x detergent injector					•
STANDARD EQUIPMENT					
ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369	61369
10 M WIRE HOSE DN6	301002275		301002275		
HP-HOSE DN6 15M 3/8-3/8 F. QUICK COUPL.		101406175		101406175	
HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.					101405770
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE					106403010
FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE	106408227	106408227	106408227	106408227	
TURBOHAMMER PLUS 1115 STRAIGHT W12 0400		106403002			
TURBOHAMMER PLUS 1130 STRAIGHT W12 0500				106403003	
NOZZLE 0400 INDICATION RING METAL GREY	101119738	101119738			
NOZZLE 0500 INDICATION RING YELLOW			101119741	101119741	101119741
ITEM NO.	107146705	107146708	107146727	107146728	107146711



Innovative and versatile mid range cold water high pressure washers

- Tough and sturdy design with 30 mm steel frame
- Optimal storage and transport with foldable handle and easy lifting points
- High mobility with large rear wheels and most models with front castor wheel or a foot
- Easy accessibility to pump, optimal service concept
- Ergonomic accessory concept
- 1450 rpm motor and 3 ceramic piston pump for intense use
- Ergonomic accessory concept

The MC 5M PA-FA mid range are the most versatile partners for demanding customers in agriculture, industry, construction and automotive. The MC 5M range succeeds in combining an unmatched level of mobility and ease of use with unbeatable robustness, optimal service and great storage features.




TECHNICAL DATA	MC 5M-200/1050 FA	MC 5M-200/1050 XT	MC 5M-220/1130	MC 5M-220/1130 FA	MC 5M-220/1130 XT
Pump pressure (bar/MPa)	200/20	200/20	220/22	220/22	220/22
Cleaning impact (kg/force)	5.6	5.6	6.2	6.2	6.2
Water flow Qmax/Qiec (l/h)	1050/960	1050/960	1130/1040	1130/1040	1130/1040
Max inlet temperature (°C)	60	60	60	60	60
Pump (RPM)	1450	1450	1450	1450	1450
Length x width x height (mm)	735x570x1020	890x570x1020	735x570x1020	735x570x1020	890x570x1020
Weight (kg)	73	78	78	79	85
Power consumption (kW)	6.1	6.1	7.4	7.4	7.4
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/11.4	400/3/50/11.4	400/3/50/13.3	400/3/50/13.3	400/3/50/13.3
El cable (m)	5	5	5	5	5
Ceramic pistons	3	3	3	3	3
Suction height dry (m)	1	1	1	1	1
Nozzle size	.0500	.0500	.0530	.0530	.0530
FEATURES					
Detergent tank	•	•	•	•	•
Hose reel		•			•
Parking brake	•	•	•	•	•
Automatic start/stop	•	•	•	•	•
2 x detergent injector		•	•	•	•
Water flow regulation	•	•	•	•	•
1 x detergent injector	•				
STANDARD EQUIPMENT					
ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369	61369
HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.		301001100			301001101
HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.					
HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770		101405770	101405770	
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010	106403010	106403010
TURBOHAMMER PLUS 1125 STRAIGHT W11 0550					106402292
TURBOHAMMER PLUS 1130 STRAIGHT W12 0500		106403003			
NOZZLE 0500 INDICATION RING YELLOW	101119741	101119741			
NOZZLE 0530 INDICATION RING RED			101119742	101119742	101119742
ITEM NO.	107146714	107146716	107146718	107146721	107146722



Premium performance, lifetime and ergonomics

- NA6 4 ceramic piston pump with 80°C inlet temp
- Tough and sturdy design with 30 mm steel frame
- Optimal storage and transport with foldable handle and easy lifting points
- High mobility with large rear wheels and front castor wheel
- Easy accessibility to pump, optimal service concept
- Ergonomic accessory concept
- Flow activated control system
- Low pump oil safety function
- Water adjustment at pump head
- 2 way chemical dosing valve
- 2 detergent tanks

The MC 6P industrial class cold water pressure washers bring together unbeatable lifetime, high cleaning performance and optimal ergonomics for the most all-round and value for money range of heavy duty cleaners for demanding customers in industry, heavy agriculture, shipping, transport and food industry.



TECHNICAL DATA	MC 6P-100/1600 FFA	MC 6P-170/1600 FA	MC 6P-170/1600 FAXT	MC 6P-180/1300 FA	MC 6P-180/1300 FAXT	MC 6P-200/1100 FAXT	MC 6P-250/1100 FA	MC 6P-250/1100 FAXT
Pump pressure (bar/MPa)	100/10	170/17	170/17	180/18	180/18	200/20	250/25	250/25
Cleaning impact (kg/force)	6.1	7.9	7.9	6.5	6.5	5.6	6.4	6.4
Water flow Qmax/Qiec (l/h)	1600/1500	1600/1500	1600/1500	1300/1200	1300/1200	1100/1000	1100/1010	1100/1010
Max inlet temperature (°C)	80	80	80	80	80	80	80	80
Pump (RPM)	1450	1450	1450	1450	1450	1450	1450	1450
Length x width x height (mm)	775x570x1020	775x570x1020	930x570x1020	775x570x1020	930x570x1020	930x570x1020	775x570x1020	930x570x1020
Weight (kg)	80	89	96	86	93	85	89	96
Power consumption (kW)	5.7	8.8	9	7.4	7.7	7.3	8.3	8.8
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/10	400/3/50/16	400/3/50/16	400/3/50/14.5	400/3/50/14.5	400/3/50/13	400/3/50/15	400/3/50/15.5
El cable (m)	8	8	8	8	8	5	8	8
Ceramic pistons	4	4	4	4	4	4	4	4
Suction height dry (m)	1	1	1	1	1	1	1	1
Nozzle size	.1300	.0950	.0950	.0700	.0700	.0550	.0475	.0475

FEATURES

Stainless steel frame	•							
Hose reel			•		•	•		•
Robust steel chassis and frame	•	•	•	•	•	•	•	•
Food industry wheels and hose	•							
Pump oil warning system	•	•	•	•	•	•	•	•
Delayed automatic start stop	•	•	•	•	•	•	•	•
2 x detergent injector	•	•	•	•	•	•	•	•

STANDARD EQUIPMENT


ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369	61369	61369	61369	61369
HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.						301001100		
HOSE DN10 10 M 2W 3/8X3/8 INCH		6101766		6101766			6101766	
HP HOSE DN10 150DEG L15000mm			1402064		1402064			1402064
HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767							
HOSE REEL COMPLETE			106403143		106403143	106403143		106403143
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106402190	106403122	106403122	106403122	106403122	106403122
SPRAY HANDLE W. SWIVEL LOCK								
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010	106403010	106403010	106403010	106403010	106403010
TURBOHAMMER PLUS 1125 STRAIGHT W11 0500								106402291
TURBOHAMMER PLUS 1125 STRAIGHT W11 0550								
TURBOHAMMER PLUS 1125 STRAIGHT W11 0700					106402294			
TURBOHAMMER PLUS 1130 STR./NOZ. W11 1000			106403078					
TORNADO NOZZLE 0475							301150005	301150005
NOZZLE 0550 INDICATION RING NEONGREEN						101119743		
NOZZLE 0700 INDICATION RING ORANGE				101119748	101119748			
TORNADO NOZZLE 0950 DARK ROSE		101117655	101117655					
NOZZLE 1300 - INDICATION RING BROWN	101119760							
ITEM NO.	107146763	107146755	107146761	107146752	107146759	107146772	107146751	107146758



Ultimate industrial quality

- C3 4 ceramic piston pump with 85°C inlet temperature
- Tough and sturdy design with 30 mm steel frame
- Optimal storage and transport with foldable handle and easy lifting points
- High mobility with large rear wheels and front castor wheel
- Easy accessibility to pump
- Optimal service concept, Ergonomic accessory concept
- Flow activated control system
- Low pump oil safety function
- Water adjustment at pump head
- 2 detergent tanks and 2-way dosing valve

The MC 7P industrial class cold water high pressure washer combines the renowned and unmatched lifetime and quality of the C3, 4 piston pump with optimal ergonomics and mobility to offer an innovative and unbeatable partner for applications in heavy industry, large agriculture, transport and valeting, shipping and food industry.




TECHNICAL DATA	MC 7P-195/1280 FA	MC 7P-195/1280 FAXT	MC 7P-195/1280 FBFA	MC 7P-195/1280 FFA
Pump pressure (bar/MPa)	195/19.5	195/19.5	195/19.5	195/19.5
Cleaning impact (kg/force)	6.7	6.7	6.7	6.7
Water flow Qmax/Qiec (l/h)	1280/1180	1280/1180	1280/1180	1280/1180
Max inlet temperature (°C)	85	85	70	85
Pump (RPM)	1450	1450	1450	1450
Length x width x height (mm)	775x570x1020	930x570x1020	775x570x1020	775x570x1020
Weight (kg)	89	95	94	89
Power consumption (kW)	8	8	8	8
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/14	400/3/50/15	400/3/50/14	400/3/50/14
El cable (m)	8	8	8	8
Ceramic pistons	4	4	4	4
Detergent tank capacity (l)	2 x 2.5	2 x 2.5	2 x 2.5	2 x 2.5
Suction height dry (m)	1	1	1	1
Nozzle size	.0680	.0680	.0680	.0680
FEATURES				
Stainless steel frame			•	•
Hose reel		•		
Food industry wheels and hose			•	•
Pump oil warning system	•	•	•	•
Delayed automatic start stop	•	•	•	•
Water break tank			•	
STANDARD EQUIPMENT				
ERGO COUPLING KIT	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369
HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766			
HP HOSE DN10 150DEG L15000mm		1402064		
HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD			6101767	6101767
HOSE REEL COMPLETE		106403143		
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010	106403010
TURBOHAMMER PLUS 1125 STRAIGHT W11 0700		106402294		
NOZZLE 0680 INDICATION RING GREY	101119747	101119747	101119747	101119747
FOAM INJECTOR W BYPASS S. S			6401243	
ITEM NO.	107146800	107146801	107146812	107146802



High-flow pressure washer for tough routine work

- Tough steel or stainless steel frame variants
- Slow running 1450 rpm motors with low noise level
- Ceramic pistons for longer working life
- Simple and easy to use
- Parking brake
- 15 m HP hose

The high power premium class line - combining high pressure and high water flow levels for routine cleaning in agriculture, transport or food industries. The MC 8P is a machine with high water flow - quick to install, easy to move around and comfortable to use.




TECHNICAL DATA	MC 8P-160/2500	MC 8P-160/2500 ST	MC 8P-180/2100
Pump pressure (bar/MPa)	160/16	160/16	180/18
Cleaning impact (kg/force)	12.5	12.5	11.1
Water flow Qmax/Qiec (l/h)	2500/2450	2500/2450	2100/2050
Max inlet temperature (°C)	50	50	50
Pump (RPM)	1450	1450	1450
Length x width x height (mm)	900x660x910	900x660x910	900x660x910
Weight (kg)	130	130	130
Power consumption (kW)	14.5	14.5	14
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/24.9	400/3/50/24.9	400/3/50/24
El cable (m)	5	5	5
Ceramic pistons	3	3	3
Suction height dry (m)	1.5	1.5	1.5
Suction height - primed (m)	2.5	2.5	2.5
Nozzle size	.1590	.1590	.1200
FEATURES			
Stainless steel frame		•	
SilentPower - 1450 rpm motor	•	•	•
Parking brake	•	•	•
Pneumatic wheels	•	•	•
Automatic on/off and delayed action	•	•	•
STANDARD EQUIPMENT			
ERGO COUPLING KIT	101119496	101119496	101119496
HOSE LINER 20 R1	6577	6577	6577
HP HOSE DN10 150DEG L1500mm			1402064
15 M 2 WIRE HOSE 1/2 DN12	4810213	4810213	
ERGO 2000 STANDARD W. HOSE SWIVEL			106403122
SPRAY HANDLE W. SWIVEL LOCK	106402190	106402190	
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010
NOZZLE 1200 INDICATION RING CARAMELE			101119758
TORNADO + NZLE 1590 1/8-27NPT	301150004	301150004	
ITEM NO.	301002535	301002619	301002534



Compact and innovative - for low intensity cleaning applications

- EcoPower boiler with >92% efficiency and reduced fuel costs
 - Robust steel frame
 - Compact, vertical design reducing storage footprint
 - Easy to use control panel... all controls in one place
 - Ergo accessory system
 - Machine protection against through low fuel safety, exhaust gas sensor, flame sensor
 - Max. Inlet temperature 40°C

MH 1C is a compact and innovative hot water unit ideal for low intensity and infrequent cleaning applications around small garages or farms, car dealers or by tradesmen and craftsmen.



TECHNICAL DATA

MH 1C-110/600

Pump pressure (bar/MPa)	110/11
Cleaning impact (kg/force)	2.3
Water flow Qmax/Qiec (l/h)	600/540
Pump (RPM)	2800
Water temperature (water/steam) (°C)	80
Max inlet temperature (°C)	40
Fuel consumption ΔT=45°C (kg/h)	2.4
Fuel tank (l)	17
Length x width x height (mm)	607x688x1000
Weight (kg)	94
Power consumption (kW)	2.8
Voltage/phase/frequency/current (V~/Hz/A)	230/1/50/12
Detergent tank (l)	5
Stainless steel pistons	3
El cable (m)	5
Nozzle size	0400

FEATURES

FEATURES	
Detergent tank	•
Single-phase	•
EcoPower boiler-high efficiency	•
Compact design	•
Service indicator	•
Automatic start/stop	•
Flame sensor	•

STANDARD EQUIPMENT

ERGO COUPLING KIT	101119496
GARDENA MALE 3/4 INCH	106404529
10 M WIRE HOSE DN6	301002275
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122
FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281
NOZZLE 0400 INDICATION RING METAL GREY	101119738
ITEM NO.	107145000



Compact and vertical - ideal for everyday use

- EcoPower boiler with >92% efficiency and reduced fuel cost
- Robust steel frame
- Compact, vertical design reducing storage footprint
- Easy to use control panel... all controls in one place
- Ergo accessory system
- Machine protection against through low fuel safety, exhaust gas sensor, flame sensor.
- Duo Motor system
- High pressure detergent with removable detergent tank
- Max. inlet temperature 40°C

Innovative compact hot water unit with unique vertical design, high performance and great reliability. The MH 2C is ideal for everyday, low frequency cleaning tasks in the automotive segment, for tradesmen or around small farms.





TECHNICAL DATA	MH 2C-145/600	MH 2C-145/600 X	MH 2C-170/690	MH 2C-170/690 X	MH 2C-190/780	MH 2C-190/780 X
Pump pressure (bar/MPa)	145/14.5	145/14.5	170/17	170/17	190/19	190/19
Cleaning impact (kg/force)	2.6	2.6	3.3	3.3	4.1	4.1
Water flow Qmax/Qiec (l/h)	600/530	600/530	690/630	690/630	780/730	780/730
Pump (RPM)	2800	2800	2800	2800	2800	2800
Water temperature (water/steam) (°C)	80/150	80/150	80/150	80/150	80/150	80/150
Max inlet temperature (°C)	40	40	40	40	40	40
Fuel consumption ΔT=45°C (kg/h)	2.4	2.4	2.8	2.8	3.3	3.2
Fuel tank (l)	17	17	17	17	17	17
Length x width x height (mm)	607x688x1000	607x688x1071	607x688x1000	607x688x1071	607x688x1000	607x688x1071
Weight (kg)	110	112	110	112	110	112
Power consumption (kW)	3.4	3.4	4.1	4.1	5.1	5.1
Voltage/phase/frequency/current (V~/Hz/A)	230/1/50/14.5	230/1/50/14.5	400/3/50/8	400/3/50/8	400/3/50/9	400/3/50/9
Detergent tank (l)	5	5	5	5	5	5
Ceramic pistons	3	3	3	3	3	3
El cable (m)	5	5	5	5	5	5
Nozzle size	.0340	.0340	.0370	.0370	.0400	.0400
FEATURES						
Detergent tank	•	•	•	•	•	•
EcoPower boiler-high efficiency	•	•	•	•	•	•
Hose reel		•		•		•
Service indicator	•	•	•	•	•	•
Brass cylinder head	•	•	•	•	•	•
Automatic on/off and delayed action	•	•	•	•	•	•
Flame sensor	•	•	•	•	•	•
STANDARD EQUIPMENT						
ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496	101119496
GARDENA MALE 3/4 INCH	106404529	106404529	106404529	106404529	106404529	106404529
10 M WIRE HOSE DN6	301002275		301002275		301002275	
HP HOSE DN6 15 FOR HW AND SWIVEL		101117763		101117763		101117763
HOSE REEL CPL. FOR MOUNTING IN BOX		107145197		107145197		107145197
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122	106403122
UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	106403036	106403036	106403036	106403036	106403036
NOZZLE 0340 INDICATION RING VIOLET	101119735	101119735				
NOZZLE 0370 INDICATION RING BRONZE			101119737	101119737		
NOZZLE 0400 INDICATION RING METAL GREY					101119738	101119738
ITEM NO.	107145003	107145004	107145009	107145010	107145013	107145014



Innovative vertical and compact design combined with long-life motor

- EcoPower boiler with >92% efficiency and reduced fuel cost
 - 1450 rpm motor pump unit with ceramic piston pump
 - Delayed start stop function
 - Robust steel frame
 - Compact, vertical design reducing storage footprint
 - Easy to use control panel... all controls in one place
 - Ergonomic accessory system
 - Machine protection against through low fuel safety, exhaust gas sensor, flame sensor
 - Duo Motor system
 - High pressure detergent with removable detergent tank
 - Max. inlet temperature 40°C

MH 2M is a compact hot water pressure washer combining robust vertical design and 1450 rpm professional motor pump units for cleaning of low to medium intensity. Ideal in sectors such as vehicle, trade and small agriculture.



TECHNICAL DATA	MH 2M-140/600 X	MH 2M-155/660 X
Pump pressure (bar/MPa)	140/14	155/15.5
Cleaning impact (kg/force)	2.6	3
Water flow Qmax/Qiec (l/h)	600/560	660/600
Pump (RPM)	1450	1450
Water temperature (water/steam) (°C)	80	80
Max inlet temperature (°C)	40	40
Fuel consumption ΔT=45°C (kg/h)	2.5	2.7
Fuel tank (l)	17	17
Length x width x height (mm)	607x688x1071	607x688x1071
Weight (kg)	99	99
Power consumption (kW)	3.4	3.8
Voltage/phase/frequency/current (V~/HZ/A)	230/1/50/14.5	400/3/50/8
Detergent tank (l)	5	5
Ceramic pistons	3	3
El cable (m)	5	5
Nozzle size	.0350	.0350
FEATURES		
Detergent tank	•	•
EcoPower boiler-high efficiency	•	•
Hose reel	•	•
Service indicator	•	•
Brass cylinder head	•	•
Automatic on/off and delayed action	•	•
Flame sensor	•	•
STANDARD EQUIPMENT		
ERGO COUPLING KIT	101119496	101119496
GARDENA MALE 3/4 INCH	106404529	106404529
HP HOSE DN6 15 FOR HW AND SWIVEL	101117763	101117763
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122
UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	106403036
NOZZLE 0350 INDICATION RING BORDEAUX	101119736	101119736
ITEM NO.	107145025	107145027


NEW



Optimal ergonomics, reliable cleaning

- High efficiency 4 pole motors
 - EcoPower boiler with EcoMode function
 - Brass pump head
 - 3 ceramic coated pistons
 - Pressure activated unloader system
 - Simple fuel level sight
 - Easy access to components
 - Easy pump oil service functions with tank and oil sight
 - Innovative design with 4 big wheels
 - Easy to transport, can even be pushed/pulled across uneven surfaces

The MH 3M series takes mid-range hot water high pressure washers to a new level, meeting the latest productivity demands in the market. The MH 3M is equipped with our semi industrial NA4 pump with 3 ceramic coated pistons and a high efficiency 4 pole motor. It offers ideal performance levels for general hot water cleaning and the efficient EcoPower Boiler.



TECHNICAL DATA	MH 3M-140/580 PA	MH 3M-160/770 PA
Pump pressure (bar/MPa)	140/14	160/16
Cleaning impact (kg/force)	2.8	3.6
Water flow Qmax/Qiec (l/h)	580/580	770/700
Pump (RPM)	1450	1450
Water temperature (water/steam) (°C)	80	80
Max inlet temperature (°C)	40	40
Fuel consumption ΔT=45°C (kg/h)	2.6	3.1
Fuel tank (l)	15	15
Length x width x height (mm)	1010x700x1016	1010x700x1016
Weight (kg)	114	133
Power consumption (kW)	3.6	4.7
Voltage/phase/frequency/current (V~/HZ/A)	230/1/50/16	400/3/50/8
Ceramic Coated Pistons	3	3
El cable (m)	5	5
Nozzle size	.0370	.0400
FEATURES		
Automatic start/stop	•	•
Fuel tank	•	•
Fuel sight from outside	•	•
Eco mode feature	•	•
2 lance holder	•	•
Large wheel – 4 pcs.	•	•
Anti Stone	•	•
STANDARD EQUIPMENT		
ERGO COUPLING KIT	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369
10 M WIRE HOSE DN6	301002275	301002275
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122
UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	106403036
NOZZLE 0370 INDICATION RING BRONZE	101119737	
NOZZLE 0400 INDICATION RING METAL GREY		101119738
ITEM NO.	107146895	107146903

NEW



Performance, life-time and ergonomics

- High efficiency 4 pole motors
- EcoPower boiler with EcoMode function
- Brass pump head
- Pressure activated unloader system
- Innovative design with 4 big wheels
- Easy to transport, can even be pushed/pulled across uneven surfaces
- Flow activated unloader system
- Diesel oil tank with level sight
- As standard delivered with 10l external detergent tank (A) and space for an extra tank (B)
- Low fuel warning system
- Onboard diagnostics function

The MH 4M series takes mid-range hot water high pressure washers to a new level, meeting the latest productivity demands in the market. The MH 4M is equipped with our industrial NA5 pump with 3 ceramic pistons and a high efficiency 4 pole motor. And the flow activated control system improves user comfort and handling as well as overall machine reliability.



TECHNICAL DATA	MH 4M-130/720 FA	MH 4M-180/860 FA	MH 4M-180/860 FAL	MH 4M-200/960 FA	MH 4M-200/960 FAX	MH 4M-210/1000 PAX	MH 4M-220/1000 FA	MH 4M-220/1000 FAX
Pump pressure (bar/MPa)	130/13	180/18	180/18	200/20	200/20	210/21	220/22	220/22
Cleaning impact (kg/force)	3	4.3	4.3	5.1	5.1	5.5	5.6	5.6
Water flow Qmax/Qiec (l/h)	720/660	860/790	860/790	960/890	960/890	1000/940	1000/940	1000/940
Pump (RPM)	1450	1450	1450	1450	1450	1450	1450	1450
Water temperature (water/steam) (°C)	90/150	90/150	90	90/150	90/150	90/150	90/150	90/150
Max inlet temperature (°C)	40	40	40	40	40	40	40	40
Fuel consumption ΔT=45°C (kg/h)	2.9	3.5	3.5	3.9	3.9	4.1	4.1	4.1
Fuel tank (l)	15	15	15	15	15	15	15	15
Length x width x height (mm)	1010x700x1016	1010x700x1016	1010x700x1016	1010x700x1016	1010x700x1016	1010x700x1016	1010x700x1016	1010x700x1016
Weight (kg)	141	133	133	142	142	149	142	149
Power consumption (kW)	3.6	5.9	5.9	7.2	7.2	8.0	7.2	7.2
Voltage/phase/frequency/current (V~/~Hz/A)	230/1/50/16	400/3/50/10	400/3/50/10	400/3/50/12	400/3/50/12	400/3/50/13,5	400/3/50/14	400/3/50/14
Detergent tank (l)	A: 10 + B:	A: 10 + B:	B: 10	A: 10 + B:	A: 10 + B:	A: 10 + B:	A: 10 + B:	A: 10 + B:
Ceramic pistons	3	3	3	3	3	3	3	3
El cable (m)	5	5	5	5	5	5	5	5
Nozzle size	.0435	.0435	.0435	.0475	.0475	.0475	.0475	.0475
FEATURES								
Pump oil warning system	•	•		•	•	•	•	•
Service indicator	•	•	•	•	•	•	•	•
Automatic start/stop	•	•	•	•	•	•	•	•
2 x detergent injector	•	•		•	•	•	•	•
Water flow regulation	•	•		•	•	•	•	•
Fuel sight from outside	•	•	•	•	•	•	•	•
STANDARD EQUIPMENT								
ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369	61369	61369	61369	61369
NILFISK BA VALVE COMP. GARDENA	106411177	106411177		106411177	106411177		106411177	106411177
HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.					301001100	301001100		301001100
HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	101405770	101405770	101405770			101405770	
HOSE REEL NILFISK ACCESSORY					106403184	106403184		106403184
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122	106403122	106403122	106403122
TORNADO PLUS 1000 BEND W/O NOZZLE				106403011	106403011	106403011	106403011	106403011
UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	106403036	106403036					
NOZZLE 0435 INDICATION RING BLUE	101119739	101119739	101119739					
TORNADO NOZZLE 0475				301150005	301150005	301150005	301150005	301150005
WATER FILTER COMPLETE	107144272	107144272		107144272	107144272	107144272	107144272	107144272
ITEM NO.	107146915	107146917	107146916	107146920	107146922	107146912	107146938	107146940


NEW



High performance, long life & optimal maneuverability

- EcoPower boiler with EcoMode function
 - EcoPower boiler >92% efficiency giving reduced fuel costs
 - Brass pump head
 - 3 ceramic pistons
 - Flow or Pressure activated unloader system
 - Innovative design with 4 big wheels
 - Easy to transport, can even be pushed/pulled across uneven surfaces
 - Oil tank and oil sight
 - Low pump oil warning system
 - Low fuel warning system
 - Onboard diagnostics function

The MH 5M series offers high cleaning efficiency and low running costs via optimal cleaning and heating performance. It is the ideal hot water unit for segments such as automotive and transport, farming and industry.




TECHNICAL DATA	MH 5M-200/960 FA	MH 5M-200/960 FAX	MH 5M-210/1100 FA	MH 5M-210/1100 FAX	MH 5M-210/1100 PAX
Pump pressure (bar/MPa)	200/20	200/20	210/21	210/21	210/21
Cleaning impact (kg/force)	5.1	5.1	6.1	6.1	6.1
Water flow Qmax/Qiec (l/h)	960/900	960/900	1100/1050	1100/1050	1100/1050
Pump (RPM)	1450	1450	1450	1450	1450
Water temperature (water/steam) (°C)	90/150	90/150	90/150	90/150	90/150
Max inlet temperature (°C)	40	40	40	40	40
Fuel consumption ΔT=45°C (kg/h)	3.9	3.9	4.7	4.7	4.7
Fuel tank (l)	30	30	30	30	30
Length x width x height (mm)	1188x700x1020	1188x700x1020	1188x700x1020	1188x700x1020	1188x700x1020
Weight (kg)	171	174	174	179	179
Power consumption (kW)	7.2	7.2	7.9	7.9	7.9
Voltage/phase/frequency/current (V~/~HZ/A)	400/3/50/12	400/3/50/12	400/3/50/13.5	400/3/50/13.5	400/3/50/13.5
Detergent tank (l)	A: 10 + B: 10	A: 10 + B: 10	A: 10 + B: 10	A: 10 + B: 10	A: 10 + B: 10
Ceramic pistons	3	3	3	3	3
El cable (m)	5	5	5	5	5
Nozzle size	.0475	.0475	.0550	.0550	.0550
FEATURES					
EcoPower boiler-high efficiency	•	•	•	•	•
Hose reel		•		•	•
Pump oil warning system	•	•	•	•	•
Service indicator	•	•	•	•	•
Automatic on/off and delayed action	•	•	•	•	•
Flame sensor	•	•	•	•	•
STANDARD EQUIPMENT					
ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369	61369
HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.		301001101		301001101	301001101
HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770		101405770		
HOSE REEL NILFISK ACCESSORY		106403184		106403184	106403184
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010	106403010	106403010
TORNADO NOZZLE 0475	301150005	301150005			
NOZZLE 0550 INDICATION RING NEONGREEN			101119743	101119743	101119743
WATER FILTER COMPLETE	107144272	107144272	107144272	107144272	107144272
ITEM NO.	107146948	107146947	107146955	107146953	107146950



Electrically heated hot water for exhaust gas free heating.

- Pollution free electrical heating
- Three stage water tank heating for precise temperature control and fast heating effect
- 1450 rpm motor with low noise level
- QuickService concept reduces maintenance costs
- Easy to use control panel, all controls in one place
- Ergonomic accessory system for additional user comfort
- Max. Inlet temperature 70°C

The ergonomic and easy to use MH design is now adapted to an electrical heated hot water unit. Ideal for use in areas where exhaust gases must be avoided, the MH 5M E offers pollution free hot water cleaning.



TECHNICAL DATA	MH 5M-150/750 E12	MH 5M-150/750 E24
Pump pressure (bar/MPa)	150/15	150/15
Cleaning impact (kg/force)	3.6	3.6
Water flow Qmax/Qiec (l/h)	750/720	750/720
Pump (RPM)	1450	1450
Max inlet temperature (°C)	70	70
Max temperature (°C)	30/80	30/80
Length x width x height (mm)	1190x702x987	1190x702x987
Weight (kg)	132	135
Voltage/phase/frequency/current (V~/Hz/A)	400-415/3/50/24.3	400/3/50/42
Ceramic pistons	3	3
El cable (m)	5	5
Nozzle size	.0435	.0435
FEATURES		
Automatic standby	•	•
SilentPower - 1450 rpm motor	•	•
QuickService - innovative concept	•	•
Ergo accessory system	•	•
Wdk dual detergent injector	•	•
Pump oil warning system	•	•
Service indicator	•	•
STANDARD EQUIPMENT		
ERGO COUPLING KIT	101119496	101119496
QUICK COUPLING 3/4 W/GASKET	1602945	1602945
HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	101405770
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122
UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	106403035
NOZZLE 0435 INDICATION RING BLUE	101119739	101119739
ITEM NO.	301002020	301002021

MH 6P - Large mobile hot water




NEW



Tough and efficient - for heavy duty applications

- EcoPower boiler with EcoMode function
 - EcoPower boiler >92% efficiency giving reduced fuel costs
 - Brass pump head
 - 4 ceramic pistons
 - Flow activated unloader system
 - Innovative design with 4 big wheels
 - Easy to transport, can even be pushed/pulled across uneven surfaces
 - Oil tank and oil sight
 - Low pump oil warning system
 - Low fuel warning system
 - Onboard diagnostics function
 - Easy to use control panel

The MH 6P series features machines with high power & pressure for tough cleaning tasks. Ideal for heavy use in agriculture, construction, transport or industrial segments.



TECHNICAL DATA	MH 6P-175/1250 FA	MH 6P-175/1250 FAX	MH 6P-200/1300 FA	MH 6P-200/1300 FAX
Pump pressure (bar/MPa)	175/17.5	175/17.5	200/20	200/20
Cleaning impact (kg/force)	6.2	6.2	6.9	6.9
Water flow Qmax/Qiec (l/h)	1250/1150	1250/1150	1300/1200	1300/1200
Pump (RPM)	1450	1450	1450	1450
Water temperature (water/steam) (°C)	90/150	90/150	90/150	90/150
Max inlet temperature (°C)	40	40	40	40
Fuel consumption ΔT=45°C (kg/h)	5.4	5.4	5.3	5.3
Fuel tank (l)	30	30	30	30
Length x width x height (mm)	1188x700x1020	1188x700x1020	1188x700x1045	1188x700x1045
Weight (kg)	180	188	198	207
Power consumption (kW)	8.5	8.5	9.1	9.1
Voltage/phase/frequency/current (V~/~HZ/A)	400/3/50/14.5	400/3/50/14.5	400/3/50/15.5	400/3/50/15.5
Detergent tank (l)	A: 10 + B: 10	A: 10 + B: 10	A: 10 + B: 10	A: 10 + B: 10
Ceramic pistons	4	4	4	4
El cable (m)	5	5	5	5
Nozzle size	.0750	.0750	.0680	.0680
FEATURES				
EcoPower boiler-high efficiency	•	•	•	•
Hose reel		•		•
Pump oil warning system	•	•	•	•
Service indicator	•	•	•	•
Automatic on/off and delayed action	•	•	•	•
Flame sensor	•	•	•	•
STANDARD EQUIPMENT				
ERGO COUPLING KIT	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369
HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766		6101766	
M 20 WIRE HOSE 3/8 DN10		1402072		1402072
HOSE REEL NILFISK ACCESSORY		106403184		106403184
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010	106403010
NOZZLE 0680 INDICATION RING GREY			101119747	101119747
NOZZLE 0750 INDICATION RING RED	101119749	101119749		
WATER FILTER COMPLETE	107144272	107144272	107144272	107144272
ITEM NO.	107146960	107146963	107146961	107146964


NEW



Heavy duty and efficient hot water cleaning for intense use

- EcoPower boiler with EcoMode function
- EcoPower boiler >92% efficiency giving reduced fuel costs
- Brass pump head
- 4 ceramic pistons
- Flow activated unloader system
- Innovative design with 4 big wheels
- Easy to transport, can even be pushed/pulled across uneven surfaces
- Oil tank and oil sight
- Low pump oil warning system
- Low fuel warning system
- Onboard diagnostics function
- Easy to use control panel

MH 7P is the optimal solution for heavy duty, industrial cleaning tasks. The 4 piston pump and high power boiler system offer unbeatable cleaning effect and long lifetime. The flow activated unloader system adds a new level of reliability and comfort.



TECHNICAL DATA	MH 7P-180/1260 FA	MH 7P-180/1260 FAX
Pump pressure (bar/MPa)	180/18	180/18
Cleaning impact (kg/force)	6.3	6.3
Water flow Qmax/Qiec (l/h)	1260/1170	1260/1170
Pump (RPM)	1450	1450
Water temperature (water/steam) (°C)	90/150	90/150
Max inlet temperature (°C)	40	40
Fuel consumption ΔT=45°C (kg/h)	5.3	5.3
Fuel tank (l)	30	30
Length x width x height (mm)	1188x700x1045	1188x700x1045
Weight (kg)	195	204
Power consumption (kW)	7.6	7.6
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/13.5	400/3/50/13.5
Detergent tank (l)	A:10 + B:10	A:10 + B:10
Ceramic pistons	4	4
El cable (m)	5	5
Nozzle size	.0680	.0680
FEATURES		
EcoPower boiler-high efficiency	•	•
Hose reel		•
Pump oil warning system	•	•
Service indicator	•	•
Automatic on/off and delayed action	•	•
Flame sensor	•	•
STANDARD EQUIPMENT		
ERGO COUPLING KIT	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369
HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	
M 20 WIRE HOSE 3/8 DN10		1402072
HOSE REEL NILFISK ACCESSORY		106403184
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010
NOZZLE 0680 INDICATION RING GREY	101119747	101119747
WATER FILTER COMPLETE	107144272	107144272
ITEM NO.	107146980	107146982



Tough and efficient - for heavy duty applications requiring high water flow

- EcoPower boiler with > 92% efficiency for reduced fuel cost
- 1450 RPM motor High flow pump
- Easy to use control panel
- Ergo 3000 accessory concept
- Steel frame and chassis
- Quick service concept reduces maintenance costs
- Optimal machine protection against low fuel, low pump oil. Includes flame sensor and exhaust gas temperature sensor.
- Diagnostics system
- 2 way chemical dosing system with automatic flush system
- Max. Inlet temperature 40°C

The high power MH 8P combines high pressure and high water flow for routine cleaning of large amounts of dirt in the agriculture, construction, transport or industrial segments. The MH 8P combines high cleaning effect with high rinsing and flushing effect.



TECHNICAL DATA

MH-8P 180/2000

Pump pressure (bar/MPa)	180/18
Cleaning impact (kg/force)	10.3
Water flow Qmax/Qiec (l/h)	2000/1950
Pump (RPM)	1450
Water temperature (water/steam) (°C)	70/150
Max inlet temperature (°C)	40
Fuel consumption ΔT=45°C (kg/h)	9.1
Fuel tank (l)	35
Length x width x height (mm)	1190x702x1020
Weight (kg)	230
Power consumption (kW)	12
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/21
Detergent tank (l)	A: 15 + B:10
Ceramic pistons	3
El cable (m)	5
Nozzle size	.1200

FEATURES

EcoPower boiler-high efficiency	•
SilentPower - 1450 rpm motor	•
Wdk dual detergent injector	•
Pump oil warning system	•
Service indicator	•
Automatic on/off and delayed action	•
Flame sensor	•

STANDARD EQUIPMENT

ERGO COUPLING KIT	101119496
HOSE NOZZLE 20R3/4	61369
HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766
SPRAY HANDLE W. SWIVEL LOCK	106402190
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010
NOZZLE 1200 INDICATION RING CARAMELE	101119758
ITEM NO.	301001786




Robust and powerful petrol driven cold water high pressure washers



- Robust long life pumps with ceramic pistons
- Robust and maniable design
- Wide range of performance levels with high pressure levels
- Lightweight yet maniable design
- Ergo accessory concept

The MC PE/DE range is ideal for use in areas where electrical power may not at all be available or not be strong enough to allow high power cleaning. Self priming and suction ability also means that water can be drawn from a tank or river. Ideal for use in building and construction, rental, agricultural segments.



TECHNICAL DATA	MC 2C-180/700 PE	MC 3C-165/810 PE	MC 5M-195/1000 DE	MC 5M-225/910 PE PLUS	MC 5M-240/870 PE	MC 5M-250/1000 PE	MC 5M-250/1050 PE PLUS	MC 7P-220/1120 PE PLUS
Pump pressure (bar/MPa)	180/18	165/16.5	195/19.5	225/22.5	240/24	250/25	250/25	220/22
Cleaning impact (kg/force)	3.5	3.9	5.3	5.1	5	5.9	6.4	6.1
Water flow Qmax/Qiec (l/h)	700/650	810/750	1000/950	910/840	870/800	1000/930	1050/1000	1120/1010
Pump (RPM)	3400	3490	1650	1750	3440	3400	1750	1700
Max inlet temperature (°C)	60	60	60	60	60	60	60	80
Power source diesel			YANMAR L100 DE					
Power source Petrol	Honda GC160	Honda GX200		Honda GX270	Honda GX270	Honda GX390	Honda GX390	Honda GX390
Ceramic pistons	3	3	3	3	3	3	3	4
Length x width x height (mm)	762x546x603	762x546x603	750x680x850	1067x686x660	1041x546x635	1041x646x635	1067x686x660	1067x686x660
Weight (kg)	23	27	110	41	45	45	68	93
Nozzle size	.0350	.0370	.0530	.0350	.0350	.0370	.0400	.0500
Motor power hp (kW)	5 (3.6)	6.5 (4.7)	10 (7.3)	9 (6.6)	9 (6.6)	13 (9.5)	13 (9.5)	13 (9.5)

FEATURES

Petrol driven	•	•		•	•	•	•	•
Brass cylinder head	•	•	•	•	•	•	•	•
Pneumatic wheels	•	•		•	•	•	•	•
Belt drive				•			•	
Low pressure detergent system	•	•	•	•	•	•	•	•
Water flow regulation			•	•		•	•	•
Thermal dump valve	•	•	•	•	•	•	•	•

STANDARD EQUIPMENT


ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496	101119496	101119496	101119496
GARDENA MALE 3/4 INCH	106404529	106404529		106404529	106404529			
HOSE NOZZLE 20R3/4			61369			61369	61369	61369
10 M WIRE HOSE DN6	301002275	301002275		301002275	301002275	301002275	301002275	
HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.			101405770					101405770
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122	106403122	106403122	106403122
TORNADO PLUS 1000 BEND W/O NOZZLE			106403011				106403011	106403011
FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	106402282		106402282	106402282	106402282		
NOZZLE 0350 INDICATION RING BORDEAUX	101119736			101119736	101119736			
NOZZLE 0370 INDICATION RING BRONZE		101119737				101119737		
NOZZLE 0400 INDICATION RING METAL GREY							101119738	
NOZZLE 0500 INDICATION RING YELLOW								101119741
NOZZLE 0530 INDICATION RING RED			101119742					
ITEM NO.	106174800	106174801	106174740	106174804	106174803	106174805	106174806	106174807



Total independence of electrical power and normal water sources

- EcoPower boiler with > 92% efficiency with reduced running costs
- Slow running pumps either by belt drive or by direct gear reduction
- Integrated fuel tank
- Easy to use control panel
- Ergo accessory concept
- Honda petrol motors, Yanmar or Mitsubishi diesel engines
- Mobile units or trailer mounted
- Easy transport by forklift truck
- Low pump oil safety function
- Easy oil drain from pump and motor reduce maintenance costs
- Max. Inlet temperature 40°C

MH PE/DE is a comprehensive range of petrol and diesel powered hot water models for professional use in areas where electrical source is not available. Models can also typically draw water from tanks, wells or rivers giving a high level of use autonomy. MH PE/DE are thus ideal solutions for hot water cleaning in construction and industrial segments, or by contract cleaners or public authorities.




TECHNICAL DATA	MH 5M-200/1000 DE	MH 5M-220/1000 PE	MH 7P-200/1200 DE	MH 7P-220/1120 PE	MH 7P-220/1300 DE
Pump pressure (bar/MPa)	200/20	220/22	200/20	220/22	220/22
Cleaning impact (kg/force)	5.1	5.4	6.6	6.1	7.2
Water flow Qmax/Qiec (l/h)	1000/900	1000/900	1200/1150	1120/1010	1300/1200
Pump (RPM)	1485	1700	1750	1775	1630
Max inlet temperature (°C)	40	40	40	40	40
Water temperature (water/steam) (°C)	90/150	90/150	90/150	90/150	90/150
Power source diesel	Yanmar L100		Ruggerini		Mitsubishi S3L2
Power source Petrol		Honda GX390		Honda GX390	
Power consumption (kW)	10 HP/7.3 kW	13 HP/9.6 kW	16 HP/11.7 kW	13 HP/9.6 kW	16 HP/11.7 kW
Fuel consumption ΔT=45°C (kg/h)	4.7	4.7	6.5	5.6	6.8
Fuel consumption, motor (l/h)	2.2	3.5	3.5	3.5	3.5
Fuel tank (l)	Boiler 57/Motor 5.5	Boiler 57/Motor 6.1	Boiler/Motor 57	Boiler 57/Motor 6.1	Boiler/Motor 57
Ceramic pistons	3	3	4	4	4
Length x width x height (mm)	970x780x1000	970x780x1000	1130x910x1050	970x780x1000	1130x910x1050
Weight (kg)	220	208	315	210	510
Nozzle size	.0450	.0450	.0650	.0500	.0640
FEATURES					
EcoPower boiler-high efficiency	•	•	•	•	•
Pump oil warning system	•	•	•	•	•
Service indicator	•	•	•	•	•
Electrical starting system	•	•	•	•	•
Thermal dump valve	•				
Flame sensor	•	•	•	•	•
Exhaust gas temperature sensor	•	•	•	•	•
STANDARD EQUIPMENT					
ERGO COUPLING KIT	101119496	101119496	101119496	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369	61369	61369	61369
HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	301001100		301001100	
HP HOSE DN10 150DEG L15000mm			1402064		1402064
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010	106403010	106403010
NOZZLE 0450 INDICATION RING LIGHT BLUE	101119740	101119740			
NOZZLE 0500 INDICATION RING YELLOW				101119741	
NOZZLE 0640 INDICATION RING GREEN					101119745
NOZZLE 0650 INDICATION RING LIGHT GREEN			101119746		
ITEM NO.	106239610	106239515	106239630	106239530	106239635



A portable and stationary mounted unit all in one

- Powered by 1450 rpm high efficiency motor (50 Hz)
 - Brass pump head
 - 3 ceramic coated pistons
 - Pressure activated unloader system
 - Enclosed oil system
 - Robust, steel transport handle
 - The unit can operate both in vertical and in horizontal position
 - Light weight (compared to competition)
 - Robust steel handle for easy transport

The SC UNO 4M PS is both a stationary and a portable unit. It is simple and intuitive to use and a cost effective fixed installation on the wall or used as a portable model, carried from site to site to different working places. Delivered with all accessories for immediate use. Designed for heavy duty cleaning tasks the SC UNO 4M PS is a reliable choice for light agriculture, building and construction and automotive areas, etc. The key objective is to deliver one unique versatile machine for professionals with different demands as to cleaning environment.




TECHNICAL DATA	SC UNO 4M-140/620 PS	SC UNO 4M-160/720 PS
Pump pressure (bar/MPa)	140/14	160/16
Cleaning impact (kg/force)	2.7	3.4
Water flow Qmax/Qiec (l/h)	620/560	720/660
Max inlet temperature (°C)	60	60
Pump (RPM)	1450	1450
Length x width x height (mm)	480x240x340	480x240x340
Weight (kg)	34	34
Power consumption (kW)	2.9	3.5
Voltage/phase/frequency/current (V/~-/HZ/A)	230/1/50/12.5	400/3/50/6.5
El cable (m)	5	5
Ceramic Coated Pistons	3	3
Nozzle size	.0340	.0400
FEATURES		
Detergent tank	•	•
Robust steel chassis and frame	•	•
Ceramic coated pistons	•	•
Foam Sprayer	•	•
Oil Sight outside Cabinet	•	•
Wall mountable	•	•
STANDARD EQUIPMENT		
ERGO COUPLING KIT	101119496	101119496
GARDENA MALE 3/4 INCH	106404529	106404529
10 M WIRE HOSE DN6	301002275	301002275
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122
FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	106402282
NOZZLE 0340 INDICATION RING VIOLET	101119735	
NOZZLE 0400 INDICATION RING METAL GREY		101119738
ITEM NO.	107340500	107340501



Stationary 1-pump high pressure washers for flexible cleaning

- NA6 and C3 high-quality heavy industrial motor pumps with
- brass pump heads
- 1450 rpm; 4 full ceramic pistons and double roller bearings
- The industrial pumps make it possible to feed the units with hot inlet water from 70°C (with break tank) to 85°C (direct feed) for max. cleaning efficiency
- Powered by 1450 rpm (50 Hz) closed industrial motor
- NA5.2 reinforced wobble disc pump
- 3 ceramic pistons and brass pump head
- Foam sprayer for use of detergent on SC UNO 5M L
- Accessory kit for immediate plug & play use
- Low pump oil safety function and warning lamp
- Hour counter and service warning lamp
- NEO control system; enabling optional functions: Remote control, low water safety etc.

The SC UNO range offer models from 5M and 5M L, to 6P and 7P. Industrial stationary cold high pressure water washers with new innovative steps to meet the specific cleaning needs and designed to meet heavy-duty cleaning challenges with convincing performances. These machines offer a variety of configurations according to user situations – at an attractive price level. Furthermore, intuitive user functions and the opportunity to customize the machines with equipment suited for your environment ensure high productivity.




TECHNICAL DATA	SC UNO 5M-200/1050 L	SC UNO 5M-200/1050	SC UNO 6P-170/1610	SC UNO 7P-180/1200
Pump pressure (bar/MPa)	200/20	200/20	170/17	180/18
Cleaning impact (kg/force)	5.5	5.5	7.9	5.9
Water flow Qmax/Qiec (l/h)	1050/960	1050/960	1600/1500	1200/1080
Max inlet temperature (°C)	60	60	80	80
Pump (RPM)	1450	1450	1450	1450
Length x width x height (mm)	355x860x560	355x860x560	355x860x560	355x860x560
Weight (kg)	74	74	84	81
Power consumption (kW)	6.1	6.1	8.8	6.7
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/13	400/3/50/13	400/3/50/16	400/3/50/15
El cable (m)	5	5	5	5
Ceramic pistons	3	3	4	4
Nozzle size	.0500	.0500	.0900	.0640
Suction height - primed (m)	2.5	2.5	2.5	2.5
FEATURES				
Pump oil warning system	•	•	•	•
Intelligent pump control system		•	•	•
Foam Sprayer	•			
Wall mountable	•	•	•	•
Foam Cabinet, EPP	•	•	•	•
Motor on-off lamp		•	•	•
Service warning lamp		•	•	•
STANDARD EQUIPMENT				
ERGO COUPLING KIT	101119496	101119496	101119496	101119496
QUICK COUPLING 3/4 W/GASKET	1602945	1602945	1602945	1602945
HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	101405770		
HOSE DN10 10 M 2W 3/8X3/8 INCH			6101766	6101766
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010	106403010	106403010
NOZZLE 0500 INDICATION RING YELLOW	101119741	101119741		101119745
NOZZLE 0640 INDICATION RING GREEN				101119752
NOZZLE 0900 INDICATION RING BROWN				107340541
ITEM NO.	107340510	107340512	107340521	107340541



Stationary 2-pump high pressure washers for heavy cleaning tasks

- NA6 and C3 high-quality motor pumps with brass pump heads
 - 1450 rpm; 4 full ceramic pistons and double roller bearings
 - Working pressure up to 180 bar
 - Water flow up to 2x1500 l/h
 - 70°-85°C hot water inlet for max. cleaning efficiency
 - Innovative hard foam cabinet - approved for the food industry
 - Built on powder-coated steel frame
 - Foam cabinet also reduces the noise level
 - Incl. Low pump oil warning lamps, Service warning lamp, Hour counter, Low pump oil safety

Designed for large cleaning tasks SC DUO 6P & 7P are ideal for agriculture with milking sheds, sties, and stables. Food and pharma industry with processing equipment, conveyors, and tanks. Shipping and industry with ship decks, bulkheads, and industrial equipment. Even oil and grease can be removed easily thanks to the hot water inlet. Offers you the flexibility of being either one user – or two working together. Cleaning efficiency is maximized by a 4-piston long-life motor pump accepting both cold and hot water up to 85°C.



TECHNICAL DATA


TECHNICAL DATA	SC DUO 6P-170/3220	SC DUO 7P-180/2400
Pump pressure (bar/MPa)	170/17	180/18
Cleaning impact (kg/force)	15.8	12.1
Water flow Qmax/Qiec (l/h)	3220/3000	2400/2240
Max inlet temperature (°C)	80	85
Pump (RPM)	1450	1450
Length x width x height (mm)	355x860x1000	355x860x1000
Weight (kg)	180	160
Power consumption (kW)	18	16.4
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/31	400/3/50/31
Number of pumps	2	2
Ceramic pistons	4	4
Nozzle size	.0900	.0640
FEATURES		
Hour Meter	•	•
Pump oil warning system	•	•
Service indicator	•	•
Intelligent pump control system	•	•
Foam Cabinet, EPP	•	•
Motor on-off lamp	•	•
Service warning lamp	•	•
STANDARD EQUIPMENT		
NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1603101
QUICK COUPLING 3/4 W/GASKET	1602945	1602945
ITEM NO.	107340600	107340620



Stationary washer for up to 6 users

- 3 to 6 pumps for up to 6 users at one time
- Colour coded lances allow mixed use of low, medium and high pressure, detergent application
- Inlet water of up to 85°C into break tank and 70°C through pumps
- Stainless steel design with high level of accessibility and serviceability
- Machine continues to run whilst individual pumps can be removed for service
- Intelligent start stop function for motor pumps depending on real-time demand from users
- Line pressures available from 100 to 160 bar

The SC DELTA is a multi-pump, multi-pressure system encompassing from 3 to 6 pumps - and allowing up to 6 people to work at any time. A stationary cold water unit for the heaviest cleaning applications in industry, food industry and shipping.




TECHNICAL DATA	SC DELTA 7P-160/3120 3 PUMPS	SC DELTA 7P-160/4160 4 PUMPS	SC DELTA 7P-160/6230 6 PUMPS
Pump pressure (bar/MPa)	160/16	160/16	160/16
Cleaning impact (kg/force)	15.9	21.5	32.2
Water flow Qmax/Qiec (l/h)	3120	4160	6230
Max inlet temperature (°C)	85	85	85
Pump (RPM)	1450	1450	1450
Length x width x height (mm)	815x770x1800	815x770x1800	815x770x1800
Weight (kg)	349	402	509
Power consumption (kW)	20.1	26.8	40.5
Voltage/phase/frequency/current (V~/Hz/A)	400-415/3/50/13-37	400-415/3/50/13-49	400/3/50/13-73
Number of pumps	3	4	6
Ceramic pistons	4	4	4
Nozzle size	MIX OF NOZZLES	MIX OF NOZZLES	MIX OF NOZZLES
FEATURES			
Stainless steel frame	•	•	•
Automatic standby	•	•	•
PCB electronic control	•	•	•
85°C inlet water temperature	•	•	•
Diagnostic system	•	•	•
Intelligent pump control system	•	•	•
ITEM NO.	7330130	7330230	7330430



Diesel powered hot water high pressure washers

- Expandable control technology with PLC and special options
- Automatic diagnosis and fault finding
- High efficiency, low cost heating system with EcoPower boiler system
- Galvanised steel frame and cabinet
- Reduced running and service costs
- Compact and easy to install

Diesel powered stationary heating for maximum efficiency in the automotive, industrial and shipping sectors where the cleaning is always made at one particular site indoors - or where the machine should be kept in a technical room away from the cleaning site with pressurized water transported by pipeline or long hose.




TECHNICAL DATA	SH SOLAR 5M-165/1100 D	SH SOLAR 7P-170/1200 D	SH SOLAR 7P-170/1200 DSS	SH SOLAR 8P-180/2000 D
Pump pressure (bar/MPa)	165/16.5	170/17	170/17	180/18
Cleaning impact (kg/force)	5.2	5.8	5.8	10.3
Water flow Qmax/Qiec (l/h)	1100/1000	1200/1110	1200/1110	2000/1900
Max inlet temperature (°C)	30	30	30	30
Water temperature (water/steam) (°C)	99	99	99	70
Pump (RPM)	1450	1450	1450	1450
Length x width x height (mm)	700x900x1077	700x900x1077	700x900x1077	700x900x1077
Weight (kg)	189	215	215	232
Power consumption (kW)	7.4	8.8	8.8	12
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/16.5	400/3/50/17	400/3/50/17	400/3/50/18
Heating capacity (kW)	80	115	115	115
El cable (m)	4	4	4	4
Fuel consumption ΔT=45°C (kg/h)	4.8	5.4	5.4	8.9
Ceramic pistons	3	4	4	3
Nozzle size	.0600	.0680	.0680	.1100
FEATURES				
EcoPower boiler-high efficiency	•	•	•	•
Automatic start/stop	•	•	•	•
1450 rpm motor	•	•	•	•
Galvanised steel frame	•	•	•	•
PLC and expandable control electronics	•	•	•	•
Auto fault finding	•	•	•	•
Water brake tank	•	•	•	•
ITEM NO.	107370055	107370070	107370077	107370080



Electrically powered high pressure washers

- Expandable control technology with PLC and special options
 - Automatic diagnosis and fault finding
 - Pollution free, heating system
 - Galvanised steel frame and cabinet
 - Reduced running and service costs
 - Large 119 L heating tank for excellent heating capacity
 - Available up to 54 kW heating
 - C3 longlife pump with 4 ceramic pistons

Electrical powered stationary heating for maximum efficiency in the automotive, industrial, food and shipping sectors. Electrical heating is exhaust gas and pollution free.




TECHNICAL DATA	SH SOLAR 7P-135/875 E18	SH SOLAR 7P-170/1200 E18	SH SOLAR 7P-170/1200 E36	SH SOLAR 7P-170/1200 E54
Pump pressure (bar/MPa)	135/13.5	170/17	170/17	170/17
Cleaning impact (kg/force)	3.8	5.8	5.8	5.8
Water flow Qmax/Qiec (l/h)	875/810	1200/1110	1200/1110	1200/1110
Max inlet temperature (°C)	85	85	85	85
Max temperature (°C)	85	85	85	85
Water temperature, Delta T at full flow (°C)	19	14	28	42
Length x width x height (mm)	670x900x1077	670x900x1077	670x900x1077	670x900x1077
Weight (kg)	150	155	155	156
Power consumption (kW)	5.8 + 18	7.5 + 18	7.5 + 36	7.5 + 54
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/36	400/3/50/39	400/3/50/65	400/3/50/91
Ceramic pistons	4	4	4	4
Nozzle size	.0530	.0680	.0680	.0680
Min. inlet water pressure at full flow (bar)	1	1	1	1
FEATURES				
Electrical heating system	•	•	•	•
Automatic start/stop	•	•	•	•
1450 rpm motor	•	•	•	•
Galvanised steel frame	•	•	•	•
PLC and expandable control electronics	•	•	•	•
Auto fault finding	•	•	•	•
Water brake tank	•	•	•	•
ITEM NO.	107370260	107370270	107370274	107370276



Gas powered stationary hot water high pressure washers

- Expandable control technology with PLC and special options
- Automatic diagnosis and fault finding
- Efficient gas heating systems
- Galvanised steel frame and cabinet
- Reduced running and service costs
- Compact and easy to install

Gas powered stationary heating for maximum efficiency in the automotive, industrial sectors or other sites possessing a gas supply line, avoiding need to provide diesel fuel supply.



TECHNICAL DATA


	SH SOLAR 5M-150/1020 G	SH SOLAR 7P-170/1200 G
Pump pressure (bar/MPa)	150/15	170/17
Cleaning impact (kg/force)	4.5	5.8
Water flow Qmax/Qiec (l/h)	1020/900	1200/1110
Max inlet temperature (°C)	30	30
Max temperature (°C)	99	99
Water temperature, Delta T at full flow (°C)	85	85
Pump (RPM)	1450	1450
Length x width x height (mm)	700x900x1100	700x900x1100
Weight (kg)	186	214
Power consumption (kW)	7.5	8.9
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/15	400/3/50/17
Heating capacity (kW)	93	100
Fuel consumption at Delta 40°C (m³/h)	4.5	5.7
Ceramic pistons	3	4
Nozzle size	.0550	.0680
FEATURES		
Automatic start/stop	•	•
1450 rpm motor	•	•
Galvanised steel frame	•	•
PLC and expandable control electronics	•	•
Gas burner and coil	•	•
Auto fault finding	•	•
Water brake tank	•	•
ITEM NO.	107370450	107370470



Efficient outdoor cleaning of your vehicle fleet

- Stainless steel robust design against corrosion
- EcoPower boiler for reduced fuel consumption costs
- SilentPower, low noise level with 1450 rpm motor pump units
- Simple control panel with only 4 buttons
- Ergonomic accessories for added user experience
- Internal frost protection down to minus 20°C
- Simple control panel
- Compact design

The SH TRUCK is a simple robust and corrosion proof stationary unit for permanent outdoor placement. Enabling constant cleaning of trucks, vans, commercial and construction vehicles, the SH TRUCK is frost protected for use even in winter.



TECHNICAL DATA

	SH TRUCK 5M-180/970	SH TRUCK 7P-175/1260
Pump pressure (bar/MPa)	180/18	175/17.5
Cleaning impact (kg/force)	4.9	6.3
Water flow Qmax/Qiec (l/h)	970/930	1260/1170
Max inlet temperature (°C)	30	30
Water temperature (water/steam) (°C)	90/150	90/150
Pump (RPM)	1450	1450
Length x width x height (mm)	1025x715x1670	1025x715x1670
Weight (kg)	227	262
Power consumption (kW)	7.2	8.2
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/18	400/3/50/17.5
Fuel tank (l)	33	33
Detergent tank (l)	2 x 25	2 x 25
Ceramic pistons	3	4
Nozzle size	.0550	.0680
Fuel consumption, motor (Diesel) kg/h	4.3	5.3

FEATURES

Stainless steel frame	•	•
Automatic standby	•	•
QuickService - innovative concept	•	•
Wdk dual detergent injector	•	•
Internal heater and insulation for frost protection	•	•
Flame sensor	•	•
Water brake tank	•	•

STANDARD EQUIPMENT

ERGO COUPLING KIT	101119496	101119496
HOSE NOZZLE 20R3/4	61369	61369
HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	6101766
ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	106403122
TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	106403010
NOZZLE 0550 INDICATION RING NEONGREEN	101119743	
NOZZLE 0680 INDICATION RING GREY		101119747
ITEM NO.	107370830	107370810




Innovative technology for quicker payback time on self service washes

- Low wear and tear and service requirements reduce maintenance costs
- Innovative frequency modulated technology
- Low daily run costs through reduced fuel, water and electrical consumption
- Available with steel and stainless steel coils in diesel fired models for areas with hard or soft water
- Available with electrical heating system for pollution free cleaning
- Ergonomical and pressure relieved accessories for extra comfort in use
- Low noise levels

The SH AUTO 5M is a range of stationary self service wash units equipped with innovative frequency modulated motor technology. Ideal solutions for equipping service stations or car dealerships with a self service wash site with quick payback on investment.



TECHNICAL DATA	SH AUTO 5M-100/500 D	SH AUTO 5M-100/500 DSS	SH AUTO 5M-100/500 E
Pump pressure (bar/MPa)	100/10	100/10	100/10
Cleaning impact (kg/force)	2	2	2
Water flow Qmax/Qiec (l/h)	500/500	500/500	500/500
Max inlet temperature (°C)	30	30	30
Water temperature (water/steam) (°C)	20-60	20-60	20-60
Pump (RPM)	44-1160	44-1160	44-1160
Length x width x height (mm)	725x1090x1635	725x1090x1635	725x1090x1635
Weight (kg)	204	204	182
Power consumption (kW)	6.4	6.4	16.8
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/Variable	400/3/Variable	400/3/Variable
Fuel consumption ΔT=45°C (kg/h)	2.6	2.6	
Fuel tank (l)	33	33	
Detergent tank (l)	2 x 25	2 x 25	2 x 25
Ceramic pistons	3	3	3
Nozzle size	.0370	.0370	.0370
FEATURES			
EcoPower boiler-high efficiency	•	•	
Electrical heating system			•
Internal heater and insulation for frost protection	•	•	•
Diesel version	•	•	
Stainless steel boiler		•	
Delayed automatic start stop	•	•	•
Stainless steel cabinet	•	•	•
STANDARD EQUIPMENT			
HOSE NOZZLE 20R3/4	61369	61369	61369
HIGH PRESSURE HOSE DN6X8200MM	101405641	101405641	101405641
WINTER GUN 12 BAR	106402243	106402243	106402243
UNIVERSAL PLUS 1080 BENT 170 F. BRUSH	106403037	106403037	106403037
NOZZLE 0370 INDICATION RING BRONZE	101119737	101119737	101119737
SELF-SERVICE BRUSH AUTO	106402241	106402241	106402241
EXHOUST DIVERTER AUTO/TRUCK ACCESSORY	107318048		
ITEM NO.	107370880	107370882	107370884



Accessories for Pressure Washers



Item no.
MH 2M-15/660 X MH 2M-140/580 PA MH 2M-160/770 FA MH 2M-180/720 FA MH 4M-180/860 FA MH 4M-180/860/FA/L MH 4M-200/960 FA MH 4M-200/960/FAX MH 5M-210/1000 PAX MH 5M-220/1000 FA MH 5M-220/1000 FAX MH 5M-230/1000 FA MH 5M-230/1000/FAX MH 5M-240/100 FA MH 5M-240/100/FAX MH 5M-250/100 FA MH 5M-250/100/FAX MH 6P-210/100 FA MH 6P-210/100/FAX MH 6P-150/750 FA MH 6P-150/750/FAX MH 6P-175/1250 FA MH 6P-175/1250/FAX MH 6P-200/1300 FA MH 6P-200/1300/FAX MH 7P-180/1250 FA MH 7P-180/1250/FAX MH 8P-180/2000 MC 2C-180/7000 PE MC 3C-165/610 PE MC 3M-195/1000 DE MC 3M-225/910 DE PLUS MC 3M-240/870 PE MC 3M-250/1000 PE MC 3M-250/1050 PE PLUS MC 7P-220/1120 PE PLUS MH 3M-200/1000 DE MH 3M-220/1000 DE MH 4P-200/1200 DE MH 4P-220/120 PE MH 5P-220/1300 DE SC UNO 4M-140/620 P5 SC UNO 4M-160/720 P5 SC UNO 5M-200/1050 SC UNO 5M-200/1050 SC UNO 6P-170/1610 SC UNO 7P-180/1200 SC DUO 6P-170/3220 SC DUO 7P-180/2400 SC DELTA 7P-160/3120 3 PUMPS SC DELTA 7P-160/4160 4 PUMPS SC DELTA 7P-160/6230 6 PUMPS SH SOLAR 5M-165/1100 D SH SOLAR 7P-170/1200 D SH SOLAR 7P-170/200 DSS SH SOLAR 8P-180/2000 D SH SOLAR 7P-135/875 S18 SH SOLAR 7P-170/200 E18 SH SOLAR 7P-170/200 E36 SH SOLAR 7P-170/200 E54 SH SOLAR 5M-150/1020 G SH SOLAR 7P-170/200 G SH TRUCK 5M-180/970 SH TRUCK 7P-175/1260 SH AUTO 5M-100/500 D SH AUTO 5M-100/500 DSS SH AUTO 5M-100/500 E
106402075
101119496
101119499
1600493
1603101
1609325
1801075
66159
6401067
66161
1608629
1311
6577
1600659
1604669
66160
66162
1718

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories



High Pressure Hose, DN6

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

Item no.	
MH 2M-155/660 X MH 3M-140/580 PA MH 3M-160/770 PA MH 4M-130/720 FA MH 4M-180/860 FA MH 4M-180/860 FAX MH 4M-200/960 FA MH 4M-200/960 FAX MH 4M-210/1000 FAX MH 4M-220/1000 FA MH 4M-220/1000 FAX MH 5M-200/960 FA MH 5M-200/960 FAX MH 5M-210/1000 FA MH 5M-210/1000 FAX MH 5M-210/1000 PAX MH 5M-150/750 E12 MH 5M-150/750 E24 MH 6M-175/1250 FA MH 6M-175/1250 FAX MH 6P-200/1300 FA MH 6P-200/1300 FAX MH 7P-180/1260 FA MH 7P-180/1260 FAX MH-8P-180/2000 MC 2C-180/700 PE MC 3C-165/810 PE MC 5M-195/1000 DE MC 5M-225/910 PE PLUS MC 5M-240/870 PE MC 5M-250/1000 PE MC 5M-250/1050 PE PLUS MC 7P-220/1120 PE PLUS MH 5M-200/1000 DE MH 5M-220/1000 PE MH 7P-200/1200 DE MH 7P-220/1120 PE MH 7P-220/1300 DE SC UNO 4M-140/620 PS SC UNO 5M-160/720 PS SC UNO 5M-200/1050 SC UNO 5M-200/1050 SC UNO 6P-170/610 SC UNO 7P-180/200 SC DUO 6P-170/2220 SC DUO 7P-180/2400 SC DELTA 7P-160/3120 3 PUMPS SC DELTA 7P-160/4160 4 PUMPS SC DELTA 7P-160/6230 6 PUMPS SH SOLAR 3M-165/1100 D SH SOLAR 7P-170/1200 D SH SOLAR 7P-170/1200 DSS SH SOLAR 8P-180/2000 D SH SOLAR 7P-135/875 E18 SH SOLAR 7P-170/1200-18 SH SOLAR 7P-170/200-136 SH SOLAR 7P-170/200-154 SH SOLAR 8M-180/1020 G SH SOLAR 7P-170/1200 G SH TRUCK 8M-180/970 SH TRUCK 7P-175/260 SH AUTO 5M-100/500 D SH AUTO 5M-100/500 DSS SH AUTO 5M-100/500 E	101406175 107142542 301001100 301001101 1405569 101405770 1405666 1402916 1402924 1402940 1402080 1402098 1402759 6101766 1402064 1402072

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

Item no.
MH 2M-155/660 X
MH 3M-140/580 PA
MH 3M-160/770 PA
MH 4M-130/720 FA
MH 4M-180/860 FA
MH 4M-180/860 FAX
MH 4M-200/960 FA
MH 4M-210/1000 PAX
MH 4M-220/1000 FA
MH 4M-220/1000 FAX
MH 5M-200/960 FA
MH 5M-200/960 FAX
MH 5M-210/1100 FA
MH 5M-210/1100 FAX
MH 6P-200/1300 FA
MH 6P-200/1300 FAX
MH 7P-180/1260 FA
MH 7P-180/1260 FAX
MH-8P 180/2000
MC 2C-180/700 PE
MC 3C-165/810 PE
MC 3M-195/1000 DE
MC 5M-225/910 PE PLUS
MC 5M-240/870 PE
MC 5M-250/1000 PE
MC 5M-250/1050 PE PLUS
MC 7P-220/1120 PE PLUS
MH 5M-220/1000 DE
MH 5M-220/1000 PE
MH 7P-200/1200 DE
MH 7P-220/1120 PE
MH 7P-220/1300 DE
SC UNO 4M/140/620 PS
SC UNO 4M/160/220 PS
SC UNO 5M/200/1050
SC UNO 5M/200/1050
SC UNO 8P-70/1610
SC UNO 7P-80/1200
SC DUO 6P-70/3220
SC DUO 8P-180/2400
SC DELTA 7P-160/3120 3 PUMPS
SC DELTA 7P-160/4160 4 PUMPS
SC DELTA 7P-160/6230 6 PUMPS
SH SOLAR 5M-165/1100 D
SH SOLAR 7M-170/1200 D
SH SOLAR 7M-170/1200 DSS
SH SOLAR 8P-180/2000 D
SH SOLAR 7M-135/875 E18
SH SOLAR 7M-170/1200 E18
SH SOLAR 7M-170/1200 E36
SH SOLAR 7M-170/1200 F54
SH SOLAR 15M-150/1020 G
SH SOLAR 7M-170/1200 G
SH TRUCK 5M-180/970
SH TRUCK 7P-175/1260
SH AUTO 5M-160/500 D
SH AUTO 5M-160/500 DSS
SH AUTO 5M-160/500 E
6101767
1401983
1401991
1402007
1402015
4810219
4810213
4810214
6401094
301001130
107145800
106403143
107145197
107145803
301001310
106403168
6400170
106403131

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



PowerSpeed Vario Lance

POWERSPEED VARIO PLUS 1090 BEND 0500

MIC 2C-120/520 T	MIC 2C-120/520 XT	MIC 2C-140/610 XT	MIC 2C-150/650	MIC 2C-150/650 XT	MIC 3C-140/660	MIC 3C-150/660	MIC 4C-150/660 XT	MIC 5C-160/770	MIC 5C-170/820	MIC 5C-170/820 XT	MIC 4M-150/620	MIC 4M-150/620 XT	MIC 4M-160/720	MIC 4M-160/720 XT	MIC 4M-180/740	MIC 4M-180/740 XT	MIC 5M-180/840	MIC 5M-180/840 XT	MIC 5M-200/1000	MIC 5M-200/1000 XT	MIC 5M-200/1050	MIC 5M-200/1050 FA	MIC 6P-170/1600 FA	MIC 6P-170/1600 FA XT	MIC 6P-180/1300 FA	MIC 6P-180/1300 FA XT	MIC 6P-200/1100 FA	MIC 6P-200/1100 FA XT	MIC 6P-250/1100 FA	MIC 6P-250/1100 FA XT	MIC 6P-250/1280 FA	MIC 6P-250/1280 FA XT	MIC 6P-160/2500 ST	MIC 6P-160/2500 ST
					</																													

Accessories for high pressure washers

Item no.
MH 20A-15/660 X MH NM-140/580 PA MH 2M-160/770 FA MH AM-180/860 FA MH AM-180/860 FAX MH AM-200/960 FA MH AM-210/1000 PAX MH AM-220/1000 FA MH AM-220/1000 FAX MH 5M-180/860 FA MH 5M-200/960 FA MH 5M-210/1000 FA MH 5M-210/1000 FAX MH 5M-210/1000 PAX MH 5M-150/750 E12 MH 5M-150/750 E24 MH 6P-175/1250 FA MH 6P-175/1250 FAX MH 6P-200/1300 FA MH 6P-200/1300 FAX MH 7P-180/1260 FA MH 7P-180/1260 FAX MH+8P-180/2000 MC XC-165/10 PE MC 5M-195/100 DE MC 5M-225/910 PE PLUS MC 5M-240/870 PE MC 5M-250/1000 PE MC 5M-250/1050 PE PLUS MC 7P-220/120 PE PLUS MH 5M-200/1000 DE MH 5M-220/1000 PE MH 7P-200/1200 DE MH 7P-220/120 PE MH 7P-220/1300 DE SC UNO 4M-140/620 PS SC UNO 4M-160/720 PS SC UNO 5M-200/1050 SC UNO 5M-200/1050 SC UNO 6P-70/1610 SC UNO 7P-180/1200 SC DUO 6P-170/3220 SC DUO 7P-180/2400 SC DELTA 7P-160/3120 3 PUMPS SC DELTA 7P-160/4460 4 PUMPS SC DELTA 7P-160/6230 6 PUMPS SH SOLAR 5M-165/1100 D SH SOLAR 7P-170/200 D SH SOLAR 7P-170/200 DSS SH SOLAR 8P-180/2000 D SH SOLAR 7P-125/875 E18 SH SOLAR 7P-170/200 E18 SH SOLAR 7P-170/200 E36 SH SOLAR 7P-170/200 E54 SH SOLAR 5M-150/1020 G SH SOLAR 7P-170/200 G SH TRUCK 5M-180/970 SH TRUCK 7P-175/1260 SH AUTO 5M-100/500 D SH AUTO 5M-100/500 DSS SH AUTO 5M-100/500 E
106403093
106403094
106403095
106403096
106403097
106403098
106403099
106403100
106403111
106403112
106402828
106402829
63251
106408229
106408227
106403032
106403033
106403031
106403030
106403036
106403035

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



Universal Lance

UNIVERSAL PLUS 1080 BENT 170 E BRUSH

UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZLE



4-in-1 Lance

4-IN-1 LANCE INCL 0340 ALUMINUM HEAD

4-IN-1 LANCE INCL 0350 ALUMINUM HEAD

4-IN-1 LANCE INCL 0370 ALUMINUM HEAD

4-IN-1 LANCE INCL 0400 ALUMINUM HEAD

4-IN-1 LANCE INCL 0435 ALUMINUM HEAD

4-IN-1 LANCE INCL 0450 ALUMINUM HEAD

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories



4-in-1 Lance

LANCE FOR 4-IN-1 880 BEND

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



TurboHammer Nozzle

TURBOHAMMER NOZZLE W12 045



TURBOHAMMER NOZZLE W12 050



NOZZLE TURBOHAMMER HEAD .0550 W12

Detailed description: This is a scatter plot with a light gray background. The x-axis and y-axis both range from -10 to 10, with major tick marks every 2 units. A vertical black line is positioned at x = 5, and a horizontal black line is positioned at y = 0. A dotted black line connects the top-left corner (-10, 10) to the bottom-right corner (10, -10). Data points are plotted as follows:

- Open circles (○):** These are the most common symbol. They are scattered throughout the plot area, appearing in pairs or small groups. There are approximately 20-25 such points.
- Solid circles (●):** There are several solid circles. One is located at approximately (-8, 7), another at (-6, 7), one at (0, 7), one at (2, 7), one at (4, 7), one at (6, 7), one at (8, 7), and one at (10, 7). There is also one solid circle at (0, 0).
- Dots (•):** There are a few dots. One is at (0, 0), and others are located at (0, 1), (0, 3), (0, 5), (0, 7), (0, 9), (2, 1), (2, 3), (2, 5), (2, 7), (2, 9), (4, 1), (4, 3), (4, 5), (4, 7), (4, 9), (6, 1), (6, 3), (6, 5), (6, 7), (6, 9), (8, 1), (8, 3), (8, 5), (8, 7), and (8, 9).

The overall pattern suggests a complex, non-linear relationship between the variables.

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



Standard Nozzle 25° 1/8" NPT

HP NOZZLE 1/8-27NPT MEG 25045

MC 2C-120/520 T	MC 2C-20/520 XT	MC 2C-140/610 XT	MC 2C-150/650	MC 2C-150/650 XT	MC 3C-140/660	MC 3C-150/660	MC 4C-150/660 XT	MC 5C-160/770	MC 5C-170/820	MC 5C-170/820 XT	MC 4M-150/620	MC 4M-150/620 XT	MC 4M-150/720	MC 4M-150/740	MC 4M-180/740	MC 3M-180/840	MC 3M-180/840 XT	MC 3M-200/1000	MC 3M-200/1000 XT	MC 3M-200/1050	MC 3M-200/1050 FA	MC 6P-170/1600 FA	MC 6P-170/1600 FA XT	MC 6P-180/1300 FA	MC 6P-180/1300 FA XT	MC 6P-200/1100 FA	MC 6P-250/1100 FA	MC 6P-250/1100 FA XT	MC 7P-195/1280 FA	MC 7P-195/1280 FA XT	MC 7P-195/1280 FA	MC 8P-160/2500 ST	MC 8P-180/2100
-----------------	-----------------	------------------	---------------	------------------	---------------	---------------	------------------	---------------	---------------	------------------	---------------	------------------	---------------	---------------	---------------	---------------	------------------	----------------	-------------------	----------------	-------------------	-------------------	----------------------	-------------------	----------------------	-------------------	-------------------	----------------------	-------------------	----------------------	-------------------	-------------------	----------------



Standard Nozzle 25° 1/8" NPT

HP NOZZLE 50040 1/8

●



Standard Nozzle 50° 1/8" NPT

HP NOZZLE 50060 1/8 INCH NPT

○ ○



HP NOZZLE 50070 1/8

○ ○



HP NOZZLE 50080 1/8



Tornado Nozzle with Indication Ring

NOZZLE 0275 W. INDICATION RING DARK BROW



NOZZLE 0300 W. INDICATION RING WARM ORAN



NOZZLE 0340 INDICATION RING VIOLET

○ ○ ● ○



NOZZLE 0350 INDICATION RING BORDEAUX

○ ○ ○ ○



NOZZLE 0370 INDICATION RING BRONZE

○ ○ ○ ○ ○ ○



NOZZLE 0400 INDICATION RING METAL GREY

○ ○ ○ ○



NOZZLE 0435 INDICATION RING BLUE

○ ○ ○ ○



NOZZLE 0450 INDICATION RING LIGHT BLUE

○ ○ ○ ○



TORNADO NOZZLE 0475

○ ○ ○ ○



NOZZLE 0500 INDICATION RING YELLOW

○ ○ ○ ○ ○ ○



NOZZLE 0530 INDICATION RING RED

○ ○ ○ ○ ○ ○



NOZZLE 0550 INDICATION RING NEONGREEN

○ ○ ○ ○ ○ ○



NOZZLE 0640 INDICATION RING GREEN

○ ○ ○ ○ ○ ○

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



	Item no.
MH 2M-15/660 X MH 3M-140/580 PA MH 3M-160/770 FA MH 3M-180/720 FA MH 4M-180/860 FA MH 4M-180/860 FAL MH 4M-200/960 FA MH 4M-200/960 FAX MH 4M-210/1000 PAX MH 4M-220/1000 FA MH 4M-220/1000 FAX MH 4M-180/1000 PAX MH 4M-150/750 FA MH 3M-150/750 E24 MH 6P-175/1250 FA MH 6P-175/1250 FAX MH 6P-200/1300 FA MH 7P-180/1250 FA MH 7P-180/1260 FA MH 8P-180/2000 MC 2C-180/7000 PE MC 3C-165/610 PE MC 3M-195/1000 DE MC 3M-225/910 DE PLUS MC 3M-240/870 PE MC 3M-250/1000 PE MC 3M-250/1050 PE PLUS MC 7P-220/1120 PE PLUS MH 3M-200/1000 DE MH 3M-220/1000 DE MH 7P-200/1200 DE MH 7P-220/1120 PE MH 7P-220/1300 DE SC UONO 4M-140/620 P5 SC UONO 4M-160/720 P5 SC UONO 5M-200/1050 SC UONO 5M-200/1050 SC UONO 6P-170/1610 SC UONO 7P-180/1200 SC DUO 6P-170/3220 SC DUO 7P-180/2400 SC DELTA 7P-160/3120 3 PUMPS SC DELTA 7P-160/4160 4 PUMPS SC DELTA 7P-160/6230 6 PUMPS SH SOLAR 5M-165/1100 D SH SOLAR 7P-170/1200 D SH SOLAR 7P-170/200 DSS SH SOLAR 8P-180/2000 D SH SOLAR 7P-135/875 S18 SH SOLAR 7P-170/200 E18 SH SOLAR 7P-170/200 E36 SH SOLAR 7P-170/200 E54 SH SOLAR 5M-150/1020 G SH SOLAR 7P-170/200 G SH TRUCK 5M-180/970 SH TRUCK 7P-175/1260 SH AUTO 5M-100/500 D SH AUTO 5M-100/500 DSS SH AUTO 5M-100/500 E	6400000 106403144 301000173 107145802 107144272 106403194 106403181 10356 106402241 14202 6400088 6400087 106401431 6401433 6401432 6400019 6400018 6400016

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



Injector and Foam Sprayer

HOLDER F. FOAM GUN



FOAMSPRAYER VARIO 1 LTR 037



FOAMSPRAYER VARIO HF 0950



Drain and Pipe Cleaning

DRAIN CLEANER 05 20M HOSE



DRAIN NOZZLE 05 3/8



.....



PIPE CLEANING HOSE 4X10M



PIPE CLEANING HOSE Ø4MMX1

PIPE CLEANING NOZZLE 1/8INC IG DN4

PIPE CLEANING ROTARY NOZZLE 1/8INC IG DN



• • • • • • •

Abrasive Blasting

This figure displays a grid of data points, likely representing the performance or characteristics of different Monte Carlo (MC) models. The grid is organized into several columns and rows, each corresponding to a specific model identifier.

The columns represent different model identifiers:

- MC-2C-120/520 XT
- MC-3C-140/660 XT
- MC-3C-140/6610 XT
- MC-3C-150/650
- MC-3C-150/650 XT
- MC-3C-150/660
- MC-3C-150/660 XT
- MC-3C-150/660 XT
- MC-3C-160/770
- MC-3C-170/820
- MC-3C-170/820 XT
- MC-3C-170/820 XT
- MC-4A-140/620
- MC-4A-140/620
- MC-4A-160/620 XT
- MC-4A-160/720
- MC-4A-160/740
- MC-4A-180/740 XT
- MC-4A-180/740 XT
- MC-4M-180/840
- MC-4M-180/840 XT
- MC-5A-200/1000
- MC-5M-200/1000 XT
- MC-5M-200/1050
- MC-5M-200/1050 FA
- MC-5M-220/1130
- MC-5M-220/1130 FA
- MC-5M-220/1130 XT
- MC-5M-220/1130 XT
- MC-6P-100/1160 FA
- MC-6P-70/1600 FA
- MC-6P-70/1600 FA
- MC-6P-170/1600 FA
- MC-6P-180/1300 FA
- MC-6P-180/1300 FA
- MC-6P-200/1100 FA
- MC-6P-250/1100 FA
- MC-6P-250/1100 FA
- MC-7P-195/1280 FA
- MC-7P-195/1280 FA
- MC-7P-195/1280 FA
- MC-7P-195/1280 FA
- MC-8P-180/2100

The rows represent different parameter values, indicated by the presence of dots (•) and circles (○). The pattern of dots and circles varies across the grid, suggesting a relationship between the model identifier and its parameters. The grid is bounded by a dotted line on the left and right sides.

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



	Item no.
MH 2M-15/660 X MH 3M-140/580 PA MH 3M-160/770 FA MH 3M-180/720 FA MH 4M-180/860 FA MH 4M-180/860 FAL MH 4M-200/960 FA MH 4M-200/960 FAX MH 4M-210/1000 PAX MH 4M-220/1000 FA MH 4M-220/1000 FAX MH 5M-180/960 FA MH 5M-200/960 FAX MH 5M-210/1000 FA MH 5M-210/1000 FAX MH 5M-210/1000 PAX MH 5M-210/1000 PE MH 5M-215/750 E12 MH 5M-150/750 E24 MH 6P-175/1250 FA MH 6P-175/1250 FAX MH 6P-200/1300 FA MH 7P-180/1250 FA MH 7P-180/1260 FA MH 8P-180/2000 MC 2C-180/7000 PE MC 3C-165/650 PE MC 3M-195/1000 DE MC 3M-225/910 DE PLUS MC 3M-240/870 PE MC 3M-250/1000 PE MC 3M-250/1050 PE PLUS MC 7P-220/1120 PE MH 3M-200/1000 DE MH 3M-220/1000 DE MH 7P-200/1200 DE MH 7P-220/1200 PE MH 7P-220/1300 PE SC UONO 4M-140/620 P5 SC UONO 4M-160/720 P5 SC UONO 5M-200/1050 SC UONO 5M-200/1050 SC UONO 6P-170/1610 SC UONO 7P-180/1200 SC DUO 6P-170/3220 SC DUO 7P-180/2400 SC DELTA 7P-160/3120 3 PUMPS SC DELTA 7P-160/4160 4 PUMPS SC DELTA 7P-160/6230 6 PUMPS SH SOLAR 5M-165/1100 D SH SOLAR 7P-170/1200 D SH SOLAR 7P-170/200 DSS SH SOLAR 8P-180/2000 D SH SOLAR 7P-135/875 E18 SH SOLAR 7P-170/200 E18 SH SOLAR 7P-170/200 E36 SH SOLAR 7P-170/200 E54 SH SOLAR 5M-150/1020 G SH SOLAR 7P-170/200 G SH TRUCK 5M-180/970 SH TRUCK 7P-175/1260 SH AUTO 5M-100/500 D SH AUTO 5M-100/500 DSS SH AUTO 5M-100/500 E	107142504 106408234 106408235 31000912 106408236 6401266 6401268 2800084 2800894 6401265 301002490 301002491 301002492 46920 46921 46918 5218617 6400379

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



Abrasive Blasting

LANCE SOFTBLASTING W NOZZLE 05



LANCE WITH RUBBER FLAT NOZZLE 05



NOZZLE FOR WSB - FLAT RUBBER 10 PC



SAND PLUGER AND HOSE VSB



SIMPLE SAND BLASTING UNIT COMPLETE KIT



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



	Item no.
MH 2M-15/660 X MH 3M-140/580 PA MH 3M-160/770 FA MH 3M-180/720 FA MH 4M-180/860 FA MH 4M-180/860 FAL MH 4M-200/960 FA MH 4M-200/960 FAX MH 4M-210/1000 PAX MH 4M-220/1000 FA MH 4M-220/1000 FAX MH 5M-180/960 FA MH 5M-200/960 FAX MH 5M-210/1000 FA MH 5M-220/1000 FA MH 5M-210/1000 FAX MH 5M-210/1000 FAX MH 6P-150/750 FA MH 6P-150/750 DE MH 6P-175/1250 FA MH 6P-175/1250 FAX MH 6P-200/1300 FA MH 7P-180/1250 FA MH 7P-180/1260 FA MH 8P-180/2000 MC 2C-180/7000 PE MC 3C-165/650 PE MC 3M-195/1000 DE MC 3M-225/910 PE PLUS MC 3M-240/870 PE MC 3M-250/1000 PE MC 3M-250/1050 PE PLUS MC 7P-220/1200 PE PLUS MH 3M-200/1000 DE MH 3M-220/1000 DE MH 7P-200/1200 DE MH 7P-220/1200 PE MH 7P-220/1300 DE SC UONO 4M-140/620 P5 SC UONO 4M-160/720 P5 SC UONO 5M-200/1050 SC UONO 5M-200/1050 SC UONO 6P-170/1610 SC UONO 7P-180/1200 SC DUO 6P-170/3220 SC DUO 7P-180/2400 SC DELTA 7P-160/3120 3 PUMPS SC DELTA 7P-160/4160 4 PUMPS SC DELTA 7P-160/6230 6 PUMPS SH SOLAR 5M-165/1100 D SH SOLAR 7P-170/1200 D SH SOLAR 7P-170/200 DSS SH SOLAR 8P-180/2000 D SH SOLAR 7P-135/875/318 SH SOLAR 7P-170/200 E18 SH SOLAR 7P-170/200 E36 SH SOLAR 7P-170/200 E54 SH SOLAR 5M-150/1020 G SH SOLAR 7P-170/200 G SH TRUCK 5M-180/970 SH TRUCK 7P-175/1260 SH AUTO 5M-100/500 D SH AUTO 5M-100/500 DSS SH AUTO 5M-100/500 E	6401233 6401364 6401365 6402317 6400375 301112493 8379 106403166 42628 301001355 301001356 106403196 107370976 107370955 54328 54332 54329

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



Stationary Equipment

COINBOX 1EUR INCL DETERGENT

COINBOX TOKEN

COINBOX TOKEN INCL DETERGENT

EXHOUST DIVERTER AUTO/TRUCK ACCESSORY

MAINS CUT OFF BUTTON

OPTION 1XDETERGENT SH SOLAR

OPTION 1XMANUEL DETERGENT

OPTION 2XDETERGENT SH SOLAR

OPTION AUTOMATIC PRESSURE RELIEF SH SOLAR

OPTION CLOSED AIR INTAKE SH SOLAR G

OPTION CLOSED CIRCUIT FROST PROTECTION K

OPTION COLD/WARM SWITCH SH SOLAR EH

OPTION INSULATION CABINET

OPTION LOW WATER SECURITY

OPTION MULTI MACHINE CONNEC. BOX SH SOLAR

OPTION NO SCALE

OPTION NO-SCALE SH SOLAR

OPTION REMOTE CONTROL 4 BUTTONS

OPTION REMOTE CONTROL 5 BUTTONS

MC 2C-120/520 T	MC 2C-120/520 XT	MC 2C-140/610 XT	MC 2C-150/650	MC 2C-150/650 XT	MC 3C-140/660	MC 3C-150/660	MC 4C-150/660 XT	MC 5C-160/770	MC 5C-170/820	MC 5C-170/820 XT	MC 4M-150/620	MC 4M-150/620 XT	MC 4M-160/720	MC 4M-160/720	MC 4M-180/740	MC 4M-180/740 XT	MC 5M-180/840	MC 5M-180/840 XT	MC 5M-200/1000	MC 5M-200/1000 XT	MC 5M-200/1050	MC 5M-200/1050 FA	MC 6P-170/1600 FA	MC 6P-170/1600 FA XT	MC 6P-180/1300 FA	MC 6P-180/1300 FA XT	MC 6P-200/1100 FA	MC 6P-200/1100 FA XT	MC 6P-250/1100 FA	MC 6P-250/1100 FA XT	MC 7P-195/1280 FA	MC 7P-195/1280 FA XT	MC 7P-195/1280 FBFA	MC 7P-195/1280 FBFA XT	MC 8P-160/2500 ST	MC 8P-160/2500 ST	MH 1C-110/600	MH 1C-110/600	MH 1C-145/600	MH 1C-145/600 X	MH 2C-170/690	MH 2C-170/690 X	MH 2C-190/780	MH 2C-190/780 X	MH 2M-14/0600 X
-----------------	------------------	------------------	---------------	------------------	---------------	---------------	------------------	---------------	---------------	------------------	---------------	------------------	---------------	---------------	---------------	------------------	---------------	------------------	----------------	-------------------	----------------	-------------------	-------------------	----------------------	-------------------	----------------------	-------------------	----------------------	-------------------	----------------------	-------------------	----------------------	---------------------	------------------------	-------------------	-------------------	---------------	---------------	---------------	-----------------	---------------	-----------------	---------------	-----------------	-----------------



OPTION COLD/WARM SWITCH SH SOLAR EH

OPTION INSULATION CABINET

OPTION LOW WATER SECURITY



OPTION MULTI MACHINE CONNEC. BOX SH SOLAR



OPTION NO SCALE



OPTION NO-SCALE SH SOLAR



OPTION REMOTE CONTROL 4 BUTTONS



OPTION REMOTE CONTROL 5 BUTTONS

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



Stationary Equipment

OPTION STAINLESS STEEL PARTS SH SOLAR D/EH

MC 2C-120/520 T	
MC 2C-120/520 XT	
MC 2C-140/610 XT	
MC 2C-150/650	
MC 2C-150/650 XT	
MC 3C-140/660	
MC 3C-150/660	
MC 3C-150/660 XT	
MC 3C-160/770	
MC 3C-170/820	
MC 3C-170/820 XT	
MC AM-140/620	
MC AM-140/620 XT	
MC AM-160/620	
MC AM-160/720	
MC AM-180/740	
MC AM-180/740 XT	
MC SM-180/840	
MC SM-180/840 XT	
MC SM-200/1000	
MC SM-200/1000 XT	
MC SM-200/1050	
MC SM-200/1050 FA	
MC SM-200/1050 XT	
MC SM-220/1130	
MC SM-220/1130 FA	
MC SM-220/1130 XT	
MC SP-100/1600 FFA	
MC SP-170/1600 FA	
MC SP-180/1300 FA	
MC SP-180/1300 FA/XT	
MC SP-200/1100 FA/XT	
MC SP-250/1100 FA	
MC SP-250/1100 FA/XT	
MC SP-195/1280 FA	
MC SP-195/1280 FA/XT	
MC SP-195/1280 FFA	
MC SP-195/1280 FFA/XT	
MC SP-160/2500 ST	
MC SP-180/2100	

OPTION WATER INLET SECURITY

OPTION WATER SOFTENER UNIT



REMOTE CONTROL BOXES 2 BUTTONS



REMOTE CONTROL BOXES 3 BUTTONS

TOKENS Ø22.0X2.3 SET-50

Tank

ANTI SCALE TANK CPL.



Other

BRACKET F. DETERGENT TANK 2.5L



CHIMNEY ADAPTOR KIT



CRANE LIFTING EYE



CRANE ROUNDSLING 1000KG 50CM



EXHAUST PIPE 148X197



FRONT WHEEL KIT



MANOMETER MC 4



WATER REGULATION CPL. MC 4M



WATER SUCTION KIT 300 L/MIN 06



CHIMNEY ADAPTOR B2/B2.5 ACCESSORY



HOUR COUNTER 50HZ (MECHANICAL) ACCESSORY

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



MC 2C-20/520 T	
MC 2C-120/610 XT	
MC 2C-140/610 XT	
MC 2C-150/650	
MC 2C-150/650 XT	
MC 2C-140/660	
MC 2C-150/660	
MC 2C-150/660 XT	
MC 3C-160/770	
MC 3C-170/820	
MC 3C-170/820 XT	
MC 4M-140/620	
MC 4M-160/620	
MC 4M-160/620 XT	
MC 4M-160/720	
MC 4M-180/740	
MC 4M-180/740 XT	
MC 4M-180/840	
MC 4M-180/840 XT	
MC 5M-200/1000	
MC 5M-200/1000 XT	
MC 5M-200/1050	
MC 5M-200/1050 FA	
MC 5M-200/1050 XT	
MC 5M-220/1130	
MC 5M-220/1130 FA	
MC 5M-220/1130 XT	
MC 6P-100/1600 FA	
MC 6P-170/1600 FA	
MC 6P-170/1600-FAXT	
MC 6P-180/1300 FA	
MC 6P-180/1300 FAXT	
MC 6P-200/1100 FAXT	
MC 6P-250/1100 FA	
MC 6P-250/1100 FAXT	
MC 7P-195/1280 FA	
MC 7P-195/1280 FAXT	
MC 7P-195/1280 FBFA	
MC 7P-195/1280 FA	
MC 8P-160/2500	
MC 8P-160/2500 ST	
MC 8P-180/2100	
MH 1C-10/600	
MH 1C-14/600	
MH 2C-14/600 X	
MH 2C-17/650	
MH 2C-17/690 X	
MH 2C-19/07/80	
MH 2C-19/07/80 X	
MH 2M-14/07/80 X	

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for high pressure washers



SH DELTA Lance

SINGLE LANCE W/1506 SILVER 160BAR

SINGLE LANCE WHITE .1515 27BAR- 1020L/H

SINGLE LANCE YELLOW.1511 107BAR-1560L/H

MC 2C-120/520 T	
MC 2C-120/520 XT	
MC 2C-140/610 XT	
MC 2C-150/650	
MC 2C-150/650 XT	
MC 3C-140/660	
MC 3C-150/660	
MC 3C-150/660 XT	
MC 3C-150/770	
MC 3C-170/820	
MC 3C-170/820 XT	
MC 4W-140/620	
MC 4W-160/620	
MC 4W-160/620 XT	
MC 4W-160/720	
MC 4W-180/740	
MC 4W-180/740 XT	
MC 5M-180/840	
MC 5M-180/840 XT	
MC 5M-200/1000	
MC 5M-200/1000 XT	
MC 5M-200/1050	
MC 5M-200/1050 FA	
MC 5W-200/1050 XT	
MC 5W-220/1130	
MC 5W-220/1130 FA	
MC 5W-220/1130 XI	
MC 6F-100/1600 FFA	
MC 6F-170/1600 FA	
MC 6F-170/1600 FAXT	
MC 6F-180/1300 FA	
MC 6F-180/1300 FAXT	
MC 6F-200/1100 FAXT	
MC 6F-250/1100 FA	
MC 6F-250/1100 FAXT	
MC 7F-195/1280 FA	
MC 7F-195/1280 FAXT	
MC 7F-195/1280 FBFA	
MC 7F-195/1280 FFA	
MC 8F-160/2500 ST	
MC 8F-180/2100	
MH 1C-10600	
MH 2C-145600	
MH 2C-145600 X	
MH 2C-170680	
MH 2C-170690 X	
MH 2C-1907780	
MH 2C-1907800 X	
MH 2W-140/780	

- Standard accessories
 - Supplementary accessories
 - Supplementary and mountable accessories

Accessories for high pressure washers

Item no.

6300870

6300846

6300853

- Standard accessories
 - Supplementary accessories
 - Supplementary and mountable accessories

Increased flexibility with Nilfisk Accessories & Options

The SC UNO, SC DUO and SH SOLAR can be equipped with an electronic control board. This gives the possibility to use a wide range of FACTORY-MOUNTED options and equipment such as remote control, coin boxes, pressure relief... The use of options means that a standard machine is quickly and easily configured to become a customer-specific solution.

Item no.:	Accessory or Factory Mounted Option	Description	SC UNO 4M PS	SC UNO 5M L	SC UNO 5M, 6P, 7P	SC DUO 6P, 7P
107371020	Accessory	Water Break Tank (WBT) max 40 l/min	X	X	X	X (SC DUO 6P requires 2 WBT)
107371023	Accessory	Water Inlet Security			X	X
107371024	Accessory	Low Water Security Pressure switch on water inlet of stationary units. Set to 1 bar. If inlet water pressure is lower than 1 bar - the motor pump stops avoiding the unit running in "dry" mode. Needs a service technician to activate the accessory.			X	X
107371025	Accessory	2 x High pressure Detergent (Also needs Remote Control 107371026) Injection of 2 x detergent at high pressure. Volume can be adjusted on the detergent pumps. (0-13 l/hour). Needs a service technician to activate the accessory.			X Requires remote control and WBT	X Requires remote control and WBT
107371026	Accessory	Remote Control 6 functions Needs a service technician to activate the accessory.			X	X
107371027	Accessory	Coin Box ON-OFF + Detergent A-B (EUR, CHF, GBP) Cointer can be taught all coins) Needs a service technician to activate the accessory.			X	X
107371028	Accessory	Pressure Relief If the system is not in use for a period of time (can be adjusted) the machine will close down and relieve the pressure in the high pressure line. Needs a service technician to activate the accessory.			X (Requires WBT)	X (Requires WBT)
107371029	Accessory	Accessory Storage and high pressure hose Can storage 3 lances, one foam sprayer and high pressure hose.	X	X	X	X
107371013	Accessory	Junctionbox Remote/slave. Connection box for remote control extension cable. Needs a service technician to activate the accessory.			X	X
107371000	Factory Mounted Option	Water Break Tank (WBT) max 40 l/min	X	X	X	X (SC DUO 6P requires 2 WBT)
107371014	Factory Mounted Option	Water Inlet Security Opens and closes a solenoid valve on the water inlet line, at the same time as the machine starts and stops. Needs a service technician to activate the accessory.			X	X
107371003	Factory Mounted Option	Stainless Steel cabinet parts UNO		X	X	
107371004	Factory Mounted Option	Stainless Steel cabinet parts DUO				X
107371005	Factory Mounted Option	Low Water Security Pressure switch on water inlet of stationary units. Set to 1 bar. If inlet water lower than 1 bar - the motor pump stops avoiding the unit running in "dry" mode.			X	X
107371006	Factory Mounted Option	2 x High Pressure Detergent (Also needs Remote Control 107371007) Injection of 2 x detergent at high pressure. Volume can be adjusted on the detergent pumps. (0-13 l/hour).			X Requires remote control and WBT	X Requires remote control and WBT
107371007	Factory Mounted Option	Remote Control 6 functions			X	X
107371008	Factory Mounted Option	Coin Box ON-OFF + Detergent A-B (Cointer is for EUR, CHF, GBP coins) Cointer can be taught coins from all other kind of currencies.			X	X
107371009	Factory Mounted Option	Pressure Relief If the system is not in use for a period of time (can be adjusted) the machine will close down and pressure relieve the high pressure line.			X (Requires WBT)	X (Requires WBT)
107371010	Factory Mounted Option	230/3/50 Conversion Kit 5M-L		X		
107371011	Factory Mounted Option	230/3/50 Conversion Kit 5M			X	
107371012	Factory Mounted Option	230/3/50 Conversion Kit 6P - 7P			X	

Option	Description	SH SOLAR D/G	SH SOLAR E
		Item No.	Item No.
High Pressure detergent manual use	Injection of detergent under high pressure, manually controlled at the machine.	107340903	na
Cold/Warm switchover EH	Allows double water inlet (either hot or cold) and switchover between sources.	na	107370959
1 x detergent, EL. SOLAR OPTION	Injection of 1 x detergent under high pressure controlled by solenoid valve and dosing unit. Detergent can be activated at a remote control unit or box.	107370952 Also need: Remote control box with 4 buttons	107370952 Also need: Remote control box with 4 buttons
2 x detergent, EL. SOLAR OPTION	Injection of 2 x detergent under high pressure controlled by solenoid valve and dosing unit. Detergent can be activated at a remote control unit or coin box.	107370953 Also need: Remote control box with 5 buttons	107370953 Also need: Remote control box with 5 buttons
Option Automatic Pressure relief	If the system is not in use for 10 minutes (or 20 seconds after the system closes down), a valve opens and relieves the pressure in the high pressure piping line. The entire system is free of pressure and must afterwards be started again.	107370966	107370966
No-Scale Unti SOLAR Option	Prevents scale in the boiler or internal water tank.	107370958	107370958
Low water security - 1 bar	Pressure switch on water inlet of the stationary unit. Set to 1 bar. Inlet water lower than 1 bar - the motor pump stops avoiding the unit running in "dry" mode.	107340905	Standard
Water inlet security option	Opens and closes a solenoid valve on the water inlet line, at the same time as the machine starts and stops.	107340910	na
Remote control boxes	On-Off = 2 buttons On-Off+1 function (burner or option) = 3 buttons On-Off+2 functions (burner or option) = 4 buttons On-Off+3 functions (burner or option) = 5 buttons Mains cut off button	107340911 107340912 107340913 107340914 29277	107340911 107340912 107340913 107340914 29277
Coin boxes €½ Coin boxes €1 Coin boxes Token Coin boxes €½, incl. Detergent Coin boxes €1, incl. Detergent Coin boxes Token, incl. Detergent	Mechanical, simple on-off, €½ Mechanical, simple on-off, €1 Mechanical, simple on-off, Tokens Mechanical, on-off + 1 detergent, €½ Mechanical, on-off + 1 detergent, €1 Mechanical, on-off + 1 detergent, Token	54328 54329 54330 54332 54333 54334	54328 54329 54330 54332 54333 54334
FROST PROTECTION - Standard	Water wasted/no recirculation. Requires a built-in pressure relief. Change gun to "weeping gun".	107370954	107370954
FROST PROTECTION - Deluxe	incl. heating unit	107370955	107370955
M.M.O.	Allows connection of up to 3 SOLAR units together	107370964	107370964
Closed air intake for gas models	Closed air intake for gas models	107370965	107370965
Stainless steel parts G/GH	Stainless steel cabinet	107370963 (G+GH)	
Stainless steel parts D/EH	Stainless steel cabinet	107370962 (D)	107370962 (EH)
2 x chemical magnet valve	Requires control kit	107360901	
Winter gun - 12 bar	For frost protection - water wasted	106402243	106402243



Liquid Sprayers are hand-held low pressure manual sprayers. Specific models can be used with aggressive detergents and acids.

PRODUCTS	1.5P	5S	10SP	20S
Alcohol	○	●	●	●
Chlorine			○	
Alcaline	○	○	○	○
Solvents	●	●	●	●
Mineral Oil	○	●	●	●
Acids automotive			○	
Acides Hygiene			○	

● Very Suitable
○ Limited Suitable



1.5 8P 5S 10SP 20S

TECHNICAL DATA	1.5	8P	5S	10SP ¹⁾	20S
Pump pressure (bar)	2	4	6	6	6
Tank capacity (l)	1.25	8	5	10	20
Working pressure (bar/psi)	2/29	3/43	6/87	6/87	6/87
Max. water temperature (°C)	30	40	50	30	50
Length of hose (m)	-	1.3	1.4	2	4
Seal	Viton	Viton	Viton	Viton	Viton
Compressed air connection	No	No	Yes	Yes	Yes
With hand pump	Yes	Yes	Yes	No	No
Metal nozzle with regulation	Yes	Yes	Yes	Yes	Yes
Diameter (mm)	130	200	180	210	210
Height (mm)	300	620	460	580	890
Weight (kg)	0.4	2.2	3.5	6.2	7.5
ITEM NO.	80853	25598	7110005	7110010	7110020

ACCESSORIES	1.5	8P	5S	10SP ¹⁾	20S
Pistol valve (excl. hose and lance)			● / 7110420		
Pistol valve (excl. hose and lance)				● / 7110403	● / 7110403
Manual pump, complete			● / 7110241		
Hose			● / 7110428	● / 7110431	● / 7110401
Spray gun, Pro acces			○ / 4810328	○ / 4810328	
Foam nozzle G 1/4			○ / 308000057	○ / 308000057	○ / 308000057

1) The 10SP is a stainless steel tank for durability, with a polyethylene internal liner for use with detergents containing chlorine or those with a pH below 3.

The product increases cleaning width and reduces cleaning time compared to standard lances and nozzles in a very cost effective way. The HydroScrub's are robust and efficient surface cleaners for floor, wall or table cleaning tasks.

Application and customer groups:

The HydroScrub's are perfect tools for cleaning of surfaces in the automotive/transport segment, in food industries and for craftsmen. The different models can be used on machines in the low end, part of the middle range and the low and part of the high range of High Pressure Washers.



The HydroScrub is an effective tool for cleaning various large flat surfaces, and must be connected to Nilfisk high pressure washers fitted with the original size of nozzle.

How to choose the correct nozzles

Nilfisk machine Standard nozzle	You need:	Item no: 1 st nozzle	Item no: 2 nd nozzle	P300	P400	S500	P500 M
.0275	2 x .0165	102802851	102802851	●			
.0300	2 x .0165	102802851	102802851	●			
.0340	1 x .0200 + 1 x .0165	102802852	102802851	●	●		
.0350	1 x .0200 + 1 x .0165	102802852	102802851	●	●		
.0370	1 x .0200 + 1 x .0165	102802852	102802851	●	●		
.0400	2 x .0200	102802852	102802852		●		
.0400	1 x .0165 + 1 x .0285	102802851	102802854	●			
.0435	1 x .0200 + 1 x .0245	102802852	102802853	●	●		
.0450	1 x .0200 + 1 x .0245	102802852	102802853	●	●		
.0475	1 x .0200 + 1 x .0275	102802852	101117692		●		
.0475	1 x .0200 + 1 x .0285	102802852	102802854	●			●
.0500	2 x .0275	101117692	101117692		●		●
.0500	1 x .0245 + 1 x .0285	102802853	102802854	●			
.0530	2 x .0275	101117692	101117692		●		●
.0530	1 x .0245 + 1 x .0285	102802853	102802854	●			
.0550	2 x .0275	101117692	101117692		●		●
.0550	2 x .0285	102802854	102802854	●			
.0600	2 x .0300	101117695	101117695		●	●	●
.0640	1 x .0300 + 1 x .0340	101117695	101119735	●	●	●	●
.0650	1 x .0300 + 1 x .0340	101117695	101119735	●	●	●	●
.0680	2 x .0340	101119735	101119735	●	●	●	●
.0700	2 x .0350	101119736	101119736	●	●	●	●
.0750	1 x .0350 + 1 x .0400	101119736	101119738	●	●	●	●
.0800	2 x .0400	101119738	101119738	●	●	●	●
.0850	2 x .0435	101119739	101119739	●	●	●	●
.0900	2 x .0450	101119740	101119740	●	●	●	●
.0950	2 x .0500	101119741	101119741	●	●	●	●
.1000	2 x .0500	101119741	101119741	●	●	●	●
.1100	2 x .0550	101119743	101119743		●		●
.1200	2 x .0600	101119744	101119744		●		●
.1300	2 x .0650	101119746	101119746		●		●
.1500	2 x .0750	101119749	101119749		●		●
.1590	2 x .0800	101119750	101119750		●		●

TECHNICAL DATA	P300	P400	S500	P500 M
Diameter, cabinet (mm)	300	400	500	500
Side bar mountable on cabinet	Yes	No	No	No
Cabinet material	Injection moulded ABS	Injection moulded ABS	Stainless steel	Injection moulded ABS
Bearing for rotating arm:	Long life bearing	Long life bearing	Long life bearing	Long life bearing
Min/max. water flow (l/h)	420 / 750	600 / 1200	1000 / 2000	750 / 1400
Max pressure (bar)	200	250	250	250
Max temperature inlet water °C	60	60	60	60
Nozzles included	Yes	No	No	No
Machine use on - nozzle size	.0275 - .0550	.0340 - .1000	.0600 - .1590	.0475 - .1590
ITEM NO.	106403187	106403157	106403158	106403159



Powerful and cost efficient cleaning for professional users



- High pressure 350-500 bar
- Solid, galvanized and powder-coated frame
- Stainless steel top cover for protection and hose storage
- Big handle for easy maneuvering and storage of cables and hoses
- Compact design – can go through a standard size door
- Easy access to pump for service and maintenance
- Inlet filtration system

Heavy-duty high pressure water blasters offer powerful and cost efficient cleaning for professional users. Removing paint, rust, markings and graffiti on steel and concrete surfaces.

- Cleaning scaffolding material
- Cleaning construction machinery and equipment
- Removing lime scale deposits and marine growth
- Deck cleaning and cleaning of cargo hold



TECHNICAL DATA

	MERLION 350	MERLION 500
Pump pressure (bar/MPa)	350/35	500/50
Cleaning impact (kg/force)	9.5	7.7
Water flow (l/h)	1260	960
Pump (RPM)	1450/1750	1450/1750
Max. water temperature (°C)	30	30
Power consumption (kW)	15	15
Voltage/phase/frequency/current (V~/Hz/A)	380-415/3/50/29 or 440-460/3/60/29	380-415/3/50/30 or 440-460/3/60/30
Dimensions L x W x H (mm)	1057x494x938	1057x494x938
Weight (kg)	235	240
El-cable, oil resistant (M)	15	15
Nozzle size, straight fan 1/4"	0005/0005	0003/0003
FEATURES		
20 Hp motor	●	●
Automatic start/stop with timer	○	○
Triplex pump with ceramic plunges	●	●
STANDARD EQUIPMENT		
HP hose	15 m (½")	15 m (½")
Lance	single	single
Gun	dry shut P.A. - model 551180	dry shut P.A. - model 551180
ITEM NO. 50 Hz	700995884	700995874
ITEM NO. 60 Hz	700995885	700995875



Be sure you have the right tool for the job

- High pressure 500-800 bar
- Solid, galvanized and powder-coated frame
- Non-corrosive material used in pumps and fittings
- Unique pump design with 3 ceramic plungers
- Built-in stainless unloader/safety valve
- Start-up accumulator
- Easy access to pump for service and maintenance
- Low water level cut-off switch
- Built-in trigger gun holder and cable holder
- Drip return ensuring long seal life and drip free operation (MERMAID 800)
- Identical suction and discharge valves, easily replaceable (MERMAID 800)

Perfect for deck cleaning and cleaning cargo holds. Furthermore, they offer dust free sandblasting. These machines are designed not only to clean surfaces, but also to blast off scale, grime, rust, graffiti and even cut through concrete.

- Removing paint, rust, markings and graffiti on steel and concrete surfaces
- Dust free sand blasting
- Concrete removal



TECHNICAL DATA	MERMAID 500	MERMAID 800
Pump pressure (bar/MPa)	500/50	800/80
Cleaning impact (kg/force)	16.3	13.7
Water flow (l/h)	1800	1200
Pump (RPM)	1450/1750	1450/1750
Max. water temperature (°C)	30	30
Power consumption (kW)	30	30
Voltage/phase/frequency/current (V~/Hz/A)	380-415/3/50/46 or 440-460/3/60/46	380-415/3/50/50 or 440-460/3/60/50
Dimensions L x W x H (mm)	1495x980x1263	1495x980x1263
Weight (kg)	440	530
El-cable, oil resistant (M)	15	15
Nozzle size, straight fan 1/4"	0005/0005	0003/0003
FEATURES		
40 Hp motor	●	●
80 l water brake tank	●	●
Pneumatic wheels	●	●
Stainless steel pump head		●
Built-in safety valve	●	●
5 x Ceramic plunges	●	●
3 x Tungsten carbide plunges		●
Built-in booster pump		●
25 micron filtration system		●
Duplex-steel valves, with stainless steel casing		●
STANDARD EQUIPMENT		
HP hose	20 m (1/2")	20 m (1/2")
Lance	single	single
Gun	dry shut P.A. - model 551180	dry shut P.A. - dump gun w/ by-pass
ITEM NO. 50 Hz	700995244	700995250
ITEM NO. 60 Hz	700995245	700995251



Designed to meet real customer needs

Naming and acronyms

Here you easily can see, what stands behind the machine names.

ATTIX 965-21 SD XC

Model Name
AERO 21 / 26 / 31
ATTIX 30
ATTIX 40
ATTIX 50
ATTIX 33/44
ATTIX 7
ATTIX 9

Production Model

Feature Class
0 = Basic type
1 = Convenience outlet
2 = AutoOnOff for electric power tool
6 = Liquid vacuum
7 = Fire brigade vacuum

► **Variants and Special Types (e.g. dust class, etc.)**

1 = CE
L = L-class
M = M- & L-class
H = H-, M- & L-class + Asbestos
M/B1 = M- & L-class + Type 22

► **Filter Cleaning Features & Disposal Concepts**

XC = XtremeClean™ Filter cleaning system
PC = Push&Clean™ Filter cleaning system
SD = SitDown
IC = InfiniClean™

► **Specials**

EC = Brushless long-life motor system
Type 22 = approved to pick up explosive dust in ATEX Zone 22
CLEAN ROOM = for use in clean room applications
INOX = Stainless steel container
MOBILE = Trolley push handle



InfiniClean™

XtremeClean™


Push&Clean™

Energy labelling

You might already be familiar with the energy label from washing machines, refrigerators and other household appliances. We are now also ready and all set to introduce energy labeling on our consumer and commercial dry vacuum cleaners.

As of September, 2014, new regulations from the European Union become effective; Energy labeling and Eco design requirements in order to reduce the energy consumption of vacuum cleaners. Applicable for Nilfisk commercial Dry Vacuum Cleaners ONLY.

How to read the label:



New Energy and Eco design regulations requirements from the European Union

What does this mean to you?

- That you can be sure that we as a manufacturer deliver products that adheres to the new legislation
- That you will receive the energy label enclosed in the box
- That you might save money by investing in a high-end energy saving product
- That you will reduce the environmental impact

A

B

C

D

E

F

G

Powerful, intelligent and economical - whichever cleaner you choose

Nilfisk offers a complete range of innovative and powerful Wet&Dry vacuum cleaners – all designed to accommodate not only the most demanding professional's cleaning needs, but also to match a specific level of requirements in terms of suction power, with features such as very low noise, high performance and automatic or semi-automatic filter cleaning. "Blue" is simply the better alternative.

COMMERCIAL DRY VACUUM CLEANER

The SALTIX 10 is a Commercial Dry Vacuum Cleaner and has been designed to meet the needs of contract cleaners, hotels, shops and offices and any customer looking for an efficient, easy-to-use vacuum cleaner.

Beside that we can offer SALTIX 10 as a high-end energy saving product which gives you the possibility to save money and also improve the environmental impact.

B



COMPACT SINGLEPHASE WET&DRY VACUUM CLEANERS

All machines in the AERO 21, 26 & 31 range feature the Push&Clean™ semi-automatic filter cleaning system. The AERO offers a range of containers with different capacities. The 21 and 31 range also offers a model with stainless steel container, called INOX.

The AERO delivers high performance in a compact package, with high working capacity and low noise. The AERO range comes with a complete selection of useful accessories.

COMMERCIAL WET & DRY VACUUM CLEANERS

The MAXXI II platform combines productivity, high quality and ease of use into a workhorse of a wet and dry vacuum cleaner. It is your trusted tool when an area needs fast and efficient cleaning with minimal disruption of daily activities.

MAXXI II is ideally suited for demanding jobs, especially in rough and wet environments such as building sites and light industry, and for cleaning up after plumbers, electricians and other contractors.



ATTIX range – gives you top performance with less hassle

The ATTIX range is designed for demanding clean-up applications and always with the user in mind. Always ensuring productivity and efficiency wherever heavy cleaning is necessary, or where potentially hazardous dust needs to be safely collected.

INDUSTRIAL SINGLEPHASE WET&DRY VACUUM CLEANERS



ATTIX 30, 40 & 50 represents a possibility of achieving superior suction power and innovative features. Silent and mobile, Wet or Dry - when high performance and robustness is required. Available with Push&Clean™ semi-automatic filter cleaning system.



ATTIX 33 & 44 represents superior dust extraction for professional and safe cleaning and are robust and easy to handle – also when it comes to transportation from one site to another. All models offer flexible storage solutions for tools and accessories, so everything you need is at hand.



ATTIX 7 is perfect for users who need big capacity and features that focus on efficiency. Our most silent vacuum ever, with superior suction performance, stainless steel tilt or lift-out container, XtremeClean™ automatic filter cleaning, antistatic capability and more.



ATTIX 9 is designed with dual motors to withstand the toughest applications. With the ATTIX 9 range, the high end of the industrial vac line of Nilfisk is complete! A versatile, high performance unit for demanding everyday vacuuming.

INDUSTRIAL SINGLE- AND THREEPHASE WET&DRY VACUUM CLEANERS

The ATTIX 115, 125, 145 & 155 industrial vacuum cleaner range is ideal for liquids and solid materials with a performance to perfectly satisfy any cleaning and maintenance situation. The robust steel construction, powerful turbine and the big container on wheels grant a high reliability and mobility capable of working 24 hours a day.



SELF SERVICE VACUUM CLEANERS

Modern, attractive and flexible. Developed primarily for use in filling stations, the SB Series is built for the rigors of outdoor use in all kinds of weather.

Coin-operated self-service vacuums with special requirements. Single motor or dual motor machines are available. All models use a simple cloth filter system for easy maintenance. Done to perfection, down to the smallest detail.



ATTIX Safety range – a solution for every need

Hazardous dust demands the highest level of safety to ensure maximum health protection. Nilfisk health and safety vacuum cleaners span all dust classes – **L** (low), **M** (medium), **H** (high), **Asbestos** and explosive dusts classified as **ATEX Type 22**.



L-CLASS SAFETY VACUUMS

Dusts from dust classe L may be picked up using these vacuum cleaners. These include dusts with OEL values $> 1 \text{ mg/m}^3$. This is the standard for simple, harmless dust such as house dust and materials such as soil.



M-CLASS SAFETY VACUUMS

Dusts from dust classes L and M may be picked up using these vacuum cleaners. These include all health-endangering, non-carcinogenic dusts with OEL-values $> 0.1 \text{ mg/m}^3$ and wood dusts.

Application: Industry sectors as chemicals, wood, plastics, metal, pharmaceuticals, paper and textiles; for craftsmen including carpenters, joiners and painters. If you are working with M-Class hazardous dust, you will find the perfect Wet&Dry solution here.



H-CLASS SAFETY VACUUMS

Dusts from dust classes L, M and H including Asbestos may be picked up using these vacuum cleaners. These include all health-endangering dusts with OEL-values, all carcinogenic dusts and dusts contaminated with germs and bacteria.

Application: Industry and trade sectors as chemicals, plastics, pharmaceuticals, mining, paper and textiles; for craftsmen such as roofers and painters. If you are working with H-Class hazardous dust, you will find the perfect Wet&Dry solution here.



ATEX ZONE 22 SAFETY VACUUMS

Dusts from dust classes L and M as well as explosive dusts may be picked up using these vacuum cleaners. These include all non-carcinogenic dusts with OEL values $> 0.1 \text{ mg/m}^3$ and/or flammable dusts in ATEX ZONE 22 applications.


Application: Industry and trade sectors as chemicals, wood, plastics, metal, pharmaceuticals, paper and textiles; for craftsmen such as carpenters, bakers and floor layers.

If you are working in an ATEX ZONE 22 explosive dust environment, you will find the perfect Wet&Dry solution here. Choose from many different container sizes and performance levels, all with features that will enhance your working efficiency and minimize your operating costs.

Extremely efficient filtration options


Nilfisk offers the impressive filter cleaning systems called XtremeClean™ and InfiniClean™. Extremely efficient and completely automatic. Probably the best filter cleaning system that the market has ever seen. All you have to do is start the vacuum. The filter is immediately cleaned automatically every 15 or 30 seconds while you work. So there is no need to interrupt your work to clean your filter. You concentrate on your task, and the machine will take care of the filter cleaning.

XtremeClean™



Powerful air pulses clean the filter gently and keeps suction performance constantly high - XtremeClean™ filter cleaning technology

Advanced technology delivers automatic filter cleaning while you work with full vacuum performance. This first generation of XtremeClean™ technology, used in ATTIX 7, is based on a valve controlled solution, using reversed air flow to clean the one half of the filter cartridge – while you still work with the other half of the filter cartridge. The valve allows the surrounding air to enter into the container, passing through the filter in the opposite direction. The dirt is blasted off the filter and the suction performance is always high.



High level of filter filtration due to servo motor controlled Y-FLAP - Fully automatic XtremeClean™ technology

The improved XtremeClean™ technology, used on the ATTIX 9 range, is a fully automatic filter cleaning system based on a servo motor controlled Y-FLAP, where the filter has the full surface available all the time during operation. This ensures an even longer lifetime, high efficiency and prevents power loss through restricted airflow – without interruptions. The perfect match for the powerful performance of this two motor machine.

InfiniClean™



InfiniClean™ - automatic filter cleaning system with continuously high productivity

Continuously high productivity is secured by the Nilfisk InfiniClean™ system, which automatically cleans the filter during operation using reversed air-flow pulse. Downtime is reduced further, as the container can be filled up without filter maintenance - even in demanding fine dust applications. A powerful reversed air pulse is activated every 15 second keeping the air flow on a high level. A unique double-valve system minimizes the performance drop during cleaning cycle. The cleaning performance and dust pick-up has been improved by increasing the airflow up to 20% providing higher air velocity in both hose, nozzle and tool connector. At the same time, extracting the dust, service and maintenance has been taken to another level by the new PTFE long-life filter. A durable and washable filter with non-stick membrane used for both wet and dry pick-up.

Push&Clean™ - fast and simple cleaning of the filter cartridge

If you are working with fine dust, you are surely familiar with the dreaded task of cleaning clogged filter cartridges to restore normal suction performance. With Push&Clean™, all you have to do to clean the filter, is block the inlet fitting or the hose, and push and release the filter cleaning button. Powerful air pulses will clean the filter gently, and you are back to work in no time.

Constant high suction performance - Push&Clean™ technology for fast and simple filter cleaning

The Push&Clean™ technology allows a fast and simple cleaning of the filter cartridge. When you block the fitting for the air inlet or the hose and push the filter cleaning button, the surrounding air enters into the container, passing through the filter cartridge in the opposite direction. The dirt is blasted off the filter and the suction performance is high again. A comfortable and powerful but gentle way of cleaning the filter.

Push&Clean™



Advanced fleece technology

To extend the well-known high performance of Nilfisk Wet&Dry vacuum cleaners, advanced Nano technology and PTFE non-stick membrane has been introduced to our range of filter cartridges together with a re-defined design.

To extend the well-known high performance of Nilfisk Wet&Dry vacuum cleaners, advanced Nano and membrane technology has been introduced to our range of filter cartridges. All filter elements in our series of XtremeClean™ machines (except H-class models) utilize a NanoFibre fleece material with embossed ripple structure. And our dust extractor series with InfiniClean™ utilize the newest generation of PTFE non-stick membranes with extended lifetime. Combined with the powerful reversed air-pulses from the automatic filter cleaning system, it prevents deep filtration and loss of performance. You will experience an impressive filter cleaning that grants for high efficiency in your daily work - even in the most tough fine dust application. As always, the Nilfisk fleece filters have a high degree of filtration (min. 99.9%) and they are washable to keep the maintenance cost at a minimum.

InfiniClean™

XtremeClean™



Features - designed to meet our customer needs!

Nilfisk offers you a complete range of innovative and powerful Wet&Dry vacuum cleaners - all designed to accommodate not only your most demanding professional cleaning needs, but also to match your specific level of requirements in terms of suction power, with features such as very low noise, high performance and automatic or semi-automatic filter cleaning.

MultiFit

Thanks to the universal Nilfisk "MultiFit" connection system and the extensive range of accessories, the right attachment for each job can be found. MultiFit was conceived so that all suction hoses, regardless of whether the diameter is 27, 32, 36, 38 or 50 mm, can be connected to the vacuum without further expenditure. On most vacuum models, the MultiFit hose inlet is prepared for AntiStatic giving the flexibility to choose between universal or AntiStatic hoses.

Advantages:

- Higher flexibility
- A solution to every application
- Adaptation of the hose diameter to the type of dust

MultiFit™

AntiStatic – To prevent shocks and dirt caused by static charges

The enormous speed of dust particles and the resulting friction cause a buildup of static electricity in the hose. Discharge causes sparks which can cause electrical shocks or even ignite explosive material or combustible dust. The Nilfisk AntiStatic system means that the vacuum inlet fittings are connected to earth. This means that when working with a conductive suction hose, static buildup is discharged immediately. Electric shocks, sparks and dirt caused by electrostatic charges are prevented. Tested, unmistakable attachments (Rs 1MQ) are required for vacuums from the TYPE 22 range.

Advantages:

- No dangerous sparks in the suction hose
- No unpleasant electrical shocks
- Earthed suction hose prevents the accumulation of dirt

AntiStatic

AutoOnOff with speed control

Vacuums equipped with the Nilfisk AutoOnOff are especially suitable for operation with electric or pneumatic tools (special accessory "Airbox" needed). By connecting the tool directly to the machine, dust is vacuumed directly from source. The vacuum switches automatically on and off with the tool. AutoOnOff is combined with follow up controls for the complete emptying of the suction hose and continuous suction power regulation, to adapt suction power to the job.

Advantages:

- Easier handling with continuous suction power regulation
- Reduced noise and lower energy consumption when maximum power is not necessary
- Tools attached will not stick to the surface

AutoOnOff™



SoftStart for a gentle start-up with controlled power

A gentle motor start-up keeps starting current low and reduces voltage dropouts. An European norm applies to short period current peaks and was created to prevent voltage dropouts when large electrical machines are switched on. A voltage dropout can lead to any system break down if the appliance (e.g. computers) is sensitive to voltage fluctuation. SoftStart helps keep starting current low and reduces voltage dropout. The function is certified by an independent testing institution.

Advantages:

SoftStart™

- Prevents blown fuses
- Protects motor and electronics against current peaks

FlowSensor with acoustic warning signal

According to health and safety regulations for operation of a vacuum cleaner, the air flow in the hose must always be at least 20 m/s to ensure that dust is fully transported to the container. This function must be controlled and an acoustic or visual warning signal must occur when it falls under the minimum requirement. The patented "FlowSensor" technology, used in all Nilfisk H and M class and TYPE 22 vacuum cleaners electronically measures air flow directly with the use of two thermal gates. Consequently, air flow can be exactly determined in all operating conditions - regardless of the use of suction hoses with different diameters and/or power supply fluctuation. Air flow can even be measured accurately if speed control is used to reduce suction power, for example to prevent a sander attaching to a surface by suction.

Advantages:

FlowSensor™

- Higher work safety with steady air speed
- Longer life and less maintenance through electronic components
- Reliable technology even with power supply fluctuation and/or hoses with different diameters
- Alarm signal activates when needed – not before

SystemEC

The SystemEC, used in all Nilfisk ATEX ZONE 22 vacuums, is a single-phase drive system developed with an electronically commutated direct current motor. The motor is electronically controlled, making carbon brushes unnecessary.

Advantages:

SystemEC™

- Collectorless motor – carbon brushes unnecessary
- Easier start
- Operation without wear and tear
- No sparks
- Life of the motor is approximately 10 times higher than universal collector motors
- Free of ignitable sources, therefore suitable for use in ATEX ZONE 22 applications
- With overload protection for motor and electronics
- A real alternative to 3-phase vacuums can be realised in the form of a much smaller and less expensive machine



Your reliable and compact choice for everyday use

- Weighs just 5.2 kg making it easy to move from place to place
- Large 10 litre container with 8 litre dust bag net filling
- Detachable orange cord
- Entire machine, including hose and wand, can be carried safely and comfortably in one hand
- Optional certified HEPA filter available for higher filtration level
- Lightweight aluminium tube

The high performance motor and high quality nozzle ensures superior efficiency and the durable design makes sure that the machine can be relied upon day in and day out. The very high filling capacity of the SALTIX 10 means less time spent changing dust bags and the lightweight design makes it easy to move from place to place. The SALTIX 10 is ideal for cleaning of offices and shops.

B



TECHNICAL DATA

SALTIX 10

Air Flow Rate (l/min)	1980
Vacuum (mbar/kPa)	220/22
Power piec (W)	915
Sound pressure level (dB(A) BS 5415)	50
Dust bag capacity (l)	8
Volt/frequency (V/Hz)	230/50-60
Weight (kg)	5.2
Cable length (m)/ plug type	10/EU
Hose length (m)	1.9
Length x width x height (mm)	395x340x390
Energy efficiency class	B
Dust pick up on carpet	na
Dust pick up on hard floor	D
Dust re-emission class	G
Sound power level dB(A) IEC/EN 60335-2-69	67
Annual energy consumption (kWh/year)	29

FEATURES

Detachable cord	•
Dust bag (1 pcs)	•
Cable storage	•

STANDARD EQUIPMENT

SACK FILTER	147 1432 500
DETACH CORD SET 10M ORANGE EU	107402676
HOSE CPL D32	147 0765 500
EXTENSION TUBE ALUMINIUM	011 6431 500
NOZZLE MULTI SURFACE D32	140 6700 570
BRUSH NOZZLE D32	140 8244 500
CREVICE NOZZLE D32 L153 BLACK	147 0146 500
ITEM NO.	107410443



Simple and powerful wet & dry vacuum cleaner

- Dual filter system to handle different substances without human intervention
- Easy emptying (with motor head fitted)
- Stainless steel tube
- Intuitive single handed locking mechanisms
- Wet sack filter protecting the motor from foam ingress
- Flexible and handy mounting of tools and accessories

MAXXI II 35 offers easy and efficient wet & dry use without filter changing. The unique dual filter allows the machine to be used for both wet and dry applications without the need to change filters. Thanks to MultiFit connection the MAXXI II tools are compatible with all ATTIX accessories.



TECHNICAL DATA	MAXXI II 35 WD
Air Flow Rate (l/min)	2880
Vacuum (mbar/kPa)	200/20
Power piec (W)	1250
Sound pressure level (dB(A) BS 5415)	62
Tank capacity (l)	35
Dust bag capacity (l)	18
Volt/frequency (V/Hz)	220-240/50-60
Weight (kg)	12.5
Cable length (m)/ plug type	10/EU
Hose length (m)	1.9
Length x width x height (mm)	460x420x740
FEATURES	
Tube holder	•
Dual filter system	•
Accessory holders	•
STANDARD EQUIPMENT	
CARTRIDGE FILTER	107407297
HOSE D32 1.9M CPL	107407308
EXTENSION TUBE D32 - SS	107407309
FLOOR NOZZLE D32 RUBBER STRIP	107407310
FLOOR NOZZLE D32 BRUSH	107407311
BRUSH NOZZLE D32	107407312
CREVICE NOZZLE D32	107407334
WET FILTER	107407299
ITEM NO.	107405165



Simple and powerful wet & dry vacuum cleaner

- Dual filter system to handle different substances without human intervention
- Easy emptying (with motor head fitted)
- Stainless steel tube
- Intuitive single handed locking mechanisms
- Wet mesh sack filter protecting the motor from foam ingress
- Flexible and handy mounting of tools and accessories
- Fixed steel push handle
- Standard tipping mechanism
- Transparent drain hose for indication of water level in the container
- The containers can be easily lifted off the trolley for cleaning or maintenance
- When tipping, the container pivots on the steel push handle

MAXXI II 55 offers easy and efficient wet & dry use without filter changing. The unique dual filter makes it possible to clean both wet and dry applications without the need to spend time on changing filters. Thanks to MultiFit all MAXXI II tools are compatible with the ATTIX accessories.



TECHNICAL DATA	MAXXI II 55-1 WD	MAXXI II 55-2 WD
Air Flow Rate (l/min)	2880	4320
Vacuum (mbar/kPa)	200/20	210/21
Power piec (W)	1250	2400
Sound pressure level (dB(A) BS 5415)	64	66
Tank capacity (l)	55	55
Dust bag capacity (l)	28	28
Volt/frequency (V/Hz)	220-240/50-60	220-240/50-60
Weight (kg)	24.5	25.5
Cable length (m)/ plug type	10/EU	10/EU
Hose length (m)	2.5	2.5
Length x width x height (mm)	840x620x1000	840x620x1000
FEATURES		
Tube holder	•	•
Dual filter system	•	•
Cable storage	•	•
Accessory holders	•	•
Drain hose	•	•
Dual motor		•
STANDARD EQUIPMENT		
CARTRIDGE FILTER	107407300	107407300
HOSE D40 2.5M CPL	107407336	107407336
EXTENSION TUBE D40 - SS	107407337	107407337
FLOOR NOZZLE D40 RUBBER STRIP	107407338	107407338
FLOOR NOZZLE D40 BRUSH	107407339	107407339
CREVISE NOZZLE D40	107408850	107408850
WET FILTER	107407302	107407302
ITEM NO.	107405166	107405167



Simple and powerful wet & dry vacuum cleaner

- Dual filter system to handle different substances without human intervention
- Easy emptying (with motor head fitted)
- Stainless steel tube
- Intuitive single handed locking mechanisms
- Wet mesh sack filter protecting the motor from foam ingress
- Flexible and handy mounting of tools and accessories
- Fixed steel push handle
- Standard tipping mechanism
- Transparent drain hose for indication of water level in the container
- The containers can be easily lifted off the trolley for cleaning or maintenance
- When tipping, the container pivots on the steel push handle

MAXXI II 75 offers easy and efficient wet & dry use without filter changing. The unique dual filter makes it possible to clean both wet and dry applications without the need of changing filters. Thanks to Multifit all MAXXI II tools are compatible with the ATTIX accessories.



TECHNICAL DATA	MAXXI II 75-1 WD	MAXXI II 75-2 WD
Air Flow Rate (l/min)	2880	4320
Vacuum (mbar/kPa)	200/20	210/21
Power piec (W)	1250	2400
Sound pressure level (dB(A) BS 5415)	64	66
Tank capacity (l)	75	75
Dust bag capacity (l)	44	44
Volt/frequency (V/Hz)	220-240/50-60	220-240/50-60
Weight (kg)	27	28
Cable length (m)/ plug type	10/EU	10/EU
Hose length (m)	2.5	2.5
Length x width x height (mm)	840x620x1000	840x620x1000
FEATURES		
Tube holder	•	•
Dual filter system	•	•
Cable storage	•	•
Accessory holders	•	•
Drain hose	•	•
Dual motor		•
STANDARD EQUIPMENT		
CARTRIDGE FILTER	107407300	107407300
HOSE D40 2.5M CPL	107407336	107407336
EXTENSION TUBE D40 - SS	107407337	107407337
FLOOR NOZZLE D40 RUBBER STRIP	107407338	107407338
FLOOR NOZZLE D40 BRUSH	107407339	107407339
CREVISE NOZZLE D40	107408850	107408850
WET FILTER	107407302	107407302
ITEM NO.	107405168	107405169



Compact wet&dry vacuum cleaner with filter cleaning and simple features

- Washable PET fleece filter with minimum 99.9% filtration efficiency
- MultiFit accessory system for ultimate flexibility
- Convenient accessory and cable storage
- Exhaust air blow function
- Stabile wheels and ergonomic design for safe operation

AERO 21 is the smallest model in the AERO series with compact design and easy to use features such as Push&Clean filter cleaning system and convenient accessory storage. The 20 liter machine has efficient suction performance and is found with optional INOX stainless steel container with robust trolley and lifting handle. Power socket with AutoOnOff is found on (-21) models, which activates the machine by the connected drilling, sanding or cutting tool. AERO 21 offers great help keeping both air and surroundings clean and reducing the overall sound level.



TECHNICAL DATA	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX
Air Flow Rate (l/min)	3600	3600	3600	3600
Vacuum (mbar/kPa)	210/21	210/21	210/21	210/21
Power pmax (W)	1250	1250	1250	1250
Power piec (W)	1000	1000	1000	1000
Working sound level (dB(A))	64	64	64	64
Container volume (l-max)	20	20	20	20
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	375x385x505	390x400x525	375x385x505	390x400x525
Weight (kg)	7.5	8.5	7.5	8.5
El cable (m)	5	5	5	5
Main filter type	PET	PET	PET	PET
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean	Push&Clean
FEATURES				
Stainless steel container		•		•
Automatic On/Off-elec. tools			•	•
Extra socket for tool			•	•
Hose holder			•	•
Fleece filter bag 1 pcs	•	•	•	•
Container lift/tilt handle		•	•	•
STANDARD EQUIPMENT				
SUCTION HOSE D32x1900 CPL.	107405600	107405600		
SUCTION HOSE D32X2500 CPL.			107405599	107405599
EXTENSION TUBE D36 2X500MM ALU		107400032	107400032	107400032
EXTENSION TUBE D36 2X515MM PLASTIC	40696			
TOOL ADAPTER WITH SUCTION REGULATION D32			107409977	107409977
FLOOR NOZZLE D36 W/D -KIT	107402706	107402706	107402706	107402706
UNIVERSAL NOZZLE D36X115	14295	14295	14295	14295
CREVICE NOZZLE D36X200	29541	29541	29541	29541
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	302000490	302000490	302000490
ITEM NO.	107406600	107406602	107406601	107406603



Compact wet&dry vacuum cleaner with filter cleaning and ergonomic design

- Washable PET fleece filter with minimum 99.9% filtration efficiency
- MultiFit accessory system for ultimate flexibility
- Convenient accessory/cable storage and tool deposit
- Exhaust air blow function
- Flexible rubber strap for hose storage
- Optional cable rewind model
- L-class model with variable speed control

AERO 26 is the featuring model of the AERO series with high focus on application and end-user needs. Push&Clean filter cleaning system and exhaust air blow function is found on all models together with flexible and convenient accessory storage. The 25 liter machine has efficient suction performance and is available with optional cable rewind system. Power socket with AutoOnOff is found on (-21) models, which activates the machine by the connected drilling, sanding or cutting tool. The AERO 26 offers great help keeping both air and surroundings clean and reducing the overall sound level.



TECHNICAL DATA	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC
Air Flow Rate (l/min)	3600	3600	3700
Vacuum (mbar/kPa)	210/21	210/21	235/23.5
Power pmax (W)	1250	1250	1500
Power piec (W)	1000	1000	1200
Working sound level (dB(A))	64	64	64
Container volume (l-max)	25	25	25
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	375x390x530	375x390x530	375x390x530
Weight (kg)	9	9	9
El cable (m)	5	5	7.5
Main filter type	PET	PET	PET
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean
FEATURES			
Softstart			•
Motor speed control			•
Automatic On/Off-elec. tools		•	•
Cable rewind	•		
L-class hazardous dust approval			•
Fleece filter bag 1 pcs	•	•	•
Container lift/tilt handle	•	•	•
STANDARD EQUIPMENT			
SUCTION HOSE D32x1900 CPL.	107405600		
SUCTION HOSE D32X3500 CPL.		107406115	
UNIV HOSE WITH HAND TUBE D32X3500 CPL.			107409976
EXTEN TUBE D36 2X505MM ST/CR		302000529	302000529
TELESCOPIC TUBE D36 575-930MM CR-ST	107402654		
TOOL ADAPTER WITH SUCTION REGULATION D32		107409977	107409977
FLOOR NOZZLE D36 W/D -KIT		107402706	107402706
COMBI NOZZLE Ø36X260MM	302002365		
BRUSH NOZZLE Ø36X230 PP/PA			6086
UNIVERSAL NOZZLE D36X115	14295	14295	14295
SUCTION BRUSH D36 BLACK	302002509	302002509	
CREVICE NOZZLE D36X200	29541	29541	29541
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	302000490	302000490
TOOL BOX. AERO 26/31			107409980
ITEM NO.	107406605	107406606	107406608



Stainless wet&dry vacuum cleaner with filter cleaning and big capacity

- Washable PET fleece filter with minimum 99.9% filtration efficiency
- MultiFit accessory system for ultimate flexibility
- Convenient accessory and cable storage and tool deposit
- Exhaust air blow function
- Stainless steel container
- Flexible rubber strap for hose storage

AERO 31 INOX is the big capacity model of the AERO series with high focus on application and end-user needs. Push&Clean filter cleaning system and exhaust air blow function is standard together with flexible and convenient accessory storage. The 30 liter machine has efficient suction performance and a durable stainless steel container with robust trolley. Power socket with AutoOnOff activates the machine by the connected drilling, sanding or cutting tool. The AERO 31 INOX offers great help keeping both air and surroundings clean and reducing the overall sound level.



TECHNICAL DATA

AERO 31-21 PC INOX

Air Flow Rate (l/min)	3600
Vacuum (mbar/kPa)	210/21
Power pmax (W)	1250
Power piec (W)	1000
Working sound level (dB(A))	64
Container volume (l-max)	30
Mains connection (V~/Hz/A)	230/1/50-60/16
Length x width x height (mm)	390x400x 635
Weight (kg)	10.5
El cable (m)	5
Main filter type	PET
Filter cleaning system	Push&Clean

FEATURES

Stainless steel container	•
Automatic On/Off-elec. tools	•
Extra socket for tool	•
Fleece filter bag 1 pcs	•

STANDARD EQUIPMENT

SUCTION HOSE D32X3500 CPL.	107406115
EXTEN TUBE D36 2X505MM ST/CR	302000529
TOOL ADAPTER WITH SUCTION REGULATION D32	107409977
FLOOR NOZZLE D36 W/D -KIT	107402706
UNIVERSAL NOZZLE D36X115	14295
SUCTION BRUSH D36 BLACK	302002509
CREVICE NOZZLE D36X200	29541
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490
ITEM NO.	107406607



Your reliable and compact wet & dry vacuum for everyday use

- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- Accessory storage and tool deposit

ATTIX 30 series represent our compact and powerful range of all purpose Wet&Dry vacuum cleaners - a perfect solution for craftsmen on the move. The ergonomic design and low noise level emphasise our focus on real user benefits and longer working time.



TECHNICAL DATA	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 30-11 PC	ATTIX 30-21 PC
Air Flow Rate (l/min)	3700	3700	3700	3700
Vacuum (mbar/kPa)	250/25	250/25	250/25	250/25
Power pmax (W)	1500	1500	1500	1500
Power piec (W)	1200	1200	1200	1200
Working sound level (dB(A))	59	59	59	59
Container volume (l-max)	30	30	30	30
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	450x380x595	450x380x595	450x380x595	450x380x595
Weight (kg)	10	10	10	10
El cable (m)	7.5	7.5	7.5	7.5
Main filter type	PET	PET	PET	PET
Filter cleaning system		Push&Clean	Push&Clean	Push&Clean
FEATURES				
Softstart			•	•
Anti-static system			•	•
Motor speed control				•
Automatic On/Off-elec. tools				•
Storage of accessories	•	•	•	•
Extra socket for tool			•	•
Fleece filter bag 1 pcs	•	•	•	•
STANDARD EQUIPMENT				
UNIV HOSE WITH HAND TUBE Ø32X3000				302000473
UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	107409976	107409976	
EXTENSION TUBE D36 2X500MM ALU	107400032	107400032	107400032	
EXTEN TUBE D36 2X505MM ST/CR				302000529
TOOL ADAPTER D27/35/38				60916
TOOL ADAPTER WITH SUCTION REGULATION D32			107409977	
FLOOR NOZZLE D36 W/D -KIT	107402706	107402706	107402706	
INDST.FL.NOZZ.36X400MM W/BRUS.				302003666
UNIVERSAL NOZZLE D36X115			14295	
CREVICE NOZZLE Ø36X300 PP	6084	6084	6084	6084
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	302000490	302000490	302000490
ITEM NO.	107413590	107413591	107413592	107407544



The perfect combination of high performance and robustness in moist applications

- High quality stainless steel container
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- Accessory storage and tool deposit

ATTIX 40 is the ideal Wet&Dry vacuum cleaner, if you need high performance in combination with a compact quality stainless steel container. The robust and easy to clean stainless steel container and the high suction power makes ATTIX 40 the perfect solution for commercial and industrial use.



TECHNICAL DATA

	ATTIX 40-01 PC INOX	ATTIX 40-21 PC INOX
Air Flow Rate (l/min)	3700	3700
Vacuum (mbar/kPa)	250/25	250/25
Power pmax (W)	1500	1500
Power piec (W)	1200	1200
Working sound level (dB(A))	59	59
Container volume (l-max)	37	37
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	450x440x735	450x440x735
Weight (kg)	13	14
El cable (m)	7.5	7.5
Main filter type	PET	PET
Filter cleaning system	Push&Clean	Push&Clean

FEATURES

Softstart	•	•
Anti-static system	•	•
Motor speed control		•
Automatic On/Off-elec. tools		•
Storage of accessories	•	•
Extra socket for tool		•
Fleece filter bag 1 pcs	•	•

STANDARD EQUIPMENT

UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	
HOSE Ø36X5000MM AS W COUPLING		302001682
CURVED HAND TUBE Ø36MM SS	46691	
EXTEN TUBE Ø36 2X505MM SS	107408074	
TOOL ADAPTER D27 QUICKSYSTEM		302000535
INDST.FL.NOZZ.36X400MM W/BRUS.	302003666	
CREVICE NOZZLE Ø36X300 PP	6084	
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	302000490
ITEM NO.	107413593	302003415



Superior suction power for high-frequency cleaning and large container volume

- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- Accessory storage and tool deposit
- AntiStatic System

ATTIX 50 combines high Wet&Dry performance with big container capacity - the ideal solution for demanding customers with high frequency cleaning. The improved ergonomic design ensures functional and user-friendly operation - all in all an efficient and reliable solution.



TECHNICAL DATA	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC
Air Flow Rate (l/min)	3700	3700	3200	3200
Vacuum (mbar/kPa)	250/25	250/25	230/23	230/23
Power pmax (W)	1500	1500	1400	1400
Power piec (W)	1200	1200	1100	1100
Working sound level (dB(A))	59	59	60	60
Container volume (l-max)	47	47	47	47
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	450x380x750	450x380x750	450x380x750	450x380x750
Weight (kg)	11	11	11	11
El cable (m)	7.5	7.5	7.5	7.5
Main filter type	PET	PET	HEPA	PET
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean	Push&Clean
FEATURES				
Softstart	•	•	•	•
Anti-static system	•	•	•	•
Motor speed control		•	•	•
Automatic On/Off-elec. tools		•	•	•
Brushless longlife 1-ph. motor			•	•
Storage of accessories	•	•	•	•
Fleece filter bag 1 pcs	•	•	•	•
STANDARD EQUIPMENT				
UNI. HOSE Ø36X3000MM W COUPLING EVA	46948			
HOSE Ø36X5000MM AS W COUPLING		302001682	302001682	302001682
CURVED HAND TUBE D36MM ST/CR	302000528	302000528		
EXTEN TUBE D36 2X505MM ST/CR	302000529	302000529		
TOOL ADAPTER D27 QUICKSYSTEM		302000535	302000535	302000535
INDST.FL.NOZZ.36X400MM W/BRUS.	302003666	302003666		
CREVICE NOZZLE Ø36X300 PP	6084	6084		
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	302000490		302000490
FILTER ELEMENT Ø211X140 H-CLASS			302000658	
MOTOR COOLING FILTER KIT			302003721	
EXHAUST AIR COLLECTOR			302003717	
ITEM NO.	302003411	107407545	107400412	107400411

NEW



Superior and powerful dust extractor

- InfiniClean™ - Automatic filter cleaning system with minimized performance loss
- PTFE long-life filter with non-stick membrane and minimum 99,9% filtration efficiency
- Dust class L certification
- Unique dual filter solution available with HEPA filtration.
- 30 liter container with steel castors and robust bumper.
- MultiFit accessory system for the ultimate in task flexibility
- Flexible rubber straps, tool box storage and optional trolley handle for convenient storage and transport
- Optional motor cooling filter, exhaust air collector and Long-Life filter bag

The ATTIX 33 dust extractor series sets a new standard for design and feature level of the Nilfisk wet & dry vacuum portfolio. With innovative filtration system, improved performance and robust design, this range represents a superior solution for professional customers looking for a safe and reliable machine. ATTIX 33 comes with more suction power, sealed dust system, automatic filter cleaning and several other user benefits - designed to meet the tough requirements in building & constructions and other industries.



TECHNICAL DATA	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE
Air Flow Rate (l/min)	4500	4500	4500
Vacuum (mbar/kPa)	250/25	250/25	250/25
Power pmax (W)	1400	1400	1400
Power piec (W)	1200	1200	1200
Working sound level (dB(A))	60	60	60
Container volume (l-max)	30	30	30
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	565x385x520	565x385x520	565x385x565
Weight (kg)	14.5	14.5	16
El cable (m)	7.5	7.5	7.5
Main filter type	PTFE	PTFE	PTFE
Filter cleaning system	InfiniClean	InfiniClean	InfiniClean
FEATURES			
Softstart	•	•	•
Anti-static system	•	•	•
Automatic On/Off-elec. tools		•	•
L-class hazardous dust approval		•	•
Disposal bag 1 pcs	•	•	•
Fleece filter bag 1 pcs			•
Tool box storage system			•
STANDARD EQUIPMENT			
UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	107409976	
CURVED HAND TUBE Ø36MM SS			46691
EXTEN TUBE Ø36 2X505MM SS		107408074	
EXTEN TUBE D36 2X505MM ST/CR	302000529		
TOOL ADAPTER D27 QUICKSYSTEM			302000535
TOOL ADAPTER WITH SUCTION REGULATION D32		107409977	
EXTENSION TUBE D36 3X350 MM SS			107416995
FLOOR NOZZLE Ø36X300MM	302002331	302002331	302002331
UNIVERSAL NOZZLE D36X115			14295
SUCTION BRUSH D36 BLACK			302002509
CREVICE NOZZLE D36X200	29541	29541	29541
HOSE Ø32X4000MM AS RED			107413543
FLAT FILTER PTFE M-CLASS 1 PCS	107413540	107413540	107413540
ADAPTER PLATE KIT			107413551
FLEXIBLE STRAP SET 2 PCS		107413553	
HOSE/CABLE HOOK BLACK 1 PCS.	107415083	107415083	107415083
TROLLEY HANDLE KIT			107413552
ITEM NO.	107412101	107412103	107412104

NEW



Superior and large capacity dust extractor

- InfiniClean™ - Automatic filter cleaning system with minimized performance loss
- PTFE long-life filter with non-stick membrane and minimum 99.9% filtration efficiency
- Dust class L certification
- Unique dual filter solution available with HEPA filtration.
- 42 liter container with steel castors and robust bumper.
- MultiFit accessory system for the ultimate in task flexibility
- Flexible rubber straps, tool box storage and optional trolley handle for convenient storage and transport
- Optional motor cooling filter, exhaust air collector and Long-Life filter bag

The ATTIX 44 dust extractor series sets a new standard for design and feature level of the Nilfisk wet & dry vacuum portfolio. With innovative filtration system, improved performance and robust design, this range represents a superior solution for professional customers looking for a safe and reliable machine with large capacity. ATTIX 44 comes with more suction power, sealed dust system, automatic filter cleaning and several other user benefits - designed to meet the tough requirements in building & constructions and other industries when picking up bigger amounts of dust.



TECHNICAL DATA	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE
Air Flow Rate (l/min)	4500	4500
Vacuum (mbar/kPa)	250/25	250/25
Power pmax (W)	1400	1400
Power piec (W)	1200	1200
Working sound level (dB(A))	60	60
Container volume (l-max)	42	42
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	565x385x605	565x385x650
Weight (kg)	16	17.5
El cable (m)	7.5	7.5
Main filter type	PTFE	PTFE
Filter cleaning system	InfiniClean	InfiniClean
FEATURES		
Softstart	•	•
Anti-static system	•	•
Automatic On/Off-elec. tools	•	•
L-class hazardous dust approval	•	•
Disposal bag 1 pcs	•	•
Fleece filter bag 1 pcs		•
Tool box storage system		•
STANDARD EQUIPMENT		
UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	
CURVED HAND TUBE Ø36MM SS		46691
EXTEN TUBE Ø36 2X505MM SS	107408074	
TOOL ADAPTER D27 QUICKSYSTEM		302000535
TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	
EXTENSION TUBE D36 3X350 MM SS		107416995
INDST.FL.NOZZ.36X400MM W/BRUS.	302003666	302003666
UNIVERSAL NOZZLE D36X115		14295
SUCTION BRUSH D36 BLACK		302002509
CREVICE NOZZLE D36X200	29541	29541
HOSE Ø32X4000MM AS RED		107413543
FLAT FILTER PTFE M-CLASS 1 PCS	107413540	107413540
ADAPTER PLATE KIT		107413551
FLEXIBLE STRAP SET 2 PCS	107413553	
HOSE/CABLE HOOK BLACK 1 PCS.	107415083	107415083
TROLLEY HANDLE KIT		107413552
ITEM NO.	107412106	107412107



Unheard performance in a big capacity Wet&Dry vacuum cleaner

- High quality stainless steel container with tilt and lift-off option
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- Accessory storage and tool deposit
- AntiStatic system and Softstart

ATTIX 7 is perfect for users who need a big capacity and highly efficient vacuum cleaner with a robust steel chassis. This model has a high suction power with a low noise level. ATTIX 7 is a genuine solution for professional use within wet and dry applications.



TECHNICAL DATA	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC
Air Flow Rate (l/min)	3600	3600	3600	3800
Vacuum (mbar/kPa)	230/23	230/23	230/23	250/25
Power pmax (W)	1500	1500	1500	1500
Power piec (W)	1200	1200	1200	1200
Working sound level (dB(A))	57	57	57	59
Container volume (l-max)	70	70	70	70
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	605x580x970	605x580x970	605x580x970	605x580x970
Weight (kg)	25	25	27	25
El cable (m)	7.5	7.5	7.5	7.5
Main filter type	PET	PET	PET Nano	PET
Filter cleaning system			XtremeClean	
FEATURES				
Filter bag	•	•	•	•
Tilting container	•	•	•	•
Motor speed control		•	•	•
Automatic On/Off-elec. tools		•	•	•
Brushless longlife 1-ph. motor				•
Extra socket for tool	•	•	•	•
Disposal bag 1 pcs			•	
STANDARD EQUIPMENT				
UNI. HOSE Ø36X4000MM EVA	25537			
CURVED HAND TUBE Ø36MM SS	46691			
DIA. TUBE NOZZLE Ø36x190 MM GREY RUBBER	5067			
HOSE D27X3500 AS WITH TOOL ADAPTER		107406091	107406091	107406091
TOOL ADAPTER D27/36-24 AS		107404520	107404520	
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	302000490		302000490
FILTER ELEMENT D275X187 PET NANO M-CLASS			107400562	
ITEM NO.	302001523	302001525	302001533	302001536



Big capacity with disposal pump for demanding wet applications

- Built-in disposal pump for continuously and automatic liquid discharge
- Double filter sieve system in stainless steel
- IP68 plug connection
- High quality stainless steel container with tilt and lift-off option
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- AntiStatic system and Softstart

ATTIX 7 LIQUID VACUUM is specially designed for demanding wet applications like flood pickup, road spills and clean up after fires. Build for users who need easy liquid discharge, high suction power and robust construction combined with high mobility.



TECHNICAL DATA	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF
Air Flow Rate (l/min)	3600	3600
Vacuum (mbar/kPa)	230/23	230/23
Power pmax (W)	1500	1500
Power piec (W)	1200	1200
Working sound level (dB(A))	57	57
Container volume (l-max)	70	70
Mains connection (V/~/Hz/A)	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	605x580x970	510x480x875
Weight (kg)	33	31
El cable (m)	7.5	10
Main filter type	Wet filter sieve	Wet filter sieve
FEATURES		
Cable holder	•	•
Softstart	•	•
Tilting container	•	•
Motor speed control	•	•
Robust steel chassis	•	•
300 l/m auto. discharge pump	•	•
Ground fault circuit breaker (PRCD)		•
STANDARD EQUIPMENT		
SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT		302001677
CURVED HAND TUBE Ø36MM SS		46691
EXTEN TUBE Ø36 2X505MM SS		107408074
NOZZLE ALU. 450XØ36MM WET		15349
CREVICE NOZZLE Ø36X300 PP		6084
WET FILTER SIEVE Ø143X140MM SS	15475	15475
BOX FOR SUCTION HOSE ATTIX 7		302001554
ITEM NO.	302001529	107412020



Two-motor driven industrial Wet&Dry vacuum cleaners for the toughest applications

- Dual-motor industrial performance
- High quality stainless steel container with tilt and lift-off option
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- MultiFit accessory system for the ultimate in task flexibility
- Accessory storage and tool deposit

The big capacity of 70 liter and stainless steel container keeps emptying to a minimum and ensures longer working time. High suction power and low sound enables ATTIX 961 to be used in a wide variety of conditions.



TECHNICAL DATA

ATTIX 961-01

Air Flow Rate (l/min)	2 x 3600
Vacuum (mbar/kPa)	250/25
Power pmax (W)	2 x 1500
Power piec (W)	2 x 1200
Working sound level (dB(A))	67
Container volume (l-max)	70
Mains connection (V~/Hz/A)	230/1/50-60/16
Length x width x height (mm)	580x600x970
Weight (kg)	30
El cable (m)	10
Main filter type	PET Nano
Filter cleaning system	Push&Clean

FEATURES

Softstart	•
Tilting container	•
Anti-static system	•
Robust steel chassis	•
Fleece filter bag 1 pcs	•

STANDARD EQUIPMENT

UNI. SUCTION HOSE Ø38X4000MM EVA	302002796
CURVED HAND TUBE D38 MM SS	302002889
EXTENSION TUBES R38 2X500 KIT	107402474
FLOOR NOZZLE D38x400 WET AND DRY	302002798
CREVICE NOZZLE Ø38x300 MM PP	302002890
FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562
ITEM NO.	302002900



Two-motor performance for heavy-duty cleaning

- Dual-motor industrial performance
- High quality stainless steel container with steel chassis
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- MultiFit accessory system for the ultimate in task flexibility
- Accessory storage and tool deposit

The big capacity stainless steel container of the ATTIX 965-21 SD keeps emptying to a minimum and ensures longer working time. The practical SitDown container system makes emptying convenient for fast and productive cleaning.



TECHNICAL DATA	ATTIX 965-21 SD XC
Air Flow Rate (l/min)	2 x 3600
Vacuum (mbar/kPa)	250/25
Power pmax (W)	2 x 1500
Power piec (W)	2 x 1200
Working sound level (dB(A))	67
Container volume (l-max)	50
Mains connection (V~/Hz/A)	230/1/50-60/16
Length x width x height (mm)	615x690x990
Weight (kg)	45
El cable (m)	10
Main filter type	PET Nano
Filter cleaning system	XtremeClean
FEATURES	
Softstart	•
Anti-static system	•
Motor speed control	•
Robust steel chassis	•
Automatic On/Off-elec. tools	•
Release container system	•
Disposal bag 1 pcs	•
STANDARD EQUIPMENT	
FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562
ITEM NO.	302002902



Superior suction power in a strong and flexible three-motor vacuum



- Three-motor industrial performance
- Comfortable grip and robust steel chassis for durability and easy mobility
- MultiFit adapter included for high flexibility in accessory choice
- Storage of accessories

ATTIX 115 & 125 are powered by 3x1000 Watt independent "by-pass" motors and offer 100 litres containers. The two models have an integrated durable polyester star-filter with big surface area, and the manual filter shaker on the top of the machine is easy-to-use and ensures a high efficiency of the filter.



TECHNICAL DATA	ATTIX 115-01	ATTIX 125-01
Air Flow Rate (l/min)	8100	8100
Vacuum (mbar/kPa)	230/23	230/23
Power piec (W)	3 x 1000	3 x 1000
Working sound level (dB(A))	71	71
Container volume (l-max)	100	100
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	800x600x1555	800x600x1555
Weight (kg)	68	73
El cable (m)	9	9
Main filter type	PET Starfilter	PET Starfilter
Filter cleaning system	Manual filter shaker	Manual filter shaker
FEATURES		
Anti-static system	•	•
Release container system	•	•
Chassis on wheels with brakes	•	•
Independent motor/switches	•	•
L class filter	•	
M class filter		•
STANDARD EQUIPMENT		
ADAPTOR D70 CFM – D60 MULTIFIT	4072200392	4072200392
KIT STAR FILTER D460 L CLASS	40000338	
18 POCKET STAR FILTER KIT M CLASS		40000699
SMALL BASKET OBJECT KIT WITH NUTS BOLTS		40000892
REMOVABLE CYCLONE D460 FE COMPLETE BIG	Z5 60109	
ITEM NO.	4010500044	4010500045



Ideal for heavy industrial vacuum cleaning

- Powerful and reliable double side channel blower - needing no maintenance
- Comfortable grip and robust steel chassis for durability and easy mobility
- MultiFit adapter included for high flexibility in accessory choice
- Storage of accessories

Thanks to its high performances, ATTIX 145 & 155 are the ideal industrial three phase vacuum cleaners for the general cleaning in all kind of industry, especially when large quantity of dust have to be collected.

The 100 liters steel container is ideal for collecting big amount of solid (e.g. metal chips) or liquids (e.g. oil and lubricants). The practical SitDown container system makes emptying convenient for fast and productive cleaning.



TECHNICAL DATA	ATTIX 145-01	ATTIX 155-01
Air Flow Rate (l/min)	5250	8600
Vacuum (mbar/kPa)	300/30	300/30
Power piec (W)	2200	4000
Working sound level (dB(A))	68	72
Container volume (l-max)	100	100
Mains connection (V~/Hz/A)	400/3/50/16	400/3/50/16
Length x width x height (mm)	1130x600x1530	1130x600x1530
Weight (kg)	114	139
El cable (m)	9	9
Main filter type	PET Starfilter	PET Starfilter
Filter cleaning system	Manual filter shaker	Manual filter shaker
FEATURES		
Anti-static system	•	•
Manometer	•	•
Release container system	•	•
Three phase side chanel blower	•	•
Chassis on wheels with brakes	•	•
L class filter	•	•
Plug with phase inverter	•	•
STANDARD EQUIPMENT		
ADAPTOR D70 CFM – D60 MULTIFIT	4072200392	4072200392
KIT STAR FILTER D460 L CLASS	40000338	40000338
ITEM NO.	4030500151	4030800366



Make a good profit with our made-to-measure solution


- Single or dual operation
- High performance and easy to use
- Washable cloth filter with high filtration
- Available in oil company colours and special coin or card reader versions

These coin-operated Self-Service vacuum cleaners fulfil all special requirements for filling stations and are built for outdoor use in all kinds of weather. Available with either single or twin motor operation and a simple cloth filter system for quick and easy maintenance.



TECHNICAL DATA

	SB STATION	SB TANDEM
Air Flow Rate (l/min)	4000	2 x 4000
Vacuum (mbar/kPa)	235/23.5	2 x 235/23.5
Power pmax (W)	1700	2 x 1700
Power piec (W)	1400	2 x 1400
Working sound level (dB(A))	75	75
Container volume (l-max)	30	2 x 30
Mains connection (V/~/Hz/A)	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	822x546x2034	1183x546x2034
Weight (kg)	90	115
Main filter type	Needle felt	Needle felt
FEATURES		
Softstart	•	•
2 suction hoses		•
Robust steel chassis	•	•
Simple cloth filter system	•	•
Automatic hose retraction	•	•
Dual motor		•
STANDARD EQUIPMENT		
UNI. HOSE Ø50X5000MM SB VAC	64084	64084
CREVICE NOZZLE Ø50X370 PE	7102	7102
SPEC CLOTH FILTER Ø375X350 NEEDLE FELT	17069	17069
COINER EURO/TOKEN 12VDC	302000305	302000305
ITEM NO.	65481	65482



Respiratory and skin diseases result in very high human costs

The handling of hazardous dust is a complex matter that demands innovative product development and competent engineering. As a specialist, Nilfisk offers proven, state-of-the-art solutions in every Hazard Class involving the demanding task of picking up health endangering dusts.

Working with hazardous dust demands the highest level of safety to ensure maximum health protection. Nilfisk offers Health and Safety vacuum cleaners for hazardous dust classes – **L** (light), **M** (medium), **H** (high), and asbestos, and for explosive dusts classified as ATEX Type 22. All our solutions meet the new pan-European standards and bear all the necessary statutory test symbols. The entire range is designed for professionals who also demand low noise operation, ergonomics, long-life and reliable performance.

SINCE 1997– EN 60335-2-69, IEC 60335-2-69		HAZARD TYPES	DISPOSAL
Dust classe / Zone	Max. permeability		
L	1%	Removes 99% of: <ul style="list-style-type: none">Dusts with OEL values > 1mg/m³	-
M	0.1%	Removes 99.9% of: <ul style="list-style-type: none">Dusts with OEL values > 0.1mg/m³Wood dust	Low dust
H	0.005%	Removes 99.995% of: <ul style="list-style-type: none">Dusts with OEL valuesCarcinogenic dustsDusts with germs or bacteria	Dust free
Asbestos requirement	as H	<ul style="list-style-type: none">Asbestos dust	
Explosive dusts (ATEX Zone 22)	Type 22 - As Dust Class L, M or H, with additional requirements	<ul style="list-style-type: none">Dusts of dust explosion classes St1, St2 and St3 in ATEX Zone 22 (previously zone 11)	Basic machine for ATEX Zone 22 with test M or H



These vacuum cleaners permit picking up dusts from dust class L. These include dusts with OEL values > 1 mg/m³.



Asbestos is a group of naturally-occurring inorganic crystalline silicates which are found in the form of fibres. When subjected to mechanical loads these fibres can split, producing ever thinner fibres, which can consequently be deposited in the lungs. Asbestos is not used anymore, but a lot of materials and buildings that contain asbestos have to be renovated. Asbestos dusts are only permitted to be picked up with vacuum cleaners conforming to dust class H.



These vacuum cleaners permit picking up dusts from dust classes L and M. These include all healthendangering, non-carcinogenic dusts with OEL values > 0.1 mg/m³ and hardwood dusts.




These vacuum cleaners permit picking up dusts from dust classes L, M and H. These include all healthendangering dusts with OEL values, all carcinogenic dusts and dusts contaminated with germs and bacteria.



These vacuum cleaners are approved to pick up explosive/flammable dust in ATEX Zone 22 as well as dust from dust classes L, M or H. Furthermore these vacuum cleaners are approved to be used as dust extractors.

ATEX ZONE 22 - Beware of explosive dust



With regard to Health and Safety vacuum cleaners, diseases are not the only danger. It is well-known that cotton or paper can burn, but also other materials such as flour or even metals can ignite. The presence of oxygen and an ignition source with sufficient energy and a flammable substance (gas, liquid or solid) are factors which can provoke an explosion. The finer the dust, the higher the risk of explosion!



With the ATEX directive 94/9/EC that came into force in July 2003, the removal and separation of explosive materials has become an international regulation. Many types of dust which are potentially explosive are classified as an ATEX (ATmosphere EXplosive) application and equipment must meet additional and very special requirements.

Nilfisk offers a range of safety vacuum cleaners to pick up explosive dust and separate it from the surrounding air. If dusts are to be vacuumed which are both explosive and hazardous, the vacuum must meet the requirements for both explosive and hazardous dust applications.

Additional test certificates and third party approvals

ATEX Directive 94/9/EC puts the burden on the manufacturer to ensure that products supplied for use in explosive atmospheres are ATEX compliant. This means that for a Health and Safety vacuum designed for use in an explosive atmosphere, the machine must be ATEX compliant with reference to the particular working environment. All Nilfisk TYPE 22 vacuum cleaners are ATEX compliant in ZONE 22, and this range of vacuum cleaners has passed a wide range of technical test requirements and third party approvals.

In addition to the normal requirements for a certified Health and Safety vacuum cleaner, some of the requirements to be met are listed below:

- Electric working materials must correspond to the regulations of the VDE 0165 "Setup of electrical equipment in explosive areas", for example EC system drives (free from sources of ignition).
- The machine must correspond to protection class IP 54 at least.
- Working materials must be marked with the occurring surface temperatures during constant use when these temperatures exceed 80°C. In addition, surface temperature must not exceed 135°C.
- Electric motors must be protected against short circuit, overheating due to overload or phase dropout.
- Air flow out of the vacuum must be directed in such a way that settled dust cannot be whirled up – exhaust speed max. 1 m/s at 50 mm above the floor.
- Conductive machine parts (including attachments such as the suction hose and hand tube) must be electrostatically earthed.
- Special coupling is to be used which secures the earthing and makes confusion with non-conductive attachment parts impossible
- Earthing resistance must not be higher than 1 MQ.
- Container casing must be made of very non-flammable material.
- Vacuums should be clearly marked with a warning label stating "approved for use with flammable dusts in ZONE 22".
- The vacuum should also be marked with L-, M- or H-Class, depending on which requirements apply.

Nilfisk single-phase TYPE 22 vacuum cleaners for ATEX ZONE 22 are tested and certified with the following classification:

II 3D Ex tD A22 T 135 °C IP54



NEW



Powerful and safe dust extractor for hazardous dust

- InfiniClean™ - Automatic filter cleaning system with minimized performance loss
- PTFE long-life filter with non-stick membrane and minimum 99.9% filtration efficiency
- Push&Clean™ - Semi-automatic filter cleaning system on selected models.
- Dust class M and H certification including Asbestos
- Unique dual filter solution available for H-class/HEPA - including 3-stage filtration
- Flow sensor with combined acoustic and LED warning
- 30 liter container with steel castors and robust bumper.
- MultiFit accessory system for the ultimate in task flexibility
- Flexible rubber straps, tool box storage and optional trolley handle for convenient storage and transport
- Optional motor cooling filter, exhaust air collector and Long-Life filter bag

The ATTIX 33 M/H dust extractor series sets a new standard for design and feature level of the Nilfisk wet & dry vacuum portfolio. With innovative filtration system, improved performance, robust design and dust class M/H certification, this range represents a superior solution for professional customers looking for a reliable machine to protect workers health and safety. ATTIX 33 M/H comes with more suction power, sealed dust system, automatic filter cleaning and several other user benefits - designed to meet the tough requirements in building & constructions and other industries when picking up hazardous dust.



TECHNICAL DATA	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC
Air Flow Rate (l/min)	4500	4500	4500	4500
Vacuum (mbar/kPa)	250/25	250/25	250/25	250/25
Power pmax (W)	1400	1400	1400	1400
Power piec (W)	1200	1200	1200	1200
Working sound level (dB(A))	60	60	60	60
Container volume (l-max)	30	30	30	30
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	565x385x520	565x385x520	565x385x520	565x385x520
Weight (kg)	14.5	14.5	14.5	14.5
El cable (m)	7.5	7.5	7.5	7.5
Main filter type	PTFE/Cellulose H-class	PTFE/Cellulose H-class	PTFE M-class	PTFE M-class
Filter cleaning system	InfiniClean	Push&Clean	InfiniClean	Push&Clean
FEATURES				
Softstart	•	•	•	•
Dual filter system	•	•		
Anti-static system	•	•	•	•
Automatic On/Off-elec. tools	•	•	•	•
Disposal bag 1 pcs			•	
Fleece filter bag 1 pcs			•	•
Safety filter bag 1 pcs	•	•		
STANDARD EQUIPMENT				
HOSE Ø36X4000 MM AS RED	107413544	107413544		
CURVED HAND TUBE Ø36MM SS	46691	46691	46691	46691
EXTEN TUBE Ø36 2X505MM SS	107408074	107408074	107408074	107408074
TOOL ADAPTER D27 QUICKSYSTEM	302000535	302000535	302000535	302000535
FLOOR NOZZLE Ø36X300MM	302002331	302002331		302002331
FLOOR NOZZLE Ø36X360MM WET/DRY			60356	
CREVICE NOZZLE D36X200	29541	29541	29541	29541
HOSE Ø32X4000MM AS RED			107413543	107413543
FILTER ELEMENT Ø140X75 H-CLASS/HEPA	107413555	107413555		
FLAT FILTER PTFE M-CLASS 1 PCS	107413540	107413540	107413540	107413540
FLEXIBLE STRAP SET 2 PCS	107413553	107413553	107413553	107413553
HOSE/CABLE HOOK BLACK 1 PCS.	107415083	107415083	107415083	107415083
ITEM NO.	107412184	107412183	107412180	107412179

NEW



Powerful and large capacity dust extractor for hazardous dust

- InfiniClean™ - Automatic filter cleaning system with minimized performance loss
- PTFE long-life filter with non-stick membrane and minimum 99.9% filtration efficiency
- Push&Clean™ - Semi-automatic filter cleaning system on selected models.
- Dust class M and H certification including Asbestos
- Unique dual filter solution available for H-class/ HEPA - including 3-stage filtration
- Flow sensor with combined acoustic and LED warning
- 42 liter container with steel castors and robust bumper.
- MultiFit accessory system for the ultimate in task flexibility
- Flexible rubber straps, tool box storage and optional trolley handle for convenient storage and transport
- Optional motor cooling filter, exhaust air collector and Long-Life filter bag

The ATTIX 44 M/H dust extractor series sets a new standard for design and feature level of the Nilfisk wet & dry vacuum portfolio. With innovative filtration system, improved performance, robust design and dust class M/H certification, this range represents a superior solution for professional customers looking for a reliable machine with large capacity to protect workers health and safety. ATTIX 44 M/H comes with more suction power, sealed dust system, automatic filter cleaning and several other user benefits - designed to meet the tough requirements in building & constructions and other industries when picking up bigger amounts of hazardous dust.



TECHNICAL DATA	ATTIX 44-2H IC	ATTIX 44-2M IC
Air Flow Rate (l/min)	4500	4500
Vacuum (mbar/kPa)	250/25	250/25
Power pmax (W)	1400	1400
Power piec (W)	1200	1200
Working sound level (dB(A))	60	60
Container volume (l-max)	42	42
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	565x385x605	565x385x605
Weight (kg)	16	16
El cable (m)	7.5	7.5
Main filter type	PTFE/Cellulose H-class	PTFE M-class
Filter cleaning system	InfiniClean	InfiniClean
FEATURES		
Softstart	•	•
Dual filter system	•	
Anti-static system	•	•
Automatic On/Off-elec. tools	•	•
Disposal bag 1 pcs		•
Fleece filter bag 1 pcs		•
Safety filter bag 1 pcs	•	
STANDARD EQUIPMENT		
HOSE Ø36X4000 MM AS RED	107413544	
CURVED HAND TUBE Ø36MM SS	46691	46691
EXTEN TUBE Ø36 2X505MM SS	107408074	107408074
TOOL ADAPTER D27 QUICKSYSTEM	302000535	302000535
FLOOR NOZZLE Ø36X360MM WET/DRY		60356
INDST.FL.NOZZ.36X400MM W/BRUS.	302003666	
CREVICE NOZZLE D36X200	29541	29541
HOSE Ø32X4000MM AS RED		107413543
FILTER ELEMENT Ø140X75 H-CLASS/HEPA	107413555	
FLAT FILTER PTFE M-CLASS 1 PCS	107413540	107413540
FLEXIBLE STRAP SET 2 PCS	107413553	107413553
HOSE/CABLE HOOK BLACK 1 PCS.	107415083	107415083
ITEM NO.	107412186	107412182



For the professionals that demand low noise, ergonomics, long-life and reliable performance

- Approved for work with M-Class hazardous dust
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with Minimum 99.9% filtration efficiency
- Accessory storage and tool deposit

If working in applications with M-Class hazardous dust, our series of M-class certified vacuum cleaners are the perfect solution. Choose from different container sizes and other features which enhance your working efficiency like filter cleaning system, automatic start/stop for power tools and AntiStatic hose system. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that is does go below the minimum 20 m/s. A safe and easy-to-use solution for demanding applications.



TECHNICAL DATA

ATTIX 761-2M XC

Air Flow Rate (l/min)	3600
Vacuum (mbar/kPa)	230/23
Power pmax (W)	1500
Power piec (W)	1200
Working sound level (dB(A))	57
Container volume (l-max)	70
Mains connection (V~/Hz/A)	230/1/50-60/16
Length x width x height (mm)	605x580x970
Weight (kg)	27
El cable (m)	7.5
Main filter type	PET Nano M-class
Filter cleaning system	XtremeClean

FEATURES

Softstart	•
Anti-static system	•
Motor speed control	•
Stainless steel container	•
Automatic On/Off-elec. tools	•
Disposal bag 1 pcs	•
Fleece filter bag 1 pcs	•

STANDARD EQUIPMENT

HOSE D27X3500 AS WITH TOOL ADAPTER	107406091
TOOL ADAPTER D27/36-24 AS	107404520
FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562
ITEM NO.	302001535



When you don't want to compromise your working safety

- Approved for work with H-Class hazardous dust and asbestos
- Certified H-Class filter with 99.995 - 99.999% filtration efficiency
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Accessory storage and tool deposit

If working in applications with H-Class hazardous dust or asbestos, safe dust handling is a key parameter. Our series of certified H-class vacuum cleaners offers a convenient and easy-to-use solution with features which enhance safe working. Choose from different container sizes and features like safety filter bag system, automatic start/stop for power tools and AntiStatic hose system. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that is does go below the minimum 20 m/s. A safe and easy-to-use solution for demanding applications.



TECHNICAL DATA	ATTIX 30-0H	ATTIX 30-0H PC	ATTIX 50-0H PC	ATTIX 751-0H
Air Flow Rate (l/min)	3200	3700	3700	3100
Vacuum (mbar/kPa)	230/23	250/25	250/25	230/23
Power pmax (W)	1300	1500	1500	1200
Power piec (W)	1000	1200	1200	1000
Working sound level (dB(A))	59	59	59	57
Container volume (l-max)	30	30	47	70
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	450x380x595	450x380x595	450x380x750	605x580x970
Weight (kg)	10	10	11	25
El cable (m)	7.5	7.5	7.5	7.5
Main filter type	H-class	H-class	H-class	H-class
Filter cleaning system		Push&Clean	Push&Clean	
FEATURES				
Softstart	•	•	•	•
Airflow sensor	•	•	•	•
Anti-static system		•	•	•
Stainless steel container				•
Fleece filter bag 1 pcs	•			
Safety filter bag 1 pcs		•	•	•
STANDARD EQUIPMENT				
UNI. HOSE Ø36X3000MM W COUPLING EVA		46948	46948	46948
UNIV HOSE WITH HAND TUBE Ø32X3000	302000473			
CURVED HAND TUBE Ø36MM SS				46691
CURVED HAND TUBE D36MM ST/CR		302000528	302000528	
EXTEN TUBE D36 2X505MM ST/CR		302000529	302000529	
INDST.FL.NOZZ.36X400MM W/BRUS.		302003666	302003666	
BRUSH NOZZLE Ø36X230 PP/PA	6086			
CREVICE NOZZLE Ø36X300 PP	6084			
DIA. TUBE NOZZLE Ø36x190 MM GREY RUBBER		5067	5067	5067
FILTER ELEMENT Ø211X140 H-CLASS	302000658	302000658	302000658	302000658
ITEM NO.	107407546	107400405	107400407	302001519



The most powerful vacuum for both M and H-Class hazardous dust

- Approved for both M- and H-Class hazardous dust.
- Dual motor industrial performance
- High quality stainless steel container with steel chassis
- MultiFit accessory system for the ultimate in task flexibility
- Big surface H-Class filter for high efficiency and low maintenance costs
- Accessory storage and tool deposit

The ATTIX 965 H/M is a powerful two-motor vacuum cleaner, which is approved to be used for both M- and H-Class. Featuring XtremeClean automatic filter cleaning and stainless steel SitDown container - the perfect disposal concept for industrial use and health enddangerous and carcinogenic dust. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. A safe and easy-to-use solution for demanding applications.



TECHNICAL DATA	ATTIX 965-0H/M SD XC
Air Flow Rate (l/min)	2 x 3600
Vacuum (mbar/kPa)	250/25
Power pmax (W)	2 x 1500
Power piec (W)	2 x 1200
Working sound level (dB(A))	67
Container volume (l-max)	50
Mains connection (V~/Hz/A)	230/1/50/16
Length x width x height (mm)	615x690x990
Weight (kg)	45
El cable (m)	10
Main filter type	H-class
Filter cleaning system	XtremeClean
FEATURES	
Softstart	•
Anti-static system	•
Release container system	•
Disposal bag 1 pcs	•
Safety filter bag 1 pcs	•
STANDARD EQUIPMENT	
FILTER ELEMENT D275X187 H-CLASS	107400564
ITEM NO.	302002903


ANIMAL CARE SET Ø27MM 4-PCS

4-piece, 27 mm dia. connection

SALTIX 10	MAXXII 35 WD	MAXXII 55-1 WD	MAXXII 55-2 WD	MAXXII 75-1 WD	MAXXII 75-2 WD	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC	AERO 31-21 PC INOX	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 40-01 PC INOX	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
3.5 m suction hose, universal, Ø27																								
Spiked currycomb, plastic, for long hair																								
Currycomb, plastic, for long hair																								
Brush currycomb, plastic, for short hair																								

HOSE SET Ø36MM 3 PCS

3-piece, 36 mm dia. connection

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
4 m suction hose, universal, Ø36																								
Curved hand tube, stainless steel																								
Adapter																								

CAR SET Ø36MM 3 PCS

3-piece, 36 mm dia. connection

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Crevice nozzle, plastic, 300 mm																								
Universal nozzle, plastic, 115 mm																								
Diagonal tube nozzle, rubber																								

es-PCS

5-piece, 36 mm dia. connection

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
2 x 500 mm extension tubes, aluminium																								
Universal nozzle, plastic, 115 mm																								
Combination nozzle																								
Brush nozzle, plastic, 230 mm																								
Radiator brush nozzle, plastic																								

TRADE AND IND. SET Ø36MM 5-PCS

5-piece, 36 mm dia. connection

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
2 x 500 mm extension tubes, aluminium																								
Crevice nozzle, plastic, 300 mm																								
Large capacity floor nozzle with brush strips, 450 mm																								
Replacement rubber lips, for wet vacuuming																								
Flat rubber nozzle, oil and heat-resistant, 100 mm																								

WORKSHOP SET Ø36MM 6-PCS

6-piece, 36 mm dia. connection

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
4 m suction hose, universal, Ø36																								
Curved hand tube, stainless steel																								
2 x 500 mm extension tubes, stainless steel																								
Professional floor nozzle, 360 mm																								
Crevice nozzle, plastic, 300 mm																								
Diagonal tube nozzle, rubber																								

○ Can be used. (Items included as standard can be seen on the machine pages)

Item no.
ATTIX 33-01 IC
ATTIX 33-2L IC MOBILE
ATTIX 44-2L IC
ATTIX 44-2L IC MOBILE
ATTIX 751-11
ATTIX 751-21
ATTIX 761-21 XC
ATTIX 791-21 EC
ATTIX 751-61 LIQUID VAC
ATTIX 751-71 MW/F
ATTIX 961-01
ATTIX 965-21 SD XC
ATTIX 115-01
ATTIX 125-01
ATTIX 145-01
ATTIX 155-01
SB STATION
SB TANDEM
ATTIX 33-2H IC
ATTIX 33-2H PC
ATTIX 33-2M IC
ATTIX 33-2M PC
ATTIX 44-2H IC
ATTIX 44-2M IC
ATTIX 761-2M XC
ATTIX 30-0H
ATTIX 30-0H PC
ATTIX 751-0H
ATTIX 965-0H/M SD XC
6095
14289
6094
6092
6093
63210
25537
46691
29457
63211
6084
14295
5067
63212
107400032
14295
8046
6086
5144
63213
107408074
6084
15348
15352
40456
302000927
25537
46691
107408074
60356
6084
5067

- Can be used. (Items included as standard can be seen on the machine pages)


WORKSHOP KIT BASIC D36MM 4PCS

4-piece, 36 mm dia. connection

SALTEX 10	MAXXII 35 WD	MAXXII 55-1 WD	MAXXII 55-2 WD	MAXXII 75-1 WD	MAXXII 75-2 WD	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC	AERO 31-21 PC INOX	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 40-01 PC INOX	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Curved hand tube, stainless steel																								
2 x 500 mm extension tubes, stainless steel																								
Professional floor nozzle, 400 mm																								
Crevice nozzle, plastic, 300 mm																								


WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS

6 pcs

Ø32x4000 mm AntiStatic Hose

3 x 350 mm Extension Tube, stainless steel

300 mm Floor Nozzle

Curved hand tube, stainless steel

Crevice Nozzle

Tool Adapter, AS

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Ø32x4000 mm AntiStatic Hose																								
3 x 350 mm Extension Tube, stainless steel																								
300 mm Floor Nozzle																								
Curved hand tube, stainless steel																								
Crevice Nozzle																								
Tool Adapter, AS																								


WORKSHOP HOSE KIT SYSTEM 36 5-PCS

5 pcs

Ø32x3500 mm Universal Hose

2 x 500 mm Extension Tube, chrome steel

300 mm Floor Nozzle

Crevice Nozzle

Tool Adapter

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Ø32x3500 mm Universal Hose																								
2 x 500 mm Extension Tube, chrome steel																								
300 mm Floor Nozzle																								
Crevice Nozzle																								
Tool Adapter																								


WATER VACUUM SET Ø36MM 3- PCS

3-piece, 36 mm dia. connection

2 x 500 mm extension tubes, stainless steel

Special floor nozzle, plastic, 400 mm

Crevice nozzle, plastic, 300 mm

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
2 x 500 mm extension tubes, stainless steel																								
Special floor nozzle, plastic, 400 mm																								
Crevice nozzle, plastic, 300 mm																								


BOILER SET Ø 36MM 4-PCS

4-piece, 36 mm dia. connection

3 m suction hose, universal, Ø36

Hand tube, stainless steel

Universal nozzle, aluminium, 150 mm

Crevice nozzle, 920 mm, crome-plated

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
3 m suction hose, universal, Ø36																								
Hand tube, stainless steel																								
Universal nozzle, aluminium, 150 mm																								
Crevice nozzle, 920 mm, crome-plated																								


INDSTR. FLOOR SET Ø36MM 4-PCS

4-piece, 36 mm dia. connection


4 m suction hose, oil-resistant, Ø36

Curved hand tube, stainless steel

2 x 500 mm extension tubes, stainless steel

Large capacity floor nozzle with rubber lips, 450 mm

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
4 m suction hose, oil-resistant, Ø36																								
Curved hand tube, stainless steel																								
2 x 500 mm extension tubes, stainless steel																								
Large capacity floor nozzle with rubber lips, 450 mm																								



○ Can be used. (Items included as standard can be seen on the machine pages)

Accessory sets for vacuum cleaners

Item no.
ATTIX 33-01 IC
ATTIX 33-2L IC
ATTIX 33-2L IC MOBILE
ATTIX 44-2L IC
ATTIX 44-2L IC MOBILE
ATTIX 751-11
ATTIX 751-21
ATTIX 761-21 XC
ATTIX 791-21 EC
ATTIX 791-61 LIQUID VAC
ATTIX 751-71 MWF
ATTIX 961-01
ATTIX 965-21 SD XC
ATTIX 115-01
ATTIX 125-01
ATTIX 145-01
ATTIX 155-01
SB STATION
SB TANDEM
ATTIX 33-2H IC
ATTIX 33-2H PC
ATTIX 33-2M IC
ATTIX 33-2M PC
ATTIX 44-2H IC
ATTIX 44-2M IC
ATTIX 761-2M XC
ATTIX 30-0H
ATTIX 30-0H PC
ATTIX 50-0H PC
ATTIX 751-0H
ATTIX 965-0H/M SD XC
107401367
302000528
302000529
302003666
6084
107413546
107413543
107416995
302002331
46691
29541
302000535
107413545
107409976
302000529
107402706
29541
107409977
7727
107408074
5149
6084
60430
46948
46691
5145
17836
63214
61779
46691
107408074
15349

- Can be used. (Items included as standard can be seen on the machine pages)

Item no.
ATTIX 33-01 IC
ATTIX 33-2L IC
ATTIX 33-2L IC MOBILE
ATTIX 44-2L IC
ATTIX 44-2L IC MOBILE
ATTIX 751-11
ATTIX 751-21
ATTIX 761-21 XC
ATTIX 791-21 EC
ATTIX 791-61 LIQUID VAC
ATTIX 751-71 MWF
ATTIX 791-21 SD XC
ATTIX 961-01
ATTIX 125-01
ATTIX 145-01
ATTIX 115-01
SB STATION
SB TANDEM
ATTIX 33-2H IC
ATTIX 33-2H PC
ATTIX 33-2M IC
ATTIX 33-2M PC
ATTIX 44-2H IC
ATTIX 44-2M IC
ATTIX 761-2M XC
ATTIX 30-0H
ATTIX 30-0H PC
ATTIX 751-0H
ATTIX 965-0H/M SD XC
61681
7868
15182
6085
7868
15358
7102
41100
15343
15346
15335
15358
302002889
302002798
107402474
302002796
63215
8054
7964
15340
15365
63380
15340
6070
14341

- Can be used. (Items included as standard can be seen on the machine pages)



BUS SET Ø 50MM 6-PCS

6-piece, 50 mm dia. connection

16 m suction hose, universal, Ø50

2 x 560 mm extension tubes, plastic

Crevice nozzle, special plastic, 350 mm

Coarse dirt nozzle, aluminium, 200 mm

Suction brush, plastic

Hose holder

SALTIX 10	MAXXII 35 WD	MAXXII 55-1 WD	MAXXII 55-2 WD	MAXXII 75-1 WD	MAXXII 75-2 WD	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC	AERO 31-21 PC INOX	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 40-01 PC INOX	ATTIX 40-21 PC INOX	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC
-----------	--------------	----------------	----------------	----------------	----------------	---------------	--------------------	---------------	--------------------	-----------------	---------------	---------------	--------------------	-------------	----------------	----------------	----------------	---------------------	---------------------	----------------	----------------	---------------------------	-------------------

○ Can be used. (Items included as standard can be seen on the machine pages)

Accessory sets for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-0H	ATTIX 30-0H PC	ATTIX 50-0H PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
						o	o	o	o																					63217		
																													5152			
																													7102			
																													41100			
																													40458			
																													65081			


System 50 Hose Vacuum Cleaner

UNIV HOSE Ø 50X1750MM

	SALTEX 10	MAXXII 35 WD	MAXXII 55-1 WD	MAXXII 55-2 WD	MAXXII 75-1 WD	MAXXII 75-2 WD	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC	AERO 31-21 PC INOX	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 40-01 PC INOX	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC			
System 50 Hose Vacuum Cleaner	○	○	○	○	○	○									○	○										
UNIV. HOSE Ø50X4000MM EVA/ABS	○	○	○	○	○	○									○	○	○	○	○	○	○	○	○	○		
UNI. HOSE Ø50X5000MM SB VAC	○	○	○	○	○	○																				
HOSE UNIVERSAL Ø50 EVA PER METRE	○	○	○	○	○	○																				
AS HOSED50X4000MM	○	○	○	○	○	○									○	○	○	○	○	○	○	○	○	○	○	
HOSE OIL RESISTANT D50X40	○	○	○	○	○	○									○	○	○	○	○	○	○	○	○	○	○	
HOSE HEAT RESIST. Ø 50X4000MM	○	○	○	○	○	○									○	○	○	○	○	○	○	○	○	○	○	
METAL HOSE Ø50X4000MM	○	○	○	○	○	○									○	○	○	○	○	○	○	○	○	○	○	
CHIPS HOSE Ø50X4000MM	○	○	○	○	○	○									○	○	○	○	○	○	○	○	○	○	○	
HOSE CONNECTION Ø50 PVC	○	○	○	○	○	○																				
HOSE SLEEVE Ø50/50 ABS	○	○	○	○	○	○																				

System 50 Tube

CURVED HAND TUBE Ø50-36MM

CURVED ALU EXT.TUBE Ø50X1000

HAND TUBE STRAIGHT Ø 50-36

SUCTION TUBE Ø50 2X525MM PVC

ELBOW 90 Ø 50MM

ADAPTOR D70 CFM – D60 MULTIFIT

ADAPTER Ø50-36MMX125



CURVED HAND TUBE Ø50-36MM	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
CURVED ALU EXT.TUBE Ø50X1000		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
HAND TUBE STRAIGHT Ø 50-36		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
SUCTION TUBE Ø50 2X525MM PVC		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
ELBOW 90 Ø 50MM	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
ADAPTOR D70 CFM – D60 MULTIFIT																								
ADAPTER Ø50-36MMX125		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	○	○	○	○	○	○	○	○	○	○	○	19930		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15358			
																													64084			
																													11984			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15815			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6468			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	11061			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15013			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15182			
																													6330			
																													15101			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15341			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15335			
																													15342			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	5152			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	5089			
																	●	●	●	●										4072200392		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	40452			

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories


System 50 Vac Floor Nozzle

FLOOR NOZZLE Ø50x350 PVC

SALIX 10

MAXXII 35 WD

MAXXII 55-1 WD

MAXXII 55-2 WD

MAXXII 75-1 WD

MAXXII 75-2 WD

AERO 21-01 PC

AERO 21-01 PC INOX

AERO 21-21 PC

AERO 21-21 PC INOX

AERO 26-01 PC X

AERO 26-21 PC

AERO 26-2L PC

AERO 31-21 PC INOX

ATTIX 30-01

ATTIX 30-01 PC

ATTIX 30-11 PC

ATTIX 30-21 PC

ATTIX 40-01 PC INOX

ATTIX 40-21 PC INOX

ATTIX 50-01 PC

ATTIX 50-21 PC

ATTIX 50-21 PC CLEAN ROOM

ATTIX 50-21 PC EC

FLOOR NOZZLE Ø50x450 WET/DRY ADJ

FLOOR NOZZLE ALU. 500XØ50MM DRY

FIXED FLOOR NOZZLE Ø50X600MM ALU

NOZZLE ALU. 500XØ50MM WET

System 50 Brush/Universal Nozzle

COARSE DIRT NOZZLE Ø50X175 PP

COARSE DIRT NOZZLE Ø50X200MM ALU

ROUND BRUSH NOZZLE Ø50MM

System 50 Crevice/Cone Nozzle

CREVICE NOZZLE Ø50X370 PE

DIAGONAL TUBE NOZZLE Ø50 RUBBER

ROUND NOZZLE Ø50MM RUBBER

FLAT NOZZLE RUBBER Ø 50MM

System 38 Hose Vacuum Cleaner

UNIV HOSE Ø36-38X4000MM EVA

UNI. SUCTION HOSE Ø38X4000MM EVA

HOSE D38X5000 AS

HOSE HEAT RES. 36X4000 FOR

System 38 Tube

CURVED HAND TUBE D38 MM SS

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6077		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002880			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15343			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302001481			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15344			
.....	5153			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	41100			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	40458			
.....	7102			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	7868			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	19936			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	31244			
.....	15365			
○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002796			
○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107401368			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6070			
.....	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002889			

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107402474		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15339			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15340			
○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002798			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002799			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6079			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	63380			
○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002890			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	8054			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	7964			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002884			
																													107405600			
																													107406115			
																													107402198			
																													107405599			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15805			
○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	25537			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	●	○	○	○	○	○	○	46948				

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories



System 36 Hose Vacuum Cleaner

UNIV HOSE WITH HAND TUBE Ø32X3000

	SALTIX 10	MAXXII 35 WD	MAXXII 55-1 WD	MAXXII 55-2 WD	MAXXII 75-1 WD	MAXXII 75-2 WD	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC	AERO 31-21 PC INOX	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 40-01 PC INOX	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC	
UNIV HOSE WITH HAND TUBE Ø32X3000	○	○	○	○	○	○									○	○								



UNIV HOSE WITH HAND TUBE D32X3500 CPL.

HOSE Ø36X3000MM AS EVA

HOSE Ø36X4000 AS EVA

HOSE AS D36X4000MM

HOSE Ø36X4000 MM AS RED

HOSE Ø36X5000MM AS W COUPLING

SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT

System 36 Tube

ADAPTER TUBE STRAIGHT AS Ø36MM

CURVED HAND TUBE Ø36MM SS

CURVED HAND TUBE D36MM ST/CR

EXTENSION TUBE D36 2X500MM ALU

EXTEN TUBE Ø36 2X505MM SS

EXTEN TUBE D36 2X505MM ST/CR

EXTENSION TUBE D36 2X515MM PLASTIC

TELESCOPIC TUBE D36 575-930MM CR-ST

TELESCOPIC TUBE Ø36X550-970 SS

TOOL ADAPTER D27/35/38



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302000473		
●	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107409976			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	60781			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	63209			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15311			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	○	○	●	○	○	○	○	○	107413544			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302001682			
○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302001677			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	29457			
○	○	●	○	●	●	○	○	○	●	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	46691			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	●	●	●	302000528			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107400032			
○	●	●	○	●	●	○	○	○	●	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107408074			
●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	●	●	●	●	●	302000529			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	40696			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107402654			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	47109			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	60916			

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
○	○	○	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	●	●	●	●	●	○	○	○	○	○	○	302000535
○	○	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107409977		
○	○	○	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107416995		
●	●	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	○	●	○	○	○	○	○	○	○	○	302002331		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	5147		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	60356		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	5149		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107402706		
○	○	○	○	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	●	●	○	○	302003666		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302000962		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302000477		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302000259		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15348		
○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15349		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002365		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	7270		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	11664		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	54118		

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories



System 36 Vac Floor Nozzle

BRUSH STRIPS FOR 60356

THREAD PICK UP FOR 8046

This figure is a grid of data points, likely representing a survey or experimental results. The columns represent different categories or models, and the rows represent individual observations or locations. The symbols used are circles (empty and filled) and dots.

- Empty Circles:** These are the most common symbol, appearing in every row and column.
- Filled Circles:** These are scattered throughout the grid, often appearing in groups. They are found in columns labeled AERO 21-01 PC, AERO 21-01 PC INOX, AERO 21-21 PC, AERO 21-21 PC INOX, AERO 26-01 PC X, AERO 26-21 PC, AERO 31-21 PC INOX, ATTIX 30-01, ATTIX 30-01 PC, ATTIX 30-11 PC, ATTIX 30-21 PC, ATTIX 40-01 PC INOX, ATTIX 40-21 PC INOX, ATTIX 50-01 PC, ATTIX 50-21 PC, and ATTIX 50-21 PC CLEAN ROOM.
- Dots:** These are also scattered throughout the grid, appearing in rows 10, 20, 30, 40, 50, 60, 70, 80, and 90. They are found in columns labeled AERO 21-01 PC, AERO 21-01 PC INOX, AERO 21-21 PC, AERO 21-21 PC INOX, AERO 26-01 PC X, AERO 26-21 PC, AERO 31-21 PC INOX, ATTIX 30-01, ATTIX 30-01 PC, ATTIX 30-11 PC, ATTIX 30-21 PC, ATTIX 40-01 PC INOX, ATTIX 40-21 PC INOX, ATTIX 50-01 PC, ATTIX 50-21 PC, and ATTIX 50-21 PC CLEAN ROOM.

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-0H	ATTIX 30-0H PC	ATTIX 50-0H PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
																														60358		
																														64127		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	5146		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6086		
	○	○	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	14295		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	5145		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	41275		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	5144		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	40455		
	○	○	●	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	302002509		
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	29541		
	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	6084		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	17836		
	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	●	●	●	●	●	○	5067		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	40456		
	○	○	●	○	●	○	○	○	○	○	○	○	○	○	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	107413543		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	30657		
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107400841		

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories



System 32 Hose Vacuum Cleaner

HOSE SIFFVF Ø32 PVC

System 27 Hose Vacuum Cleaner

UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA



HOSE D27X3500 AS WITH TOOL ADAPTER

TOOL ADAPTER D27/36-24 AS

System 27 Brush/Universal Nozzle



CURRY COMB Ø27MM

BRUSH CURRY COMB Ø 27MM

SPIKED CURRY COMB Ø 27MM

Filter



FILTER ELEMENT Ø185X140 PET M-CLASS

FILTER ELEMENT Q375X125, PTFE M, CLASS

FILTER ELEMENT D275X187 PET NANO M-CLASS

FILTER ELEMENT Ø211X140 H-CLASS



40-POCKET STAR FILTER KIT M GLASS

ABSOLUTE FILTER KIT M 125/1216

CARTRIDGE FILTER

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
	○	○	○	○	○																									14682		
	○	○	○	○	○	○	○	○	○	○	○																		14289			
	○	○	○	○	○	●	●	●	○	○																			107406091			
	○	○	○	○	○	●	●	○	○	○																			107404520			
	○	○	○	○	○	○	○	○	○	○																			6092			
	○	○	○	○	○	○	○	○	○	○																			6093			
	○	○	○	○	○	○	○	○	○	○																			6094			
	●	●	●																											302000490		
			○																											302000751		
			●			●	●																							107400562		
	○	○	○																											302000658		
			○			○	○																							107400564		
	○	○	○																											302001095		
																														4056000523		
																														40000338		
																														40000699		
																														25 60357		
																														107407297		

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories



	SALTEX 10	MAXXII 35 WD	MAXXII 55-1 WD	MAXXII 55-2 WD	MAXXII 75-1 WD	MAXXII 75-2 WD	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC	AERO 31-21 PC INOX	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 40-01 PC INOX	ATTIX 40-21 PC INOX	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC	
Filter																									
CARTRIDGE FILTER			●	●	●	●																			
HEPA CARTRIDGE FILTER		○																							
HEPA CARTRIDGE FILTER		○	○	○	○	○																			
HEPA FILTER H13		○																							
FILTER ELEMENT Ø140X75 H-CLASS/HEPA																									
FLAT FILTER PTFE M-CLASS 1 PCS																									
HEPA FILTER COVER KIT																									
Sack Filter																									
CLOTH FILTER INSERT																									
SPEC CLOTH FILTER Ø375X350 NEEDLE FELT																									
SPECIAL CLOTH FILTER NEEDLE FELT																○	○	○	○	○	○	○	○	○	○
CLOTH FILTER ATTIX 5/7 POLY NEEDLE FELT																									
SACK FILTER		●																							
Special Filter																									
MOTOR COOLING AIR FILTER																									
MOTOR COOLING FILTER KIT																○	○	○	○	○	○	○	○	●	○
MOTOR COOLING AIR FILTER ATTIX9/VB9																									
FILTER FOR MOTOR COOLING 30/40/50																○	○	○	○	○	○	○	○	○	○
FILTER FOR COOLING AIR 0.7X150X100 5 PCS																○	○	○	○	○	○	○	○	○	○
FILTER PROTECTIVE COVER Ø185X200																○	○	○	○	○	○	○	○	○	○



FILTER ELEMENT Ø140X75 H-CLASS/HEPA



SPECIAL CLOTH FILTER NEEDLE FELT
CLOTH FILTER ATTIX 5/7 POLY NEEDLE FELT



SACK FILTER



MOTOR COOLING FILTER KIT
MOTOR COOLING AIR FILTER ATTIX9/VB9



FILTER PROTECTIVE COVER Ø185X200

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
	○ ○ ○ ○ ○																													107407300		
																														107409006		
																														107409007		
																														107402902		
	○ ○ ○ ○ ○																		● ● ○ ○ ○ ○ ○												107413555	
	● ● ● ● ●																		● ● ● ● ●												107413540	
	○ ○ ○ ○ ○																		○ ○ ○ ○ ○ ○ ○												107413542	
												○																		302002894		
																			● ●												17069	
																														302000606		
	○ ○ ○ ○ ○																		○												302000525	
																														147 1432 500		
	○ ○ ○ ○ ○																		○ ○ ○ ○ ○												302000491	
																														302003721		
																			○ ○ ○ ○ ○												107400041	
																														107400453		
	○ ○ ○ ○ ○																		○ ○ ○ ○ ○												302001871	
	○ ○ ○ ○ ○																														11801	

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
○	○	○	○	○	○	○	○	○	●	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	15475		
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002885			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107413541			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002404			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302002892			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302004000			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302004004			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302001484			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302000200			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	82367810			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	140 8618 000			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	82367820			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107413547			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107413556			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302000804			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302000728			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302001480			
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	30082			

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-0H	ATTIX 30-0H PC	ATTIX 50-0H PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
																														107400233		
																														107400236		
																														302001486		
																														302003473		
																														107413549		
																														4084001017		
																														40000856		
																														40000892		
																														Z5 60034		
																														302003717		
																														302000522		
																														302002621		
																														107417865		
																														302001612		
																														302003003		
																														302000524		
																														302002624		

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories



Other
TRIM BASKET KIT D460 L100



HOSE HOLDER

TOOL BOX. AERO 26/31

TUBE HOLDER KIT D36



AIRBOX 230V 50 HZ EU

AIRBOX 230/1/50 EU



FORKLIFT ACCESSORY

SPARK EXTINGUISHER Ø50

DISCHARGE KIT MS2-S3-T30S

KIT MECANICAL FLOAT S3B SS

COINER EURO/TOKEN 12VDC

TOKENS Ø26.0x2.3 SET-50 Ø6 HOLE

GEKA THREADED FITTING

PIPE COUPLING KIT



DETACH CORD SET 10M ORANGE EU



DETACH CORD SET 15M ORANGE EU



NUMATIC ADAPTER 20PCS



PUMP KIT – VL500 220/240V



TELESCOPIC TUBE HOLDER KIT D32

SALTIX 10

MAXXII 35 WD

MAXXII 55-1 WD

MAXXII 55-2 WD

MAXXII 75-1 WD

MAXXII 75-2 WD

AERO 21-01 PC

AERO 21-01 PC INOX

AERO 21-21 PC

AERO 21-21 PC INOX

AERO 26-01 PC X

AERO 26-21 PC

AERO 26-2L PC

AERO 31-21 PC INOX

ATTIX 30-01

ATTIX 30-01 PC

ATTIX 30-11 PC

ATTIX 30-21 PC

ATTIX 40-01 PC INOX

ATTIX 40-21 PC INOX

ATTIX 50-01 PC

ATTIX 50-21 PC

ATTIX 50-21 PC CLEAN ROOM

ATTIX 50-21 PC EC

Accessories for vacuum cleaners

Item no.
ATTIX 33-01 IC
ATTIX 33-2L IC
ATTIX 44-2L IC MOBILE
ATTIX 44-2L IC
ATTIX 751-11
ATTIX 751-21
ATTIX 761-21 XC
ATTIX 791-21 EC
ATTIX 751-61 LIQUID VAC
ATTIX 751-71 MWF
ATTIX 961-01
ATTIX 965-21 SD XC
ATTIX 115-01
ATTIX 125-01
ATTIX 145-01
ATTIX 155-01
SB STATION
SB TANDEM
ATTIX 33-2H IC
ATTIX 33-2H PC
ATTIX 33-2M IC
ATTIX 44-2H IC
ATTIX 44-2M IC
ATTIX 761-2M XC
ATTIX 80-0H
ATTIX 90-0H PC
ATTIX 90-0H PC
ATTIX 751-0H
ATTIX 965-0H/M SD XC
40000915
65081
107409980
107409979
107400079
302001192
302002622
34591
4056000468
4056000519
302000305
5544
7729
107402618
107402676
107402901
107401199
107408801
107409978

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories



Other
BOX FOR SUCTION HOSE ATTIX 7



C-HOSE 15 M WITH CONNECT.



ADAPTER PLATE KIT



FLEXIBLE STRAP SET 2 PCS

HOSE/CABLE HOOK BLACK 1 PCS.

TROLLEY HANDLE KIT



Disposal Bag
DISPOSAL BAG ATTIX 33/44 5 PCS



Other
STORAGE L-BOXX KIT W. DUSTBAGS

Option
REMOVABLE CYCLONE D460 FE COMPLETE BIG



Hose Vacuum Cleaner
HOSE CPL ANTISTATIC BLACK



HOSE CPL D32



HOSE D32 1.9M CPL



HOSE D40 2.5M CPL



Tube

EXTENSION TUBE ALUMINIUM



EXTENSION TUBE D32 - SS



EXTENSION TUBE D40 - SS



TELESCOPIC TUBE 1130MM D32



● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for vacuum cleaners



	ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-OH	ATTIX 30-OH PC	ATTIX 50-OH PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
	○	○	●	○	●	○	○	○	○	○	○	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	302001554		
	○	○	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	7567			
	○	●	○	●	○	○	●	○	○	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107413551			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107413553			
	○	○	●	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107415083			
	○	○	●	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107413552			
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107417821			
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107413554			
	●	●	○	○	○	○	○	○	○	○	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Z5 60109			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107415116			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	147 0765 500			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107407308			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107407336			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	011 6431 500			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107407309			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107407337			
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	81906500			

● Standard accessories
 ○ Supplementary accessories
 □ Supplementary and mountable accessories



Tube
TELESCOPIC TUBE ALUMINIUM

	SALTIX 10	MAXXII 35 WD	MAXXII 55-1 WD	MAXXII 55-2 WD	MAXXII 75-1 WD	MAXXII 75-2 WD	AERO 21-01 PC	AERO 21-01 PC INOX	AERO 21-21 PC	AERO 21-21 PC INOX	AERO 26-01 PC X	AERO 26-21 PC	AERO 26-2L PC	AERO 31-21 PC INOX	ATTIX 30-01	ATTIX 30-01 PC	ATTIX 30-11 PC	ATTIX 30-21 PC	ATTIX 40-01 PC INOX	ATTIX 40-21 PC INOX	ATTIX 50-01 PC	ATTIX 50-21 PC	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC EC
Tube	○																							

Vac Nozzle Wet
FLOOR NOZZLE D32 RUBBER STRIP

Vac Nozzle Wet		●																						
FLOOR NOZZLE D32 RUBBER STRIP			●	●	●	●																		

FLOOR NOZZLE D40 RUBBER STRIP

FLOOR NOZZLE D40 RUBBER STRIP			●	●	●	●																	
-------------------------------	--	--	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Hard Floor Nozzle
FLOOR NOZZLE D32 BRUSH

Hard Floor Nozzle		●	●																				
FLOOR NOZZLE D32 BRUSH				●	●	●	●																

FLOOR NOZZLE D40 BRUSH

FLOOR NOZZLE D40 BRUSH				●	●	●	●															
------------------------	--	--	--	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NOZZLE MULTI SURFACE D32

NOZZLE MULTI SURFACE D32		●																					
--------------------------	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Round Brush Nozzle
BRUSH NOZZLE D32

Round Brush Nozzle		●																					
BRUSH NOZZLE D32			●																				

Crevice Nozzle
CREVICE NOZZLE D32

Crevice Nozzle			●																				
CREVICE NOZZLE D32 L153 BLACK		●																					

CREVICE NOZZLE D40

CREVICE NOZZLE D40			●	●	●	●																
--------------------	--	--	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Combination Nozzle
COMBI NOZZLE RD277 KIT

Combination Nozzle	○																						
COMBI NOZZLE RD295 D32	○																						

Wet Filter

Wet Filter		●																					
------------	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

WET FILTER

WET FILTER		●	●	●	●																
------------	--	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Squeegee, Blade, Skirt and Splash Guard

SQUEEGEE COMPLETE ANTHRACITE	○	○	○	○																	
------------------------------	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--


SQUEEGEE COMPLETE ANTHRACITE

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for vacuum cleaners



ATTIX 33-01 IC	ATTIX 33-2L IC	ATTIX 33-2L IC MOBILE	ATTIX 44-2L IC	ATTIX 44-2L IC MOBILE	ATTIX 751-11	ATTIX 751-21	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-61 LIQUID VAC	ATTIX 751-71 MWF	ATTIX 961-01	ATTIX 965-21 SD XC	ATTIX 115-01	ATTIX 125-01	ATTIX 145-01	ATTIX 155-01	SB STATION	SB TANDEM	ATTIX 33-2H IC	ATTIX 33-2H PC	ATTIX 33-2M IC	ATTIX 33-2M PC	ATTIX 44-2H IC	ATTIX 44-2M IC	ATTIX 761-2M XC	ATTIX 30-0H	ATTIX 30-0H PC	ATTIX 50-0H PC	ATTIX 751-0H	ATTIX 965-0HM SD XC	Item no.
																												011 8130 500			
																												107407310			
																												107407338			
																												107407311			
																												107407339			
																												140 6700 570			
																												140 8244 500			
																												107407312			
																												107407334			
																												147 0146 500			
																												107408850			
																												107411677			
																												140 8492 520			
																												107407299			
																												107407302			
																												107407051			



Suction hoses




Universal

Colour: Silver metallic, Ø27, Ø32, Ø36, Ø38, Ø50
To use: Temperature at -50 to +60°C



Antistatic

Colour: Black, Ø27, Ø32, Ø36, Ø50
To use: Temperature at -50 to +60°C




Heat-resistant

Colour: Brown, Ø36, Ø50
To use: Temperature at -60 to +120°C (short term +150°C)
Bend radius: Ø27 r = 75 mm, Ø50 r = 120 mm



Chips, abrasive

Colour: Transparent, Ø50
To use: Temperature at -40 to +90°C (short term +125°C)
Bend radius: Ø60 r = 60 mm
Special for metal shavings, glass, sliver and other materials, oil-resistant, antistatic, aluminium sleeves and steel wire coil



Metal

Colour: Galvanized, Ø50
To use: Temperature at -50 to +120°C
Bend radius: r = 180 mm
High wear-resistant. Not suitable for acid and lye.

Lengths as required		Nozzle side sleeve	By the metre - max 20 m	Vacuum side sleeve	Complete	
		Item No.	Item No.	Item No.	Length m	Item No.
System 70	Universal		42419	34947***		34955
System 50	Universal		15101	11984		15101
	Oil-resistant		15101	14238		15101
	Heat-resistant	Aluminium		7162		7162
	Antistatic		15811	7599		15811
	Chips	Aluminium		33435		14630
	Metal					15013
System 38	Universal		302002887	107400052 (only available in roll of 20 m)		107400049
	Antistatic		107410009			107401525
			107417868*			
System 36	Universal		11597	11985		15102
			107417867*	11985		15102
	Oil-resistant		46690*	6429		15102
	Heat-resistant	Aluminium		7674**		7673
			14194**			
	AntiStatic		107417867*	15312		15812
						60781*
						63209*
			14243	15312		15812
					Type 22	43960
	Electric tool	Connection DN 33-36		48070		
		DIN 44717, DN 35-40 AS		48750		
System 32	Universal		107417866*	14240***		15103
	Hand tube		60911	14240***		15103
	Antistatic		107417866*			30928
	Electric tool		107404564	43502		30928
System 27	Universal	Electric tool		107404520	15307	
	Antistatic	Electric tool		107404520	15326	



Build to pick-up combustible/flammable dust in ATEX Zone 22

- Approved for cleaning and dust extraction in ATEX Zone 22 environments with explosive dust
- Brushless long life EC motors for ignition source-free performance
- High quality stainless steel container
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- A full range of TYPE 22 accessories is available to tailor your machine to your application

The ATTIX 40 TYPE 22 and ATTIX 7 TYPE 22 machines are powerful vacuum cleaners with stainless steel containers approved to be used for both M-class dust and ATEX Zone 22 environments.

The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. The perfect concept for Industrial use where safety is a must.



TECHNICAL DATA	ATTIX 40-0M PC TYPE 22	ATTIX 791-2M/B1
Air Flow Rate (l/min)	3200	3800
Vacuum (mbar/kPa)	230/23	250/25
Power pmax (W)	1400	1500
Power piec (W)	1100	1200
Working sound level (dB(A))	60	59
Container volume (l-max)	37	70
Mains connection (V~/Hz/A)	230/1/50-60/16	230/1/50-60/16
Length x width x height (mm)	450x440x750	605x580x970
Weight (kg)	13	25
El cable (m)	7.5	7.5
Main filter type	PET	PET
Filter cleaning system	Push&Clean	
FEATURES		
Softstart	•	•
Anti-static system	•	•
Motor speed control		•
Automatic On/Off-elec. tools		•
Brushless longlife 1-ph. motor	•	•
Extra socket for tool		•
Fleece filter bag 1 pcs	•	•
STANDARD EQUIPMENT		
HOSE 27X3500 CONDUCTIVE TYPE22		107404779
HOSE Ø36X4000MM W COUPLING TYPE 22	44193	
TOOL ADAPTER D27/36-24 TYPE 22		107404521
CURVED HAND TUBE TYPE22 Ø36MM SS	44188	
DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	
FILTER ELEMENT Ø185X140 PET M-CLASS	302000490	302000490
MOTOR COOLING AIR FILTER		302000491
MOTOR COOLING FILTER KIT	302003721	
ITEM NO.	107400410	302001537



Build to pick-up combustible/flammable dust in ATEX Zone 22

- Approved for cleaning and dust extraction in ATEX Zone 22 environments with explosive dust
- Dual brushless long life EC motors for ignition-source-free performance
- High quality stainless steel container with steel chassis
- Big surface H-Class filter for high efficiency and low maintenance costs
- A full range of Type 22 accessories is available to tailor your machine to your application

The ATTIX 995 H/M TYPE 22 is a powerful two-motor vacuum cleaner approved to be used for both M- and H-Class dust and ATEX Zone 22 environments. Featuring XtremeClean automatic filter cleaning and a stainless steel SitDown container. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. The perfect concept for Industrial use where safety is a must.



TECHNICAL DATA	ATTIX 995-0H/M SD XC TYPE 22
Air Flow Rate (l/min)	2 x 3200
Vacuum (mbar/kPa)	230/23
Power pmax (W)	2 x 1400
Power piec (W)	2 x 1100
Working sound level (dB(A))	67
Container volume (l-max)	50
Mains connection (V~/Hz/A)	230/1/50-60/16
Length x width x height (mm)	615x690x990
Weight (kg)	45
El cable (m)	10
Main filter type	H-class
Filter cleaning system	XtremeClean
FEATURES	
Softstart	•
Anti-static system	•
Brushless longlife 1-ph. motor	•
Release container system	•
Disposal bag 1 pcs	•
Safety filter bag 1 pcs	•
STANDARD EQUIPMENT	
FILTER ELEMENT D275X187 H-CLASS	107400564
MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041
ITEM NO.	302002904



System TYPE 22 (ATEX) Hose Vacuum Cleaner

HOSE 27X3500 CONDUCTIVE TYPE22

ATTIX 40-0M PC TYPE22

○

ATTIX 791-2M/B1

●

ATTIX 995-0HM 5D/C TYPE 22

Item no.

107404779

HOSE Ø50X4000MM CONDUCTIVE TYPE 22

○

○

○

43245

HOSE Ø50X4000MM CHIP TYPE 22

○

○

○

42825

HOSE Ø50X8000MM CHIP TYPE 22

○

○

○

63710

HOSE Ø36X4000MM W COUPLING TYPE 22

●

○

○

44193

TOOL ADAPTER D27/36-24 TYPE 22

○

●

107404521

System TYPE 22 (ATEX) Tube/Nozzle

EXTENSION TUBE TYPE22 Ø36X950MM SS

○

○

○

46982

CURVED EXTENSION TUBE TYPE22 Ø50x1100 S

○

○

○

33609

CURVED HAND TUBE TYPE22 Ø36MM SS

●

○

○

44188

DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER

●

○

○

302000227

DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER

○

○

○

42836

CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST

○

○

○

44192

CREVICE NOZZLE TYPE22 Ø50X350 PE

○

○

○

42837

PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM

○

○

○

48066

PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM

○

○

○

48067

FLOOR NOZZLE TYPE22 Ø36X450MM

○

○

○

302000369

FLOOR NOZZLE TYPE22 Ø 50X500MM

○

○

○

42834

BRUSH NOZZLE TYPE22 Ø36X230MM PE

○

○

○

44191

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories


System TYPE 22 (ATEX) Tube/Nozzle

ROUND BRUSH NOZZLE TYPE22 Ø 50MM

ATTIX 40-DM PC TYPE 22

ATTIX 791-2M/B1

ATTIX 995-0H/M SD XC TYPE 22

Item no.

42831

FLAT NOZZLE TYPE22 Ø50MM RUBBER

○

○

○

42839

COARSE DIRT NOZZLE TYPE22 Ø50x200MM ALU

○

○

○

42835

System 50 Vac Floor Nozzle


FIXED FLOOR NOZZLE Ø50X600MM ALU

○

○

302001481

Safety Filter Bag


SAFETY FILTER BAG ATTIX 40/50 SETS

○

107400236

SAFETY FILTER BAG ATTIX/IVB 7 SETS

○

302001486

SAFETY FILTER BAG ATTIX/IVB 9 SETS

○

302003473

Filter


FILTER ELEMENT Ø185X140 PET M-CLASS

●

●

302000490

FILTER ELEMENT D275X187 H-CLASS

●

107400564

Filter Bag


FLEECE FILTER BAG PU 5 PCS

○

302002892

FLEECE FILTER BAG 5 PCS ATTIX 40/50

○

302004004



FILTER BAG ATTIX 7 5 PCS

○

302001484

Disposal Bag


DISPOSAL BAG ATTIX 3/30/40 5 PCS

○

302000804



DISPOSAL BAG ATTIX 7 5 PCS

○

302001480



DISPOSAL BAG FOR FILTER ELEMENT

○

○

30082

Special Filter


MOTOR COOLING AIR FILTER

●

302000491



MOTOR COOLING FILTER KIT

●

302003721



				Item no.
Special Filter				
MOTOR COOLING AIR FILTER ATTIX9/IVB9		ATTIX 40-0M PC TYPE 22	●	107400041
FILTER FOR MOTOR COOLING 30/40/50	○	ATTIX 791-2M/B1		107400453
Other				
AIRBOX 230/1/50 EU	○			302001192
FORKLIFT ACCESSORY	○			302002622
ACCESSORY BASKET	○			302002624
Exhaust Air Collector				
EXHAUST FITTING D50 ATTIX 9	○			302002621
EXHAUST AIR COLLECTOR	○			302003717
Vacuum Accessory Set				
TYPE 22 VACUUM SET Ø36MM 6-PCS	○	○	○	48907







Compact professional spray extractor - easy to handle and transport

- The all-round cleaner for carpets, furnitures and other upholstery elements
- Both wet & dry vacuuming
- Low centre of gravity
- Compact spray extraction unit with extensive accessory package
- Super suction power
- Taylor made for automotive cleaning

A compact spray extractor for carpet and upholstery cleaning that is easy to handle and transport. Perfect for cleaning of even the dirtiest carpets and furniture. Simple operation, robust and stable design for commercial use. Maximum suction power for excellent cleaning results.



TECHNICAL DATA	HOME CLEANER	TW 300	TW 300 CAR
Air Flow Rate (l/min)	2400	2400	2400
Vacuum (mbar/kPa)	190/19	190/19	190/19
Water flow (l/m)	2	2	2
Pump pressure (bar/MPa)	2 / 0.2	2 / 0.2	2 / 0.2
Cleaning width (mm)	260	260	80
Solution/recovery tank (l)	8/8	8/8	8/8
Power consumption (W)	1000	1000	1000
Volt/frequency (V/Hz)	230/50	230/50	230/50
Cable length (m)	7.5	7.5	7.5
Weight (kg)	9.5	9.5	9.5
Length x width x height (mm)	390x390x520	390x390x520	390x390x520
FEATURES			
With fixed cable	•	•	•
Detergent tank	•	•	•
Single-phase	•	•	•
STANDARD EQUIPMENT			
EXTEN TUBE Ø36 2X505MM SS	107408074	107408074	
COMBI NOZZLE Ø36X260MM PP	302000477		
BRUSH NOZZLE Ø36X70	5146		
UNIVERSAL NOZZLE D36X115	14295		
CREVISE NOZZLE Ø36X300 PP	6084		
CARPET NOZZLE 260MM METAL - 1 NOZZLE		7310	
SUCTION NOZZLE	47895		
HAND ADAPTER 80 MM SPRAY KU			6696
SUCTION HOSE D32X3000MM	34484	34484	34484
INSERT	47896		
SPR.-HOSE	48377		
ITEM NO.	303000002	67009	303000006

Accessories for Carpet Extractors



System 32 Hose Vacuum Cleaner

SUCTION HOSE Ø32X2200MM

HOME CLEANER

TW 300

TW 300 CAR

Item no.

48331

System 36 Tube

EXTEN TUBE Ø36 2X505MM SS

●

●

107408074

System 36 Vac Floor Nozzle

COMBI NOZZLE Ø36X260MM PP

●

○

○

302000477

WATER SUCTION NOZZLE Ø36X300

○

○

○

7270

SUCTION NOZZLE WATER Ø36 300MM

○

○

○

63992

System 36 Brush/Universal Nozzle

BRUSH NOZZLE Ø36X70

●

○

○

5146

UNIVERSAL NOZZLE D36X115

●

○

○

14295

System 36 Crevice/Cone Nozzle

CREVISE NOZZLE Ø36X300 PP

●

○

○

6084

Extractor Nozzle

CARPET NOZZLE 260MM METAL - 1 NOZZLE

●

●

○

7310

SUCTION NOZZLE

●

○

○

47895

HAND ADAPTER 80 MM SPRAY KU

○

●

●

6696

HAND ADAPTER 90 MM SPRAY

○

○

○

7335

VACUUMING WAND

○

○

○

11551

Extractor

SUCTION HOSE D32X300MM

●

●

●

34484

HAND ADAPTER SET DN32

○

○

47511

INSERT

●

○

47896

SPR.-HOSE

●

○

48377

Bag

FILTER BAG TW 10 BAGS

○

○

○

6695



Without compromising on cleaning performance

For maximum efficiency, think Nilfisk

The Nilfisk range of automatic cleaning machines allows you to clean efficiently. You can trust us on four priorities when we design and develop the machines - excellent cleaning results, ease of use, maximum lifespan, low maintenance and service costs.

Reduce downtime with Nilfisk "tool-free" system

The exclusive Nilfisk "tool-free" system allows the operator to check or change the brushes and decks quickly and easily, thus keeping downtime to a minimum and saving money. Our machines are designed to be easy to maintain, all the main parts can be accessed quickly and directly.

We focus on maximising your up-time

All scrubber dryers have been built for easy maintenance and maximum up-time. This is enhanced by features like:

- easy access to key components like batteries and vacuum motor
- easy and quick change of squeegee blades, brushes and pads
- no tools needed to change accessories
- easy access to batteries for service; easy to charge

Effective cleaning with a vast range of discs and brushes

All discs and brushes are designed to carefully clean many types of floors. Nilfisk scrubber dryers can safely and effectively clean all hard floor surfaces. Nilfisk can advise on the machine, accessory and detergent most suitable for use in your premises. Our machines remove all types of dirt: dust, oil, rubber etc. Nilfisk has the perfect solution for you. A comprehensive range of accessories extends the use of your scrubber dryer.

- batteries or cable: depends on the environment to clean
- charger on board or not: to charge everywhere you want
- monoblocs or cells in a tray batteries: depends on the running time you need
- cylindrical or flat brush system: depends on the floor and if you need to sweep or not
- brushes or pads: a large choice to be closed to the cleaning task

The efficient one-stop solution

Versatile enough for any hard floor, our scrubber dryers are designed for ease-of-operation and straightforward maintenance, saving you time at every turn. And whichever you choose, proven performance is ensured.

WALK-BEHIND SCRUBBER-DRYERS

All our walk-behind scrubber-dryers have different cleaning capacities, which means you will always be able to find the optimum machine for your needs. These versatile machines are capable of cleaning any hard floor.

Choose models with either disc or cylindrical brushes, with or without traction, battery or electrical-driven. A cylindrical brush ensures debris enters the scrubbing path and is collected in a separate hopper (wet sweeping) and is ideal for cleaning garages, warehouses, automotive showrooms or sports facilities etc.



RIDE-ON SCRUBBERS

Our range of ride-on scrubbers give you perfect quality combined with a number of additional features. Time-tested technology ensures efficient and economical application.

Nilfisk ride-on scrubbers mean a perfect clean in next to no time. These machines take care of several steps simultaneously. The scrubber - which can be switched on when ever needed - does its job with the help of water and an additional detergent. In the final step, the rear mounted squeegee picks up used water and collects it in the tank.

SCRUBTEC BOOST R 4

Our SCRUBTEC BOOST R 4 cleans floors more effectively than traditional disc scrubbers! The unique BOOST™ pad is rectangular and provides consistent contact across the cleaning path. Its orbital motion requires less pad pressure and attacks dirt from multiple directions as it passes over the floor. Efficient use of the cleaning solution results in water savings of 50% to 70% with BOOST™, reducing waste water removal costs and protecting the environment.



Who says a hard-wearing cleaner can't be quiet?

Ideal for confined areas both in- and outdoors, our FLOORTEC dust-free sweepers combine rugged design with quiet performance.

FLOORTEC WALK-BEHIND SWEEPERS

We have walk-behind sweepers available for indoor and outdoor use and for cleaning large carpeted areas. For optimal capacity, some of our walkbehind machines use the overthrow system, which means the main broom fills the hopper from the top.

FLOORTEC walk-behind sweepers are the ideal solution for small to medium sized cleaning jobs such as service stations, parking lots, school yards, factories and small warehouses. Battery driven for indoor use and petrol driven for demanding outdoor tasks. They are all designed for simple operation, easy service and maintenance, and all feature dust-free sweeping.



RIDE-ON SWEEPERS

Our range of ride-on sweepers gets the job done quickly, effectively and with maximum driver comfort. Their design is combined with powerful engines, wide sweeping path, excellent manoeuvrability and a ramp climbing capacity from 16% to 20% for cleaning large areas of floors or carpets, and for getting into confined spaces such as elevators or narrow aisles. Battery driven for indoor use and petrol/LPG driven for demanding tasks. They are all designed for simple operation, easy service and maintenance, and all feature dust-free sweeping. Some models offer a high dump system for easy emptying.

A complete range of polishers

SINGLE DISC FLOOR POLISHERS

SPINTEC 443 is a range of single disc floor polishers for your professional maintenance and everyday cleaning tasks. This platform offers you the choice of low speed, high speed and dual speed models, which ensures efficient scrubbing, stripping, polishing and spray cleaning of almost all types of floors, while also getting a longer lasting and attractive finish.

The SPINTEC 551 UH is a handy and easy-to-use burnisher ideally suited for daytime cleaning in hospitals, institutions, hotels, retail stores and for contract cleaning companies. With a folding handle it is easy to transport and can be in operation within few seconds.



Eco Brilliance Pads

– renovate floors in four easy steps

With the Nilfisk Eco Brilliance pad system you can renovate your floor during daily cleaning. Use 4 pads in 4 steps to achieve a clean and shiny floor. The 4 steps have to be repeated in the same way and correct order to achieve perfect results.

The 4 pad system can also be used to intensively renovate floors but this will increase the downtime of the surface. Before renovating a floor consider the daily traffic in the area. If daily traffic is high you consider how shiny the floor needs to be, as higher shine floors require extra maintenance.



Better results

The Nilfisk Eco Brilliance pad not only saves time, but is environmentally friendly and gives a better result compared to traditional pads. The method was developed for soft stone or concrete floors, but it also gives an excellent result on other floor types, such as plastic and linoleum and polished surfaces. It is best-suited to shops, foyers and other heavy traffic which require not just cleanliness, but also a shiny, attractive surface.

The environment and result

The combination of pads and clean water give perfect cleaning results and minimise residues. In heavily soiled areas or production zones, detergent can be added if required. Almost all Nilfisk scrubber dryers can be fitted with the Ecoflex dosing system for nonchemical cleaning, allowing the addition of detergent as required.

- Renovates old and worn floors and restores shine.
- Brings floor restoration to a more economical level.
- Simple system for renovating floors during daily cleaning.
- Buffs floors to the desired shine.

How to get clean shiny floors

To get clean shiny floors the 4 different pads should be used in 4 steps renovating your floors. Starting with the step 1 red pad it needs to pass the same surface between 6 to 10 times depending on the floor condition before moving to the next step. All steps need to be done with water and the water needs to be removed between every step. For renovating large areas a scrubber drier is recommended but if the surface is smaller a single disc together with a wet vac can do the job fast and easy. This is also a fast way to make a demonstration on a small surface to confirm which result can be achieved.

Need a high gloss?

If a high gloss floor is preferred the step 4 green pad can be used dry with a burnisher or high speed single disc machine with 300-2000 rpm.

This will give an easy to clean surface with very high shine. To preserve this level daily maintenance may need to be increased depending on daily traffic.

ECO BRILLIANCE PADS RANGE

STEP 1 - COARSE - RED Use the red pad to remove old and worn surfaces, leaving a clean matt finish.		STEP 3 - FINE - YELLOW Use yellow pad for daily cleaning which removes dirt and scratches, leaving a satin surface which is easy to keep clean. The renovation can stop here but continue to use the yellow pad in the daily cleaning to preserve this condition of the floor.	
STEP 2 - MEDIUM - BLUE Use the blue pad to prepare the surface still leaving a clean but less matt finish.		STEP 4 - VERY FINE - GREEN Use the green pad for daily cleaning which removes dirt and scratches, leaving a shiny surface. For high gloss the green pad can be used dry on a high speed burnisher or a high speed single disc machine depending on floor type. This high shine can require extra work to be maintained if the daily traffic of the area is high.	

Eco Pads

– cleaner floors and a greener world

With Eco Pads we offer you an eco-friendly way to clean, maintain and preserve the gloss of your floors. The Eco Pads are available in 8 variants for the most common floor surfaces such as terrazzo, natural stone, concrete, vinyl and epoxy. Eco Pads are made of 100% recycled synthetic fibre material (polyester), and the primary source of materials is recycled soda and water bottles!



BLUE - CLEANER PAD

The Blue Cleaner Pad is constructed of polyester fibers in a semi open texture nonwoven fabrication and is specially designed for medium wet scrubbing or heavy duty spray cleaning. Use with a neutral floor cleaning solution to remove old soiled floor finish layers. This product is also used to scrub soiled hard surface floors such as concrete when used with appropriate cleaning chemicals. Aggressively removes heavy dirt and scuff marks. Ideal for use on machines speeds up to 350 RPM.



BROWN - STRIPPING PAD

The Brown Stripping Pad is constructed of polyester fibers in a semi open texture nonwoven fabrication and is designed for medium duty stripping. Use with water based floor stripping solution to remove worn and soiled floor finishes or sealers. For use on standard electric floor machines or automatic scrubbers. Ideal for use on machines speeds up to 350 RPM.



E-GREEN - SCRUB PAD

The E-Green Scrub Pad is constructed of polyester fibres in a semi open texture nonwoven fabrication and is designed for deep scrubbing. Use with a cleaning solution to scrub hard floor surfaces. This pad will aggressively remove dirt and scuff marks from heavily soiled floors. For use on standard electric floor machines or automatic scrubbers. Ideal for use on machines speeds up to 350 RPM.



E-BLACK - STRIPPING PAD

The E-Black Stripping Pad is constructed of polyester fibers in a semi open texture nonwoven fabrication. Designed for customers who want a more dense nonwoven pad. Use with water based floor stripping solution to remove worn and soiled floor finishes or sealers. For use on standard electric floor machines or automatic scrubbers. Ideal for use on machines speeds up to 350 RPM.



RED - BUFFING PAD

The Red Buffing Pad is used for light cleaning and buffing. It will remove light scuff marks and dirt while producing a high gloss shine. For use on standard electric floor machines, orbital scrubbers and automatic scrubbers. Ideal for use on machines speeds up to 800 RPM.



TAN - BUFFING PAD

The Tan Buffing is a floor maintenance pad used for light cleaning and buffing. It will remove light scuff marks and dirt while producing a high gloss shine. For use on standard electric floor machines, orbital scrubbers and automatic scrubbers. Ideal for use on machines speeds up to 800 RPM.



REMOVER - ULTRA HIGH SPEED BURNISHING PAD

The Remover floor maintenance UHS burnishing Pad is constructed of polyester fibers in a textured nonwoven fabrication. Used to burnish/polish floor finish to a high gloss, for soft and hard finishes. This pad has a special finer formulation that allows the pad to effectively remove black marks and restore gloss in one pass. Ideal for use on machines speeds up to 3000 RPM.



WHITE - SUPER POLISH PAD

The White Polish floor maintenance Pad is made of polyester fibers in a dense textured, nonwoven pattern, bonded with a sturdy adhesive. This extra fine pad has been designed for polishing clean, dry floors. Use dry or with a fine water mist to produce a high gloss wet look to newly finished floors. For use with standard electric floor machines, orbital scrubbers and automatic scrubbers. Ideal for use on machines speeds up to 1000 RPM.

Empower your Nilfisk

In order to ensure that your machine provides the best possible service, we recommend that you always use our range of batteries in your equipment. The technology of our machines is supplemented by batteries selected for their quality and durability, reliable operation and minimum maintenance. The capacity of the batteries in our program is measured in A/h (Amperes per hour) and is listed according to the European std. in A/5h.



Acid Batteries / WET batteries

The WET batteries are lead sulphate batteries, and they are made in a flat plate or tubular metal construction which are soaked in a sulphuric acid solution which produces a chemical reaction between the plates / tubes thus allowing the desired voltage and capacity to be reached. The lifetime of WET / acid batteries is measured in cycles. One cycle is equal to a full discharge / charge sequence, the lifetime of WET / acid batteries varies between 800-1500 cycles.

Semi Traction batteries are also available – these are WET / acid batteries manufactured with a different technology and with less cycles - typically 300-500 cycles.

WET / acid batteries release gas during the re-charging phase, which is why they regularly need to be refilled with distilled water. Charging of WET / acid batteries also needs to take place in dedicated ventilated room.

GEL batteries / Maintenance free batteries

The maintenance free batteries are sealed valve regulated batteries with the same dimensions as std. WET batteries, but maintenance free batteries have less capacity per unit. Maintenance free batteries can only be discharged down to 70% compared to a std. WET battery, which can be discharged to 80%. This means that it is vital to be clear on the need when choosing maintenance free batteries.

The maintenance free batteries have some advantages compared to a standard WET battery such as:

- No water refill
- Lower power consumption during charging
- No acid spill on the machine or in the charging room
- No gassing during charging – no special room needed

Maintenance free batteries are approximately 35-50 % more expensive than standard WET batteries.

The lifespan of a battery

The lifespan of a battery is measured by charge and discharge sequences – one charge and discharge is one cycle. It is important to stress that the life span of all batteries are shortened if the battery is not allowed to fully recharge after use – i.e. if the battery is put to use before it is fully charged it will be damaged.

The no. of cycles is an important quality indicator on all traction batteries - the more cycles - the longer the life span. The average level of cycles for a conventional battery in the market is 600-800 while all Nilfisk machines can be equipped with batteries that considerably exceed the average of useful cycles.





Light and compact upright scrubber dryer

- Easy to use, low weight, easy to carry
- Flexible for both hard floors and small carpets (Option)
- Ergonomic two handed operation
- Easy maintenance
- Removable tank in tank system (Carry in one hand)
- Detachable cord 10 m
- Transparent solution tank for solution level control
- Simple on/off main switch (also solution pump can be turned off)

SCRUBTEC 130 E is an interesting choice for small shops, schools, restaurants, coffee shops, gas stations, bakeries, fast food chains, hotels, cleaning companies etc., and also in-home cleaning. It is a small upright scrubber dryer, designed for cleaning of mainly hard surface floors, but can also clean small carpet areas, remove spots, etc. with an optional kit including carpet squeegees. By adding the optional kit, the machine gets ready for spot cleaning of carpets, cleaning of entrée carpets or small areas of textile flooring.



TECHNICAL DATA

SCRUBTEC 130 E

Scrubbing width (mm)	310
Squeegee width (mm)	321
Productivity theoretical/actual (m²/h)	630/310
Solution/recovery tank (l)	3/4
Brush speed (RPM)	2100
Brush quantity and type	1 Cylindrical
Volt/frequency (V/Hz)	220-240/ 50-60
Length x width x height (mm)	400x360x1150
Weight (kg)	12
Sound pressure level (dB(A))	72 ± 2
Ip protection class	X4
Power consumption (W)	800

FEATURES

Detachable cord	•
Delivered ready to use (full package)	•
Plastic bumper on the deck	•
Tank in tank solution	•
Two hands working handle	•

STANDARD EQUIPMENT

2-HAND HANDLE	107413470
DETACHABLE CORD 10M EU	107413490
BRUSH CYL 310MM MEDIUM WHITE	107411860
SQUEEGEE 321MM 13 KIT	107411867

ITEM NO.

107408150

NEW



SCRUBTEC 334 C sweep, scrub and dry at the same time

- Easy handling: Tank-in-tank design for carrying in one hand gives an easy emptying and refilling
- Effective: Sweeping, scrubbing and drying at the same time
- High cleaning performance: 34 cm cylindrical brush or microfiber roll
- Productive: Up to 40 minutes of runtime with 6-liter solution tank and a 6-liter recovery tank
- Powerful: 36V Lithium battery technology, including charger
- Easy to use: The ergonomic handle can be adjusted into different positions, used free floating or folded for storage
- Intuitive and self-explaining: Informative display on the handle
- Full control: OneTouch button is activating all essential functions and touch sensors in the handle provide an easy operation
- Non-stop cleaning: The two water/solution settings can be changed on-the-fly
- Safe: Out of Water alarm protecting the machine
- Convenient: Easy to carry and move due to its compact design and low weight
- Low TCO: Long lifetime with 'No tool' inspection, service and maintenance

The SCRUBTEC 334 is a compact scrubber dryer for fast and effective cleaning of hard floors, which will take you into every corner and ensure efficient cleaning in both directions - also under furniture and shelves. You will get a light and productive machine with a low sound level suited for daytime cleaning as it is battery-driven. An attractive choice for gas stations, fast food chains, automotive, etc.



TECHNICAL DATA

SCRUBTEC 334C B

Squeegee width (mm)	340
Productivity theoretical/actual (m ² /h)	1360/680
Solution/recovery tank (l)	6/6
Brush pressure (kg)	Max 12
Brush speed (RPM)	1000
Brush quantity and type	1 Cyl
Length x width x height (mm)	630x425x400
Weight (kg)	25
Ip protection class	X4
Power consumption (kW)	0.3

FEATURES

Compact design	•
Lithium Battery	•
Delivered ready to use (full package)	•
One Touch Button	•
Tank in tank solution	•
Scrubbing and sweeping	•

STANDARD EQUIPMENT

MINI CONTAINER PLAST. F DIRT PKD	9100001964
BATTERY LI KIT INCL CHARGER EU UK	9100002056
BRUSH CYL 340MM MEDIUM NYLON WHITE	9100002066
ITEM NO.	9087382020



Battery powered and ideal for small areas

- Outstanding pressure for excellent scrubbing effectiveness
- Easily adjustable deck for a perfect traction control
- Adjustable water flow
- Fast and simple maintenance since all components are easily accessible
- Clear recovery lid
- Ergonomic, adjustable and foldable handle
- Large non marking wheels for easy transport
- Automatic brush and solution on off in neutral
- Patent Elastic Strap System for easy installation and removal of squeegee blades
- On board charger
- Real two tank system in one
- Unique rotating deck allows cleaning both backward and forward

SCRUBTEC 337.2 is designed for increasing productivity, optimizing maneuverability and saving time and costs. With its unique features not least the ability to clean in all directions making it the ideal scrubber/dryer for smaller to midsize businesses, showrooms, etc.

TECHNICAL DATA

SCRUBTEC 337.2

Scrubbing width (mm)	370
Squeegee width (mm)	470
Productivity theoretical/actual (m²/h)	1480/890
Working speed (km/h)	4
Solution/recovery tank (l)	11/12
Brush/pad diameter (mm)	370/355
Brush motor (W)	260
Brush pressure (kg)	27
Brush speed (RPM)	120
Brush quantity and type	1 Disc
Volt/frequency (V/Hz)	12/-
Min. turn-around aisle width (cm)	85
Length x width x height (mm)	726x475x446
Weight w/batteries (kg)	72
Sound pressure level (dB(A))	64
Ip protection class	IPX4

FEATURES

Automatic brush shut off	•
Automatic solution shut off	•
Adjustable handle	•
On-board charger	•
Removable recovery lid	•
Rotating deck	•

STANDARD EQUIPMENT

BATTERY 12V 55AH AGM SPIRACEL	9100001664
CHARGER BATT. O/B 12V 15A 230V EU KIT	9100000713
BRUSH DISC 370MM 14.5 PROLENE	9099999000
BLADE SQUEEGEE 370MM 14.5 PU KIT	9100000077
ITEM NO.	9087343020



Highly manoeuverable compact walk-behind scrubber dryer

- Robust design
- Electrical Ecofriendly water flow control
- Double scrubbing for heavy duty cleaning tasks
- Easy deck adjustment for full traction control
- Quick and easy check of water level through the transparent hose
- Squeegee lifting with convenient foot pedal
- Large capacity tanks 31 liter
- Rear drain hose with flow control
- LED battery indicator
- Automatic brush on/off
- Safty yellow switches stops all major functions
- Front extractable transportation wheel

SCRUBTEC 343.2 offers excellent cleaning performance in a small compact size. Innovative squeegee lifting system operated by foot to increase comfort. Electronically controlled solution flows to save water. Solution and brush on/off thanks to the yellow switches directly on the handle. It's ideal for light to medium floor cleaning tasks, and a reliable and productive machine with excellent performance, high safety and low service costs.



TECHNICAL DATA	SCRUBTEC 343.2 B	SCRUBTEC 343.2 B COMBI	SCRUBTEC 343.2 E
Scrubbing width (mm)	430	430	430
Squeegee width (mm)	720	720	720
Productivity theoretical/actual (m ² /h)	1720/1035	1720/1035	1720/1035
Working speed (km/h)	4	4	4
Solution/recovery tank (l)	31/30	31/30	31/30
Brush/pad diameter (mm)	430/432	430/432	430/432
Brush pressure (kg)	30	30	48
Brush speed (RPM)	155	155	150
Brush quantity and type	1 Disc	1 Disc	1 Disc
Volt/frequency (V/Hz)	24/-	24/-	220/240-50/60
Min. turn-around aisle width (cm)	125	125	125
Length x width x height (mm)	1115x570x1050	1115x570x1050	1115x570x1050
Weight (kg)	75		65
Weight w/batteries (kg)	-	133	-
Sound pressure level (dB(A))	65	65	70
Power source Battery	24	24	-
FEATURES			
Cable version			•
Battery version	•	•	
On-board charger	•	•	
STANDARD EQUIPMENT			
BATT. 12V-76AH GEL MONOBLOC		80564310	
CHARGER BATT. ON BOARD 24V 8A 100-230V	9099388000	9099388000	
BRUSH DISC 430MM 17 PROLENE		L08812891	L08812891
BLADE SQUEEGEE 720MM 28 PU KIT	9097354000	9097354000	9097354000
ITEM NO.	9087319020	9087315020	9087317020



Scrubber-dryer with great productivity and ease of use in a price competitive full package

- High suction power ensures dry and clean floors - even on tile floors
- Curved squeegee for 100% water pick-up on all types of floors
- Front filling port to fill solution tank in a fast way
- Standard on board charger
- Brush and squeegee blades easy to install and remove without any tools
- Just 2 buttons to engage brush and vac motors and safety switches on the handle to start the cleaning job
- Eco-solution: Low consumption of water, adjustable water flow will allow no waste of water
- Simple, quick and hygienic maintenance: Full access to recovery tank – easy to clean and empty

The SCRUBTEC 453 has been designed to scrub & dry without any fuss. This is pure cleaning efficiency packed into a simple machine focusing 100% on helping you to get the job done. Being a robust, scrubber & dryer - so easy to use and maintain - the SCRUBTEC 453 is a very basic machine, simple, easy and intuitive to operate and use, without any training. A machine ready to be used - great productivity that simply works for you!



TECHNICAL DATA

SCRUBTEC 453 B

Scrubbing width (mm)	530
Squeegee width (mm)	760
Productivity theoretical/actual (m ² /h)	2120/1272
Working speed (km/h)	4
Solution/recovery tank (l)	40/45
Brush/pad diameter (mm)	530/508
Brush motor (W)	480
Brush pressure (kg)	34
Brush quantity and type	1 Disc
Max climbing rate (%)	2
Length x width x height (mm)	1180x760x1060
Weight (kg)	76

FEATURES

Blades can be used on 4 edges	•
Ergonomic handle with two safety switches	•
Quick change system for squeegee blades	•
Battery indicator	•
Squeezable drain hose with flow control	•
Delivered ready to use (full package)	•

STANDARD EQUIPMENT

BATT. 12V-105AH GEL MONOBLOC	80564400
CHARGER BATT. O/B 24V 13A 100-230V KIT	909 6739 000
BRUSH DISC 530MM 21 PROLENE	L08837025
BLADES NON MARKING 740MM/29 KIT	9100000279

ITEM NO.	9087333020
----------	------------



Highly-productive medium-size walk-behind scrubber dryer

- 42 liters solution and recovery tanks
- Large access to recovery tank for cleaning and maintenance
- Adjustable scrubbing pressure (L versions) to secure the best cleaning performance
- All versions are Chemical mixing prepared

SCRUBTEC 553 offers fast, effective and inexpensive cleaning. This highly productive scrubber dryer produces a fast return on investment and represent great value for money with in walk-behind scrubber dryers. Its suitable for easy and efficient floor cleaning in manufacturing plants, car showrooms, garages, warehouses and wherever its important that floors are kept clean.



TECHNICAL DATA	SCRUBTEC 553 B	SCRUBTEC 553 BL	SCRUBTEC 553 BL COMBI
Scrubbing width (mm)	530	530	530
Squeegee width (mm)	760	760	760
Productivity theoretical/actual (m ² /h)	2120/1275	2385/1435	2385/1435
Working speed (km/h)	4	4.5	4.5
Solution/recovery tank (l)	42/42	42/42	42/42
Brush/pad diameter (mm)	530/508	530/508	530/508
Brush motor (W)	480	480	480
Brush pressure (kg)	25	25/35	25/35
Brush speed (RPM)	153	153	153
Brush quantity and type	1 Disc	1 Disc	1 Disc
Volt/frequency (V/Hz)	24/-	24/-	24/-
Min. turn-around aisle width (cm)	130	130	130
Length x width x height (mm)	1228x541x1058	1228x541x1058	1228x541x1058
Weight (kg)	81	86	186
Sound pressure level (dB(A))	65.8	65.8	65.8
FEATURES			
With traction motor		•	•
Battery version	•	•	•
Adjustable brush pressure		•	•
On-board charger			•
STANDARD EQUIPMENT			
BATT. 12V-105AH GEL MONOBLOC			80564400
CHARGER BATT. O/B 24V 13A 100-230V KIT			909 6739 000
BRUSH DISC 530MM 21 PROLENE			L08837025
BLADES NON MARKING 740MM/29 KIT	9100000279	9100000279	9100000279
ITEM NO.	9087176020	9087179020	9087180020



Medium-size walk-behind scrubber dryers with interchangeable brush deck

- Interchangeable brush decks with 2 disc sizes (53 and 61 cm) or 51 cm cylindrical 55 litres solution and recovery tanks
- Large access to recovery tank speeds up cleaning time
- Adjustable scrubbing pressure provides the best results under all conditions

Apart from the interchangeable brush deck, other features include an exceptionally low sound level, adjustable scrubbing pressure and a dashboard that is designed to reduce typical operator errors. Suitable for easy, efficient floor cleaning in manufacturing plants, car dealers, garages, warehouses and wherever it is important that floors be kept clean.



TECHNICAL DATA	SCRUBTEC 651 BCL COMBI	SCRUBTEC 653 B BL	SCRUBTEC 653 BL COMBI	SCRUBTEC 653 BL	SCRUBTEC 661 BL	SCRUBTEC 661 BL COMBI
Scrubbing width (mm)	510	530	530	530	610	610
Squeegee width (mm)	760	760	760	760	810	810
Productivity theoretical/actual (m²/h)	2860/1720	2120/1275	2970/1785	2970/1785	3420/2055	3420/2055
Working speed (km/h)	5.6	4	5.6	5.6	5.6	5.6
Solution/recovery tank (l)	55/55	55/55	55/55	55/55	55/55	55/55
Brush/pad diameter (mm)	-	530/508	530/508	530/508	305/305	305/305
Brush motor (W)	2x400	480	480	480	2x350	2x350
Brush pressure (kg)	28	25	25/45	25/45	20/40	20/40
Brush speed (RPM)	570	153	153	153	230	230
Brush quantity and type	2 Cylindrical	1 Disc	1 Disc	1 Disc	2 Disc	2 Disc
Volt/frequency (V/Hz)	24/-	24/-	24/-	24/-	24/-	24/-
Max climbing rate (%)	2	2	2	2	2	2
Min. turn-around aisle width (cm)	137	142	142	142	146	146
Length x width x height (mm)	1253x575x1088	1323x541x1088	1323x541x1088	1323x541x1088	1311x646x1088	1311x646x1088
Weight (kg)	196	87	95	186	95	186
Sound pressure level (dB(A))	65.8	65.8	65.8	65.8	65.8	65.8
FEATURES						
Disc brush version		•	•	•	•	•
With traction motor	•		•	•	•	•
Battery version	•	•	•	•	•	•
Cylindrical brush version	•					
Adjustable brush pressure			•	•	•	•
On-board charger	•			•		•
STANDARD EQUIPMENT						
BATT. 12V-105AH GEL MONOBLOC	80564400			80564400		80564400
CHARGER BATT. O/B 24V 13A 100-230V KIT	909 6739 000			909 6739 000		909 6739 000
BRUSH DISC 305MM 12 PROLENE						L08603842
BRUSH DISC 530MM 21 PROLENE				L08837025		
BRUSH CYL 510MM 20 PROLITE RED	909 5823 000					
BLADES NON MARKING 840MM/33 KIT					9100000280	9100000280
BLADES NON MARKING 740MM/29 KIT	9100000279	9100000279	9100000279	9100000279		
ITEM NO.	9087193020	9087186020	9087189020	9087190020	9087195020	9087196020



Large walk-behind scrubber dryer giving high cleaning performance

- Excellent ergonomic design
- Easy to understand control panel with "OneTouch" Scrub Control
- Extremely quiet operation thanks to the Acoustically engineered vacuum motor containment
- Large 85 litre solution and recovery tanks provides longer run time between dump and fills.
- Patented electronic pulse solution delivery system delivers precise and consistent solution without use of mechanical valves
- Rear solution fill allows filling when the machine is back into the deep sink for emptying the recovery
- Grey, foam filled wheels leave no marks on the floor

The SCRUBTEC 8 is the complete walk-behind unit for large area cleaning. More versatility, greater productivity, better reliability, extremely quiet and with advanced ergonomics. Each of the models in the range feature the latest technologies developed through our years of experience.



TECHNICAL DATA	SCRUBTEC 866	SCRUBTEC 871	SCRUBTEC 886
Scrubbing width (mm)	660	710	860
Squeegee width (mm)	810	890	1070
Productivity theoretical/actual (m ² /h)	3170/1905	3410/2050	4130/2480
Working speed (km/h)	4.8	4.8	4.8
Solution/recovery tank (l)	85/85	85/85	85/85
Brush/pad diameter (mm)	330/330	355/355	430/432
Brush motor (W)	2 x 560	2 x 560	2 x 560
Brush pressure (kg)	36-68	36-68	36-68
Brush speed (RPM)	200	200	200
Brush quantity and type	2 Disc	2 Disc	2 Disc
Volt/frequency (V/Hz)	24/-	24/-	24/-
Min. turn-around aisle width (cm)	170	173	185
Length x width x height (mm)	1550x710x1120	1557x760x1120	1620x910x1120
Weight (kg)	385	387	383
Sound pressure level (dB(A))	65	65	67
Power source	24 Volt Battery	24 Volt Battery	24 Volt Battery
FEATURES			
Disc brush version	•	•	•
Automatic brush shut off	•	•	•
Adjustable brush pressure	•	•	•
Electronic float switch	•	•	•
On-board charger	•	•	•
Debris tray	•	•	•
STANDARD EQUIPMENT			
CHARGER BATT. ON BOARD 24V 25A 230V KIT	9097597000	9097597000	9097597000
SQUEEGEE BLADE KIT 32.5 URETH	11333A		
SQUEEGEE BLADE KIT 35URETHANE		11332A	
ITEM NO.	05390E	05400E	05410E



Micro Ride-on scrubber dryer - more productive than a larger walk-behind

- 53 cm wide disc brush system Two water tanks each holding 70 liters
- Three different water/detergent solutions settings for optimal cleaning
- Flow of water/detergent automatically adjusts to speed of machine
- One-touch button to lower/raise brush deck and activate brush rotation
- Automatic squeegee rising in backwards
- Speed control in turns
- Easy to maneuver with a minimum of training
- Dashboard with digital display placed in the steering wheel
- At-a-glance control of major functions and battery status Intuitive icon buttons for vacuum, brush rotation and water/detergent flow
- Simple to clean and maintain due to its surface finishing
- Fast installation and removal of squeegee blades
- Maintenance is easily done without use of any tool

The SCRUBTEC R 253 is the first Nilfisk ride-on machine in the micro scrubber dryer category. Available at the same price level as a walk-behind model, it will significantly add to both working speed and user comfort to our range. Cleaning can be carried out at 6 km/h while driving compared to 4 km/h when walking and having to push a heavy machine. Meaning "taking a ride" can actually increase the productivity of your indoor cleaning by up to 50%.

TECHNICAL DATA

	SCRUBTEC R 253 B	SCRUBTEC R 253 B COMBI
Scrubbing width (mm)	530	530
Squeegee width (mm)	720	720
Productivity theoretical/actual (m ² /h)	3180/2230	3180/2230
Working speed (km/h)	6	6
Solution/recovery tank (l)	70/70	70/70
Brush/pad diameter (mm)	530/508	530/508
Brush motor (W)	400	400
Brush pressure (kg)	15 - 30	15 - 30
Brush speed (RPM)	155	155
Brush quantity and type	1 Disc	1 Disc
Max climbing rate (%)	2	2
Min. turn-around aisle width (cm)	180	180
Length x width x height (mm)	1270x550x1020	1270x550x1020
Sound pressure level (dB(A))	68	68
Ip protection class	X4	X4
FEATURES		
Automatic squeegee lift in reverse	•	•
Back up warning alarm	•	•
Blades can be used on 4 edges	•	•
Tilting tanks	•	•
One touch control panel	•	•
Debris tray	•	•
Squeezable drain hose with flow control	•	•
STANDARD EQUIPMENT		
BATT. 12V-105AH GEL MONOBLOC		80564400
CHARGER BATT. O/B 24V 100-230V EU KIT		9100000940
BRUSH DISC 530MM 21 PROLENE		L08837025
BLADE SQUEEGEE 730MM 29 PU KIT	9100000490	9100000490
NILFISK-ALTO CHEMICAL MIX SYSTEM KIT		9100000953
ITEM NO.	9087362020	9087365020



Easy to use, battery driven ride-on scrubber dryers with on-board charger

- The inboard parabolic squeegee perfectly covers the scrubbing track without leaving traces
- Ergonomic seat and steering wheel
- Patented automatic speed control that significantly increases operator safety
- Super compact design makes cleaning of restricted space areas fast and easy
- Low sound mode makes daytime cleaning and cleaning of sound-sensitive areas viable
- Robust and extremely versatile machine suitable for many different application areas
- Ergonomic inclined foot platform: easy driver access from both sides of the machine

The SCRBTEC R 4 is one of the most versatile platforms in our range, suitable for different kind of areas and applications. This range is our smallest ride on scrubber dryer. The units are compact and superbly manoeuvrable and meet the demand for providing productive and efficient cleaning. Perfect for use in warehouses, industry, garage/car facilities and manufacturing.



TECHNICAL DATA	SCRUBTEC BOOST R 4	SCRUBTEC R 466	SCRUBTEC R 471
Scrubbing width (mm)	710	660	710
Squeegee width (mm)	890	890	890
Productivity theoretical/actual (m²/h)	4260/2982	3960/2772	4260/2982
Working speed (km/h)	6	6	6
Solution/recovery tank (l)	80/80	80/80	80/80
Brush/pad diameter (mm)	355 x 710	330/330	355/355
Brush motor (W)	560	2 x 400	2 x 400
Brush pressure (kg)	30 - 48	30 - 48	32 - 50
Brush speed (RPM)	2200	230	230
Volt/frequency (V/Hz)	24/-	24/-	24/-
Min. turn-around aisle width (cm)	150	150	150
Length x width x height (mm)	1360x730x1360	1360x670x1230	1360x748x1230
Weight (kg)	182	175	177
Weight w/batteries (kg)	306	299	301
Sound pressure level (dB(A))	65 (60)	65 (60)	65 (60)
Power source Battery	24	24	24
FEATURES			
Automatic speed reduction	•	•	•
One touch control panel	•	•	•
BOOST scrubbing head	•		
Polyurethane front & rear wheels	•	•	•
Debris tray	•	•	•
Sliding deck system (no side skirt)	•	•	•
STANDARD EQUIPMENT			
TRAY DEBRIS KIT	9098712000	9098712000	9098712000
CHARGER BATT. ON BOARD 24V 20A 230V KIT	9098198000	9098198000	9098198000
PAD-RED-14X28-5/CS	997001		
BLADES PU 890MM/35 KIT	9099855000	9099855000	9099855000
ITEM NO.	9087273020	9087270020	9087271020



Your ideal scrubber dryer for high speed scrubbing

- 24 Volt battery ride on scrubber dryer equipped with large battery compartment
- Exceptional water pick up and containment in turns thanks to its powerful vacuum motor and adjustable side skirts
- Scrubbing width of 71 /86 /100 cm disc deck and 71 cm cylindrical deck
- Tanks capacity of 120 litres providing great productivity
- Robust and extremely versatile machine suitable for many different application areas
- User friendly, easy to operate and highly productive
- Easy to access the machine from both sides
- High traction and non marking polyurethane wheels

SCRUBTEC R 6 is a new generation of scrubber-dryers, delivering cost-effective, sustainable performance while maintaining the highest expectations for your clean floors! SCRUBTEC R 6 is particularly suitable for the following application: industry, warehouses, repair shops and transport centers.



TECHNICAL DATA	SCRUBTEC R 6100	SCRUBTEC R 671 C	SCRUBTEC R 686
Scrubbing width (mm)	991	710	860
Squeegee width (mm)	1176	826	1050
Productivity theoretical/actual (m²/h)	6250/4370	4480/3140	5420/3800
Working speed (km/h)	6.3	6.3	6.3
Solution/recovery tank (l)	120/120	120/120	120/120
Brush/pad diameter (mm)	330/330	-	430/432
Brush motor (W)	3 x 480	2 x 373	2 x 480
Brush pressure (kg)	59 / 68 / 96	27 / 36 / 45	39 / 65 / 96
Brush speed (RPM)	260	900	260
Brush quantity and type	3 Disc	2 Cylindrical	2 Disc
Volt/frequency (V/Hz)	24/-	24/-	24/-
Min. turn-around aisle width (cm)	183	160	171
Length x width x height (mm)	1540x1070x1390	1540x1070x1390	1540x820x1390
Weight (kg)	246	262	246
Weight w/batteries (kg)	626	616	602
Sound pressure level (dB(A))	63.7	63.7	63.7
FEATURES			
Cylindrical brush version		•	
One touch control panel	•	•	•
Adjustable seat	•	•	•
Polyurethane front & rear wheels	•	•	•
Debris tray	•	•	•
STANDARD EQUIPMENT			
BLADE KIT-SQUEEGEE-GUM 28		56382734	
BLADE KIT-SQUEEGEE-GUM 34			56382738
BLADE KIT-SQUEEGEE-GUM 38	56382741		
SIDE SKIRT KIT GUM 21/530		56114370	
SIDE SKIRT KIT GUM 24/610			56114364
SIDE SKIRT KIT GUM 27.5/700	56114355		
ITEM NO.	56114008	56114005	56114006

Batteries & Chargers for Walk-behind and Ride-on Scrubber dryers

Machine name	Machine Volt	Item no. Battery	Use per machine	Description	Item no. On-board charger	Description	Item no. External complete charger	Description
SCRUBTEC 337.2	12	1464853000	1	BATT.12V-84Ah AGM Monobloc	9100000713	CHARGER BATT. O/B 12V 15A 230V EU KIT	Not Available	Not Available
SCRUBTEC 337.2	12	9098977000	1	BATT.12V-50Ah AGM spiralcell	9100000713	CHARGER BATT. O/B 12V 15A 230V EU KIT	80541230	CHARGER HF 12V 30A OPTIMA SB50G
SCRUBTEC 343.2	24	80564310	2	BATT.12V-76Ah GEL Monobloc	9099388000	CHARGER BATT.ONBOARD 24V-8A 100-230V	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 343.2	24	1464853000	2	BATT.12V-84Ah AGM Monobloc	9099388000	CHARGER BATT.ONBOARD 24V-8A 100-230V	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 453	24	80564400	2	BATT.12V-105Ah GEL Monobloc	909 6739 000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 453	24	80564310	2	BATT.12V-76Ah GEL Monobloc	909 6739 000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 453	24	1464853000	2	BATT.12V-84Ah AGM Monobloc	909 6739 000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 453	24	80564600	2	BATT.12V-110Ah WET Tubular Monobloc	909 6739 000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 453	24	L00200049	2	BATT.12V-110Ah WET Semi T Monobloc	909 6739 000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 453	24	80564800	2	BATT.12V-85Ah WET Semi T Monobloc	909 6739 000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 453	24	80564700	2	BATT.12V-72Ah WET Tubular Monobloc	909 6739 000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532414	CHARGER HF 24V 13A SB50R
SCRUBTEC 553	24	80564600	2	BATT.12V-110Ah WET Tubular Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC 553	24	L00200049	2	BATT.12V-110Ah WET Semi T Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC 553	24	80564800	2	BATT.12V-85Ah WET Semi T Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC 553	24	80564700	2	BATT.12V-72Ah WET Tubular Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC 553	24	80564400	2	BATT.12V-105Ah GEL Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC 553	24	80564310	2	BATT.12V-76Ah GEL Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC 651/ 653/661	24	80564600	2	BATT.12V-110Ah WET Tubular Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC 651/ 653/661	24	L00200049	2	BATT.12V-110Ah WET Semi T Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC 651/ 653/661	24	80564800	2	BATT.12V-85Ah WET Semi T Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC 651/ 653/661	24	80564700	2	BATT.12V-72Ah WET Tubular Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC 651/ 653/661	24	80564400	2	BATT.12V-105Ah GEL Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC 651/ 653/661	24	80564310	2	BATT.12V-76Ah GEL Monobloc	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC 651/ 653/661	24	80561268	2	BATT.12V-68Ah AGM spiralcell	9099995000	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80542433	CHARGER HF 24V 30A OPTIMA SB120R
SCRUBTEC 8	24	L00290018	1	BATT.24V-240Ah WET in tray with Aquamaric	9097597000	CHARGER BATT.ONBOARD KIT 24V-25A 230V	80542425	CHARGER HF 24V 25A SB120R
SCRUBTEC 8	24	80565000	4	BATT. 6V-255Ah WET Semi T Monobloc	9097597000	CHARGER BATT.ONBOARD KIT 24V-25A 230V	80542425	CHARGER HF 24V 25A SB120R
SCRUBTEC 8	24	80563211	4	BATT. 6V-175Ah WET Tubular Monobloc	9097597000	CHARGER BATT.ONBOARD KIT 24V-25A 230V	80522420	CHARGER HF 24V 20A SB120R
SCRUBTEC 8	24	L00210012	1	BATT.24V-220Ah GEL Single Cells in tray	9097597000	CHARGER BATT.ONBOARD KIT 24V-25A 230V	80542425	CHARGER HF 24V 25A SB120R
SCRUBTEC 8	24	80564100	4	BATT. 6V-240Ah GEL Monobloc	9097597000	CHARGER BATT.ONBOARD KIT 24V-25A 230V	80542425	CHARGER HF 24V 25A SB120R
SCRUBTEC 8	24	80564000	4	BATT. 6V-180Ah GEL Monobloc	9097597000	CHARGER BATT.ONBOARD KIT 24V-25A 230V	80522420	CHARGER HF 24V 20A SB120R
SCRUBTEC R 2	24	80564600	2	BATT.12V-110Ah WET Tubular Monobloc	9100000940	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC R 2	24	L00200049	2	BATT.12V-110Ah WET Semi T Monobloc	9100000940	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC R 2	24	80564800	2	BATT.12V-85Ah WET Semi T Monobloc	9100000940	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC R 2	24	80564700	2	BATT.12V-72Ah WET Tubular Monobloc	9100000940	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC R 2	24	80564400	2	BATT.12V-105Ah GEL Monobloc	9100000940	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80532413	CHARGER HF 24V 13A SB120R
SCRUBTEC R 2	24	80564310	2	BATT.12V-76Ah GEL Monobloc	9100000940	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC R 2	24	80564700	2	BATT.12V-72Ah WET Tubular Monobloc	9100000940	CHARGER BATT.ONBOARD KIT 24V-13A 100-240	80512410	CHARGER HF 24V 10A SB120R
SCRUBTEC R 4	24	80563200	4	BATT. 6V-200Ah WET Tubular Monobloc	9098198000	CHARGER BATT.ONBOARD 24V-20A 230V	80522420	CHARGER HF 24V 20A SB120R
SCRUBTEC R 4	24	80564000	4	BATT. 6V-180Ah GEL Monobloc	9098198000	CHARGER BATT.ONBOARD 24V-20A 230V	80522420	CHARGER HF 24V 20A SB120R
SCRUBTEC R 6	24	80561312	1	BATT.24V-400AH WET Welded cells W/O tray	OBC not adequate		80542440	CHARGER HF 24V 40A SB175R
SCRUBTEC R 6	24	80561311	1	BATT.24V-360Ah WET in tray with Aquamaric	OBC not adequate		80542440	CHARGER HF 24V 40A SB175R
SCRUBTEC R 6	24	7116015	4	BATT. 6V-285Ah WET Semi T Monobloc	56114260	CHARGER BATT. ONBOARD 24V-25A 230V	80542431	CHARGER HF 24V 30A SB175R
SCRUBTEC R 6	24	80561411	1	BATT.24V-320Ah GEL Single Cells in tray	OBC not adequate		80542440	CHARGER HF 24V 40A SB175R
SCRUBTEC R 6	24	80564100	4	BATT. 6V-240Ah GEL Monobloc	56114260	CHARGER BATT. ONBOARD 24V-25A 230V	80542426	CHARGER HF 24V 25A SB175R

Accessories for scrubber dryers



Pad 13" / 330 mm

PAD 13 330MM ECO BROWN 5PCS

	SCRUBITEC 130 E	SCRUBITEC 334C B	SCRUBITEC 337.2	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 B	SCRUBITEC 553 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686	Item no.
																○		○	○	○	○	○	○	10001912		



PAD 13 330MM ECO RED 5PCS

PAD 13 330MM ECO WHITE 5PCS

PAD 13 330MM ECO BLUE 5PCS

PAD 13 330MM ECO GREEN 5PCS

PAD 13 330MM ECO BLACK 5PCS

Pad 14" / 355 mm

PAD 14 355MM ECO BROWN 5PCS

PAD 14 355MM EPP MAROON 10PCS

PAD 14 355MM ECO RED 5PCS

PAD 14 355MM ECO WHITE 5PCS

PAD 14 355MM ECO BLUE 5PCS

PAD 14 355MM ECO GREEN 5PCS

PAD 14 355MM ECO BLACK 5PCS

Pad 17" / 432 mm

PAD 17 432MM EPP MAROON 10PCS

PAD 17 432MM ECO RED 5PCS

PAD 17 432MM ECO WHITE 5PCS

PAD 17 432MM ECO BLUE 5PCS

PAD 17 432MM ECO GREEN 5PCS



PAD 17 432MM ECO RED 5PCS

PAD 17 432MM ECO WHITE 5PCS

PAD 17 432MM ECO BLUE 5PCS

PAD 17 432MM ECO GREEN 5PCS

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Pad 13"	Pad 14"	Pad 17"
330 mm	355 mm	432 mm
Eco Brown 5PCS	○	○
Eco Red 5PCS	○	○
Eco White 5PCS	○	○
Eco Blue 5PCS	○	○
Eco Green 5PCS	○	○
Eco Black 5PCS	○	○
EPP Maroon 10PCS	○	
ECO RED 5PCS	○	
ECO WHITE 5PCS	○	
ECO BLUE 5PCS	○	
ECO GREEN 5PCS	○	
ECO BLACK 5PCS	○	
EPP MAROON 10PCS		○
ECO RED 5PCS	□ □ □	○
ECO WHITE 5PCS	□ □ □	○
ECO BLUE 5PCS	□ □ □	○
ECO GREEN 5PCS	□ □ □	○



Pad 17" / 432 mm

PAD 17 432MM ECO BLACK 5PCS

	SCRUBTEC 130 E	SCRUBTEC 334C B	SCRUBTEC 3372	SCRUBTEC 343 2 B	SCRUBTEC 343 2 B COMBI	SCRUBTEC 343 2 E	SCRUBTEC 453 B	SCRUBTEC 553 B	SCRUBTEC 553 BL	SCRUBTEC 553 BL COMBI	SCRUBTEC 651 BCL COMBI	SCRUBTEC 661 BL	SCRUBTEC 661 BL COMBI	SCRUBTEC 866	SCRUBTEC 871	SCRUBTEC 886	SCRUBTEC R 253 B	SCRUBTEC R 253 B COMBI	SCRUBTEC BOOST R 4	SCRUBTEC R 466	SCRUBTEC R 471	SCRUBTEC R 6100	SCRUBTEC R 671 C	SCRUBTEC R 686	Item no.
				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								<input type="checkbox"/>											10001938

PAD 17 432MM ECO TAN 5PCS

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																						10001937
--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----------

PAD 17 432MM ECO CARPET BONNET 6PCS

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																						10001935
--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----------

Pad 20" / 508 mm

PAD 20 508MM ECO BROWN 5PCS

	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>								10001957						
--	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO RED 5PCS

	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>								10001959						
--	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO WHITE 5PCS

	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>								10001960						
--	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO GREEN 5PCS

	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>								10001958						
--	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO BLUE 5PCS

	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>								10001956						
--	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO BLACK 5PCS

	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>								10001955						
--	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO TAN 5PCS

	<input type="checkbox"/>								<input type="checkbox"/>	<input type="checkbox"/>								10001954						
--	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	----------

Special Pad

PAD 12 305MM ECO BRILLIANCE RED 2PCS

				<input type="checkbox"/>	<input type="checkbox"/>																			10002316
--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----------

PAD 12 305MM ECO BRILLIANCE BLUE 2PCS

						<input type="checkbox"/>	<input type="checkbox"/>																	10002317
--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----------

PAD 12 305MM ECO BRILLIANCE YELLOW 2PCS

						<input type="checkbox"/>	<input type="checkbox"/>																	10002318
--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----------

PAD 12 305MM ECO BRILLIANCE GREEN 2PCS

						<input type="checkbox"/>	<input type="checkbox"/>																	10002319
--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----------

PAD 13 330MM ECO BRILLIANCE RED 2PCS

							<input type="checkbox"/>											<input type="checkbox"/>	<input type="checkbox"/>					10002320
--	--	--	--	--	--	--	--------------------------	--	--	--	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	----------

PAD 13 330MM ECO BRILLIANCE BLUE 2PCS

								<input type="checkbox"/>										<input type="checkbox"/>	<input type="checkbox"/>					10002321
--	--	--	--	--	--	--	--	--------------------------	--	--	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	--	----------

PAD 13 330MM ECO BRILLIANCE YELLOW 2PCS

									<input type="checkbox"/>										<input type="checkbox"/>	<input type="checkbox"/>				10002322
--	--	--	--	--	--	--	--	--	--------------------------	--	--	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	----------

PAD 13 330MM ECO BRILLIANCE GREEN 2PCS

										<input type="checkbox"/>									<input type="checkbox"/>	<input type="checkbox"/>				10002323
--	--	--	--	--	--	--	--	--	--	--------------------------	--	--	--	--	--	--	--	--	--------------------------	--------------------------	--	--	--	----------

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories



Special Pad

PAD 14 355MM ECO BRILLIANCE RED 2PCS

	SCRUBITEC 130 E	SCRUBITEC 334C B	SCRUBITEC 337.2	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 B	SCRUBITEC 553 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC 871	SCRUBITEC 886	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686	Item no.
○																□					○						10002324	

PAD 14 355MM ECO BRILLIANCE BLUE 2PCS

○																	○					○					10002325
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	---	--	--	--	--	----------

PAD 14 355MM ECO BRILLIANCE YELLOW 2PCS

○																	○					○					10002326
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	---	--	--	--	--	----------

PAD 14 355MM ECO BRILLIANCE GREEN 2PCS

○																	○					○					10002327
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	---	--	--	--	--	----------

PAD 17 432MM ECO BRILLIANCE RED 2PCS

□	□	□															○										10002336
---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	----------

PAD 17 432MM ECO BRILLIANCE BLUE 2PCS

□	□	□															○										10002337
---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	----------

PAD 17 432MM ECO BRILLIANCE YELLOW 2PCS

□	□	□															○										10002338
---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	----------

PAD 17 432MM ECO BRILLIANCE GREEN 2PCS

□	□	□															○										10002339
---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO BRILLIANCE RED 2PCS

○	○	○	○														○	○									10002348
---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	--	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO BRILLIANCE BLUE 2PCS

○	○	○	○														○	○									10002349
---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	--	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO BRILLIANCE YELLOW 2PCS

○	○	○	○														○	○									10002350
---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	--	--	--	--	--	--	--	--	----------

PAD 20 508MM ECO BRILLIANCE GREEN 2PCS

○	○	○	○														○	○									10002351
---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	--	--	--	--	--	--	--	--	----------

Pad Boost

PAD-WHITE-14X28-5/CS

																	○										997002
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--------

PAD-RED-14X28-5/CS

																	●										997001
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--------

PAD-BLUE-14X28-5/CS

																	○										997006
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--------

PAD-BLACK-14X28-5/CS

																	○										997000
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--------

PAD-BLACK-14X28-10/CS

																	○										997016
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--------

PAD-MAROON-14X28-10/CS

																	○										997018
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--------

Accessories for scrubber dryers

 **Nilfisk®**



Pad Boost

VELCRO 2 SIDE SHT 14X28 BOOST

SCRUBITEC 130 E	SCRUBITEC 334C B	SCRUBITEC 3372	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 B	SCRUBITEC 553 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC 871	SCRUBITEC 886	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686	Item no.
																										30794A	

Disc Brush 305 mm

BRUSH DISC 305MM 12 PROLENE

BRUSH DISC 305MM 12 MIDLITE GRIT 180	□ ●	L08603842
--------------------------------------	-----	-----------

BRUSH DISC 305MM 12 MID GRIT 240

BRUSH DISC 305MM 12 MID GRIT 240	□ □	L08603873
----------------------------------	-----	-----------

BRUSH DISC 305MM 12 PROLITE

BRUSH DISC 305MM 12 UNION MIX	□ □	L08603874
-------------------------------	-----	-----------

Disc Brush 320 mm

BRUSH ASM-POLY 12.5

BRUSH ASM-SOFT NYLON 12.5	○	56114219
---------------------------	---	----------

BRUSH ASM-LITE GRIT 12.5

BRUSH ASM-MEDIUM GRIT 12.5	○	56114220
----------------------------	---	----------

BRUSH ASM-HEAVY GRIT 12.5

BRUSH ASM-HEAVY GRIT 12.5	○	56114222
---------------------------	---	----------

Disc Brush 330 mm

BRUSH 13 Ø 355 5K

BRUSH ASM NYLON 13 OD VIS V	○	303000381
-----------------------------	---	-----------

BRUSH ASM POLYPROPYLENE 13 ODV

BRUSH ASM POLYPROPYLENE 13 ODV	□ ○	11437A
--------------------------------	-----	--------

BRUSH ASM CLEAN GRIT 13 ODIVS

BRUSH ASM CLEAN GRIT 13 ODIVS	○ ○	11438A
-------------------------------	-----	--------

BRUSH ASM GRIT 13 OD VIS V

BRUSH ASM GRIT 13 OD VIS V	○ ○	11440A
----------------------------	-----	--------

Disc Brush 370 mm

BRUSH 14 Ø 370 5K

BRUSH 14 Ø 370 5K	○	303000382
-------------------	---	-----------

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for scrubber dryers

 **Nilfisk®**



Disc Brush 370 mm

BRUSH ASM. POLYPROPYLENE 14 OD

BRUSH ASM. GRIT MEDIUM 14 0

BRUSH DISC 370MM 14.5 PROLENE

BRUSH DISC 370MM 14.5 UNION MIX

BRUSH DISC 370MM 14.5 PROLITE

BRUSH DISC 370MM 14.5 MID GRIT

BRUSH DISC 370MM 14.5 MAGNA GRIT 46

BRUSH 2B NYLON

Disc Brush 420 mm

BRUSH ASM-POLY 16.5

BRUSH ASM-SOFT NYLON 16.5

BRUSH ASM-LITE GRIT 16.5

BRUSH ASM-MEDIUM GRIT 16.5

BRUSH ASM-HEAVY GRIT 16.5

Disc Brush 430 mm

BRUSH ASM LITE GRIT 17

BRUSH 17 NYLON

BRUSH ASM. POLYPROPYLENE 17 OD

BRUSH ASM. GRIT HEAVY 17 OD

BRUSH ASM. GRIT MEDIUM 17 O

	SCRUBTEC 130 E	SCRUBTEC 334C B	SCRUBTEC 337.2	SCRUBTEC 343.2 B	SCRUBTEC 343.2 B COMBI	SCRUBTEC 343.2 E	SCRUBTEC 453 B	SCRUBTEC 553 B	SCRUBTEC 553 BL	SCRUBTEC 553 BL COMBI	SCRUBTEC 651 BCL COMBI	SCRUBTEC 653 B	SCRUBTEC 653 BL	SCRUBTEC 653 BL COMBI	SCRUBTEC 661 BL	SCRUBTEC 661 BL COMBI	SCRUBTEC 866	SCRUBTEC 871	SCRUBTEC 886	SCRUBTEC R 253 B	SCRUBTEC R 253 B COMBI	SCRUBTEC BOOST R 4	SCRUBTEC R 466	SCRUBTEC R 471	SCRUBTEC R 6100	SCRUBTEC R 671 C	SCRUBTEC R 686	Item no.
Disc Brush 370 mm																												11427B
BRUSH ASM. POLYPROPYLENE 14 OD																												
BRUSH ASM. GRIT MEDIUM 14 0																												11431B
BRUSH DISC 370MM 14.5 PROLENE	●																											9099999000
BRUSH DISC 370MM 14.5 UNION MIX	○																											9100000000
BRUSH DISC 370MM 14.5 PROLITE	○																											9100000001
BRUSH DISC 370MM 14.5 MID GRIT	○																											9100000002
BRUSH DISC 370MM 14.5 MAGNA GRIT 46	○																											9100000003
BRUSH 2B NYLON																	○	○	○								10874A	
Disc Brush 420 mm																												
BRUSH ASM-POLY 16.5																			○									56114228
BRUSH ASM-SOFT NYLON 16.5																			○									56114229
BRUSH ASM-LITE GRIT 16.5																			○									56114230
BRUSH ASM-MEDIUM GRIT 16.5																			○									56114231
BRUSH ASM-HEAVY GRIT 16.5																			○									56114232
Disc Brush 430 mm																			○									10384A
BRUSH ASM LITE GRIT 17																			○									
BRUSH 17 NYLON																			○									10875A
BRUSH ASM. POLYPROPYLENE 17 OD																			○									11424B
BRUSH ASM. GRIT HEAVY 17 OD																			○									11425B
BRUSH ASM. GRIT MEDIUM 17 O																			○									11430B



Disc Brush 430 mm

BRUSH DISC 430MM 17 MIDLITE GRIT 180

	SCRUBITEC 130 E	SCRUBITEC 334 C B	SCRUBITEC 337 2	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 3 B	SCRUBITEC 553 3 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC 871	SCRUBITEC 886	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686
					□	□																					

Item no.

909 5691 000

BRUSH DISC 430MM 17 PROLITE

909 5693 000

BRUSH DISC 430MM 17 UNION MIX

909 5694 000

BRUSH DISC 430MM 17 PROLENE

L08812891

Disc Brush 530 mm

BRUSH DISC 530MM 21 AGLITE GRIT 500

L08837067

BRUSH DISC 530MM 21 PROLENE

L08837025

BRUSH DISC 530MM 21 PROLITE

L08837026

BRUSH DISC 530MM 21 UNION MIX

L08837027

BRUSH DISC 530MM 21 MIDLITE GRIT 180

L08837028

BRUSH DISC 530MM 21 MID GRIT 240

L08837029

BRUSH DISC 530MM 21 MAGNA GRIT 46

L08837065

BRUSH DISC 530MM 21 DYNAGRIT 80

L08837066

Brush Cylindrical

BRUSH POLYPROPYLENE 28-RED

56412046

BRUSH SOFT NYLON 28-YELLOW

56412191

BRUSH HARD NYLON 28-NATURAL

56412192

BRUSH 180 GRIT 28-BLUE/GREY

56412193

BRUSH CYL 510MM 20 PROLITE RED

909 5823 000

BRUSH CYL 510MM 20 SOFT NYLON BLUE

909 5824 000


Brush Cylindrical

BRUSH CYL 510MM 20 GRIT 320 GREY

	SCRUBITEC 130 E	SCRUBITEC 334C B	SCRUBITEC 337.2	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 B	SCRUBITEC 553 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686	Item no.
																									909 5825 000	

BRUSH CYL 310MM CARPET

○																									107411863
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-----------

BRUSH CYL 310MM HARD BLACK

○																									107411861
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-----------

BRUSH CYL 310MM MEDIUM WHITE

●																									107411860
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-----------

BRUSH CYL 310MM MICROFIBRE

○																									107411862
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-----------

BRUSH CYL 340MM HARD Grit 320 GREY

○																									9100002067
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

BRUSH CYL 340MM MEDIUM NYLON WHITE

●																									9100002066
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

BRUSH CYL 340MM MICROFIBRE

○																									9100002068
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

BRUSH CYL 340MM SOFT NYLON BLACK

○																									9100002069
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

Squeegee Blade

BLADE KIT-SQUEEGEE-GUM 28

																								●	56382734
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-RED GUM 28

																								○	56382735
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-PU 28

																								○	56382737
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-GUM 34

																								●	56382738
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-RED GUM 34

																								○	56382739
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-PU 34

																								○	56382740
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-GUM 38

																								●	56382741
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-RED GUM 38

																								○	56382742
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------

BLADE KIT-SQUEEGEE-PU 38

																								○	56382743
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	----------


Squeegee Blade

SQUEEGEE BLADE KIT 32.5 URETH

	SCRUBITEC 130 E	SCRUBITEC 334 C B	SCRUBITEC 3372	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 B	SCRUBITEC 553 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC 871	SCRUBITEC 886	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686	Item no.
																●											11333A	

SQUEEGEE BLADE KIT 32.5 GUM

11336A

SQUEEGEE BLADE KIT 32.5 LINAT

11339A

SQUEEGEE BLADE KIT 35 GUM

11335A

SQUEEGEE BLADE KIT 35 LINATEX

11338A

SQUEEGEE BLADE KIT 35URETHANE

11332A

SQUEEGEE BLADE KIT 41 GUM

11334A

BLADE SQUEEGEE 370MM 14.5 PU KIT

9100000077

BLADE SQUEEGEE 370MM 14.5 RED GUM KIT

9100000302

BLADE SQUEEGEE 720MM 28 PU KIT

9097354000

BLADE SQUEEGEE 740MM 29 PU KIT

909 6858 000

BLADE SQUEEGEE 830 33MM PU KIT

909 6859 000

BLADE SQUEEGEE 890MM 35 GUM KIT

9097804000

BLADE SQUEEGEE 890MM 35 RED GUM KIT

9099211000

BLADES PU 890MM/35 KIT

9099855000

BLADES NON MARKING 840MM/33 KIT

9100000280

BLADES NON MARKING 740MM/29 KIT

9100000279

BLADE SQUEEGEE 730MM 29 PU KIT

9100000490

BLADE SQUEEGEE 730MM 29 RED GUM KIT

9100000060

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories


Squeegee Blade

BLADE SQUEEGEE 740MM 29 GUM KIT

	SCRUBITEC 130 E	SCRUBITEC 334C B	SCRUBITEC 337.2	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 B	SCRUBITEC 553 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC 871	SCRUBITEC 886	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686	Item no.
																										9100000810		

SQUEEGEE 321MM 13 KIT

●																										107411867
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-----------

SQUEEGEE 360MM PU 2 PCS SET

●																										9100002064
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------

Deck Blade

SIDE SKIRT KIT GUM 21/530

																					●				56114370
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT PU 21/530

																					○				56114372
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT RED 21/530

																					○				56114374
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT RED 24/610

																					○				56114368
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT PU 24/610

																					○				56114366
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT GUM 24/610

																					●				56114364
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT RED 27.5/700

																					○				56114358
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT PU 27.5/700

																					○				56114356
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

SIDE SKIRT KIT GUM 27.5/700

																					●				56114355
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	----------

Splash Guard

SPLASH GUARD F DECK 530MM 21 KIT

																					○				909 6736 000
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--------------

SPLASH GUARD BRISTLE 510MM 20 KIT

																					○	○			9100001441
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	--	--	------------

Detergent Equipment

CHEMICAL INJECTION KIT

																					□	□	□		56114088
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	--	----------

CHEMICAL MIXING SYSTEM KIT

																					□	□	□		9097160000
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	--	------------

CHEMICAL MIXING SYSTEM KIT

																					□	□	□		9097163000
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	--	------------

CHEMICAL MIXING KIT

																					□	□	□		11363A
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	--	--------


Other

KIT SEAT BELT

	SCRUBITEC 130 E	SCRUBITEC 334C B	SCRUBITEC 337.2	SCRUBITEC 343 2 B	SCRUBITEC 343 2 B COMBI	SCRUBITEC 343 2 E	SCRUBITEC 453 B	SCRUBITEC 553 B	SCRUBITEC 553 BL	SCRUBITEC 553 BL COMBI	SCRUBITEC 651 BCL COMBI	SCRUBITEC 653 B	SCRUBITEC 653 BL	SCRUBITEC 653 BL COMBI	SCRUBITEC 661 BL	SCRUBITEC 661 BL COMBI	SCRUBITEC 866	SCRUBITEC R 253 B	SCRUBITEC R 253 B COMBI	SCRUBITEC BOOST R 4	SCRUBITEC R 466	SCRUBITEC R 471	SCRUBITEC R 6100	SCRUBITEC R 671 C	SCRUBITEC R 686	Item no.
																									56422162	

USB PORT KIT

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	9100000784
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

TRAY DEBRIS KIT

●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	9098712000
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

BASKET KIT

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	9098480000
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

BASKET KIT

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	9100000697
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

ACCESSORY BAG KIT

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107414568
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

MOP KIT

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	9100000688
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

CARPET COMPLETE KIT

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107411865
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

SQUEEGEE 321MM 13 CARPET KIT

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107411868
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

AUTOMATIC WATER FILLING KIT

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	9100000707
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

HOSE FILLING

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	9097290000
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

FILLING HOSE

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	9100000952
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

MANUAL SUCTION HOSE KIT

□	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	107411864
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

FILTER ANTI FOAMING

□	□	□	○	□	□	□	□	□	□	□	□	□	□	□	○	○	○	○	○	○	○	○	○	○	909 5065 000
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--------------

CASTOR WHEEL SS KIT

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	9098947000
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

WHEEL REAR CASTOR SOFTER

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	909 5511 000
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--------------

WHEEL FRONT D.250 DRIVE

□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	9097026000
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------------

2-HAND HANDLE

●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107413470
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

DETACHABLE CORD 10M EU

●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	107413490
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------



Item no.



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories





Robust manually-operated sweeper - ideal for dry dirt, sand, bottle caps etc.

- Folding handle for easy storage and transport
- Light and strong hopper with carrying handle makes it easy to empty
- Large hopper minimizes the time spent on emptying the hopper
- Adjustable side and main broom to compensate for wear
- Sturdy construction ensures long life

FLOORTEC 480 M is a manually-operated robust sweeper ideal for sweeping small amounts of dry dirt, sand, gravel, cans, bottle caps and cigarettes on indoor and outdoor spaces. Its build with a large robust hopper with a carrying handle for easy emptying.



TECHNICAL DATA

FLOORTEC 480 M

Side broom diameter (mm)	260
Main broom (mm)	450
Working width w/2 side brooms (mm)	840
Working width with/without side brooms (mm)	840/450
Hopper volume (l)	34
Power source	Manual
Productivity 2 side brooms theoretical/actual (m ² /h)	3360/1680
Productivity main broom theoretical/actual (m ² /h)	1800/900
Length x width x height (mm)	1300x840x1030
Net weight (kg)	16

FEATURES

- Big wheels and convenient grip
- Two main brooms
- Two side brooms
- Adjustable handle
- Soft handle
- Ergonomic handle
- Folding handle

STANDARD EQUIPMENT

BROOM MAIN NYLON KIT	1465201000
SIDE BROOM	1463623000

ITEM NO.

9084803010



Robust, manually-operated sweeper with large robust hopper with carrying handle

- Adjustable main and side broom to compensate for wear
- Sturdy construction ensures long life
- Light and strong hopper with carrying handle for easy emptying
- Folding handle for easy storage and transport

BK 900 is a robust, manually-operated sweeper for small areas equipped with a large robust hopper with carrying handle for easy emptying. Perfect for sweeping leaves, small amounts of debris, crown corks and cigarettes, etc. indoor and outside buildings.

TECHNICAL DATA	BK 900 M
Side broom diameter (mm)	330
Main broom (mm)	480
Working width with/without side brooms (mm)	690 / 490
Hopper volume (l)	40
Power source	Manual
Working speed (km/h)	4
Productivity 1 side broom theoretical/actual (m ² /h)	2760/1380
Productivity main broom theoretical/actual (m ² /h)	1920/960
Length x width x height (mm)	1060x790x900
Net weight (kg)	25
FEATURES	
Main and side broom ppl	•
Compact design	•
Big wheels and convenient grip	•
Direct throw sweeping	•
Ergonomic handle	•
Folding handle	•
STANDARD EQUIPMENT	
Broom Main PPL 250x480	60642
Broom Side PPL D.330	60641
ITEM NO.	60441



Compact walk-behind sweeper with traction - perfect for corners and narrow spaces

- Adjustable ergonomic handle
- Control panel with battery level indicator
- Handle can be folded for easy transport
- Traction transmitted via the back wheels
- Adjustable main and side broom
- The brooms can be changed without the use of any tools
- Filter can be inspected/ changed without tools
- Manual filter shaker

FLOORTEC 350 is a battery powered walk-behind sweeper with dust control and traction. The ideal solution for small to medium sized cleaning jobs like service stations, small parking lots, small factories and small warehouses. The sweeper is also very suitable for cleaning of large carpeted areas



TECHNICAL DATA

FLOORTEC 350

Side broom diameter (mm)	315
Main broom (mm)	500
Working width w/right side broom (mm)	720
Working width with/without side brooms (mm)	720/500
Hopper volume (l)	60
Filter area (m ²)	1
Power source	Battery 12 V
Working speed (km/h)	4
Max climbing rate (%)	20
Productivity 1 side broom theoretical/actual (m ² /h)	2880/1730
Productivity main broom theoretical/actual (m ² /h)	2000/1200
Length x width x height (mm)	998x797x1100
Net weight (kg)	52

FEATURES

Manual filter shaker	•
Led Battery Meter	•
Compact design	•
Direct throw sweeping	•
Non marking traction wheels	•
Adjustable handle	•
On-board charger	•

STANDARD EQUIPMENT

BATTERY 12V 49AH AGM MONOBLOC	1464483000
CHARGER BATT. ON BOARD 12V 6A 100-230V	146 3051 000
BROOM MAIN 200X500 CHEVRON 6R PPL 0.3	146 3015 000
BROOM SIDE 109X315 PPL 0.5	146 3035 000
FILTER POLYESTER KIT	1463161000

ITEM NO.	908 4704 010
----------	--------------



The effective, productive and ergonomic way to make a dust free sweeping

- One touch sweeping control
- All functions start automatically when brooms are lowered and the machine is activated. Means less need for operator training.
- No tools needed for main or side broom and filter removal and easy access to all components makes for fast and easy maintenance and service.
- Robust ergonomic and foldable handle.
- Main broom can easily be adjusted just by turning a nob.
- Equipped with an integrated onboard charger as standard.
- Efficient filter shaker system reduces the need for additional cleaning of the filter.

FLOORTEC 760 is a walk-behind sweeper which will let you take on your cleaning tasks with ease and efficiency, cleaning up dry debris, and providing dust free removal of even the smallest particles in less time. Available in a battery version for in- and outdoor sweeping, as well as in a petrol version for outdoor use, FLOORTEC 760 is the attractive choice for gas stations, car dealers, industry, warehouses and farmers. FLOORTEC 760 introduces hands-on benefits which will save valuable time, improve the quality of your cleaning, and increase productivity.



TECHNICAL DATA	FLOORTEC 760 B	FLOORTEC 760 P
Side broom diameter (mm)	315	315
Main broom (mm)	600	600
Working width w/right side broom (mm)	825	825
Working width w/2 side brooms (mm)	1050	1050
Hopper volume (l)	60	60
Filter area (m ²)	1.9	1.9
Working speed (km/h)	4.5	4.5
Max climbing rate (%)	20	20
Productivity 1 side broom theoretical/actual (m ² /h)	3715/2230	3715/2230
Productivity 2 side brooms theoretical/actual (m ² /h)	4725/2835	4725/2835
Productivity main broom theoretical/actual (m ² /h)	2700/1620	2700/1620
Length x width x height (mm)	1390x870x1100	1390x870x1100
Net weight (kg)	82	88
FEATURES		
Manual filter shaker	•	•
Led Battery Meter	•	•
Hopper with wheels and handle	•	•
Paper panel filter	•	•
Non marking traction wheels	•	•
Adjustable handle	•	•
On-board charger	•	
STANDARD EQUIPMENT		
FILTER SHAKER MANUAL KIT	1465480000	1465480000
BROOM MAIN 265X600 CHEVR. 6R PPL 0.5-0.8	1465215000	1465215000
BROOM SIDE 109X315 PPL 0.5	146 3035 000	146 3035 000
FILTER PAPER	1464902000	1464902000
ITEM NO.	9084113010	9084114010



Ride-on sweeper with manual dump for sweeping of large areas or narrow spaces

- Powerful vacuum motor and large filter for continuous dust free sweeping
- Two side brooms for wide sweeping path
- Quick and easy change of filters, main and side brooms without the use of tools
- Adjustable seat to accommodate all drivers ensures maximum driver safety and comfort
- Adjustable steering column to fit the operator
- User friendly control panel is clear and easy to read
- Low sound sweeping gives pleasant work environment
- One way foot pedal
- Forward/ reverse button oncontrol panel improves ergonomics

A compact design combining a wide 1000 mm sweeping path, 360° manoeuvrability and enough power for a ramp climbing capacity of up to 16%. The ideal solution for medium sized areas such as service stations, parking lots, factories and warehouses. Riding the FLOORTEC R 360 you get the job done quickly, effectively and with maximum driver comfort.



TECHNICAL DATA

	FLOORTEC R 360 B OBC	FLOORTEC R 360 P
Main broom (mm)	600x265	600x265
Side broom diameter (mm)	420	420
Working width w/2 side brooms (mm)	1000	1000
Hopper volume (l)	50	50
Filter area (m²)	3	3
Power source	Battery 24V	Petrol
Working speed (km/h)	5.5	5.5
Max climbing rate (%)	16	16
Productivity 2 side brooms theoretical/actual (m²/h)	5500/3850	5500/3850
Productivity main broom theoretical/actual (m²/h)	3300/2310	3300/2310
Min. turn-around aisle width (cm)	983	983
Length x width x height (mm)	1255x795x1155	1255x795x1155
Net weight (kg)	144	202

FEATURES

Adjustable steering and seat	•	•
Electrical filter shaker	•	•
Hour Meter	•	
Key switch	•	•
Parking brake	•	•
Non marking traction wheels	•	•
Two side brooms	•	•

STANDARD EQUIPMENT

CONTAINER BATTERY	146 1684 000	
CHARGER BATT. ON BOARD 24V 13A 230V KIT	1464527000	
BROOM MAIN 265X600 CHEVRON 6R PPL 0.7	146 0748 000	146 0748 000
BROOM SIDE 180X400 PPL 0.7	145 1899 000	145 1899 000
FILTER PAPER	146 1888 000	146 1888 000

ITEM NO.

908 4207 010

908 4208 010



Large ride-on sweeper with manual dump for large areas and narrow spaces

- Easy to inspect/ change filters and brooms without tools
- Forward/ reverse button on the control panel improves ergonomics and safety
- Powerful vacuum motor and large filter for continuous dust free sweeping
- Corrosion proof metal frame and polyethylene bodywork protects your investment
- Thermal fuses on the drive and broom motors for protection and reduced maintenance cost
- Flap lifting device for picking up large debris
- Operator entry from both sides
- Adjustable steering wheel

A compact design combining a wide sweeping path, excellent manoeuvrability and enough power for a ramp climbing capacity of up to 20%. Riding the FLOORTEC R 670 you can cover large areas of floors and get the job done quickly, effectively and with maximum driver comfort.



TECHNICAL DATA	FLOORTEC R 670 B OBC	FLOORTEC R 670 P
Side broom diameter (mm)	420	420
Main broom (mm)	700x300	700x300
Working width w/2 side brooms (mm)	1260	1260
Hopper volume (l)	70	70
Filter area (m ²)	4.3	4.3
Power source	Battery 24V	Petrol
Working speed (km/h)	5	5
Max climbing rate (%)	20	20
Productivity 2 side brooms theoretical/actual (m ² /h)	6300/4410	6300/4410
Productivity main broom theoretical/actual (m ² /h)	3500/2450	3500/2450
Min. turn-around aisle width (cm)	236	236
Length x width x height (mm)	1480x930x1220	1480x930x1220
Net weight (kg)	255	315
FEATURES		
Adjustable steering and seat	•	•
Electrical filter shaker	•	•
Hour Meter	•	•
Back up warning alarm	•	•
Key switch	•	•
Parking brake	•	•
Wet sweep by-pass	•	•
STANDARD EQUIPMENT		
CHARGER BATT. ON BOARD 24V 25A 230V KIT	146 2052 000	
BROOM MAIN 300X700 CHEVR. 6R PPL 0.5-0.7	145 4879 000	145 4879 000
BROOM SIDE 180X400 MIX STEEL	1466140000	1466140000
BROOM LEFT SIDE MIX STEEL KIT	1463970000	1463970000
FILTER PAPER PANEL	1463523000	1463523000
ITEM NO.	9084315010	9084316010



Large ride-on sweeper with hydraulic high-dump for high-capacity sweeping

- One touch sweeping and control saves power and broom wear
- Retractable hopper with high hydraulic dump can be closed from operator compartment
- Low noise level makes it pleasant to be around and work with
- Optional misting system for dust control on side brooms
- All systems controlled by motion pedal makes it easy to operate
- Easy access to all components for fast and easy maintenance and service
- All maintenance can easily be done without the use of any tool
- Inclined operator foot panel for good ergonomics
- Two step operator foot panel for easy jump on and off

FLOORTEC R 870 combining performance, price, ergonomics and low total costs of ownership. It is a versatile, heavy duty, dust free sweeper for both outdoor and indoor applications. It is suitable for sweeping in both light and very dusty environments with debris up to 60 mm.



TECHNICAL DATA	FLOORTEC R 870 B	FLOORTEC R 870 LPG	FLOORTEC R 870 P
Main broom (mm)	700x340	700x340	700x340
Working width w/right side broom (mm)	975	975	975
Working width w/2 side brooms (mm)	1250	1250	1250
Hopper volume (l)	75	75	75
Max dumping height (cm)	150	150	150
Filter area (m ²)	7	7	7
Power source	Battery 24 V	LPG Honda 4,1 kW	Petrol Honda 4,1 kW
Working speed (km/h)	7	7	7
Max climbing rate (%)	20	20	20
Productivity 1 side broom theoretical/actual (m ² /h)	6825/4780	6825/4780	6825/4780
Productivity 2 side brooms theoretical/actual (m ² /h)	8750/6125	8750/6125	8750/6125
Productivity main broom theoretical/actual (m ² /h)	4900/3430	4900/3430	4900/3430
Min. turn-around aisle width (cm)	189	189	189
Length x width x height (mm)	1640x1035x1330	1640x1035x1330	1640x1035x1330
Net weight (kg)	433	515	511
FEATURES			
Electrical filter shaker	•	•	•
Hour Meter	•	•	•
Back up warning alarm	•	•	•
Key switch	•	•	•
Parking brake	•	•	•
Variable high dump system	•	•	•
Wet sweep by-pass	•	•	•
STANDARD EQUIPMENT			
CHARGER BATT. ON BOARD 24V 30A 230V KIT	1465175000		
BROOM MAIN 340X700 CHEVRON 6R PPL 0.8	1463913000	1463913000	1463913000
BROOM SIDE 280X450 MIX STEEL	1465318000	1465318000	1465318000
FILTER PANEL PAPER ULTRA WEB BLUE	1464189000	1464189000	1464189000
ITEM NO.	9084404010	9084406010	9084405010

NEW



FLOORTEC R 985 is made for safer and more sustainable cleaning

- 25–30% increased sweeping performance with a worn main broom versus traditional sweeping system
- 30% increased hopper filling gives higher productivity as less time is spent dumping the debris
- The first real hybrid industrial sweeper on the market: flexible cleaning, low emissions and low noise
- Main broom adjustment easy to check by pushing a button
- All sweeping functions activated by OneTouch™ button and pressing the drive pedal
- All functions automatically stop when not driving to reduce consumptions
- High quality components and assembly
- Automatic speed reduction in tight curves and operating the hopper
- Warning alarm and reduced hopper lifting speed on slopes
- DustGuard™ system to reduce dust created by the side brooms
- Parallelogram concept on side broom for better and consistent sweeping performance
- Climb 20% on ramp/slopes while sweeping

FLOORTEC R 985 turns handling of dust and debris on large indoor floors and outdoor areas into a productive, sustainable and cost-effective process. From start to finish you can solve this task with ease as this ride-on machine is comfortable to drive - with several strong features supporting the user. An ideal sweeper for automotive, agriculture, industrial sites and factories, warehouses, distribution centers, multi-stores car parks, etc.



TECHNICAL DATA	FLOORTEC R 985 B	FLOORTEC R 985 LPG
Main broom (mm)	850x360	850x360
Side broom diameter (mm)	500	500
Working width w/right side broom (mm)	1175	1175
Working width w/2 side brooms (mm)	1500	1500
Hopper volume (l)	150	150
Max dumping height (cm)	1650	1650
Filter area (m²)	7	7
Max climbing rate (%)	20	20
Productivity 1 side broom theoretical/actual (m²/h)	10575/7405	11750/8225
Productivity 2 side brooms theoretical/actual (m²/h)	13500/9450	15000/10500
Productivity main broom theoretical/actual (m²/h)	7650/5355	8500/5950
Length x width x height (mm)	1875x1200x1565	1875x1200x1565
Net weight (kg)	636	764
Filter cleaning system	Timed multi-frequency	Timed multi-frequency
FEATURES		
Back up warning alarm	•	•
Fuel indicator and gauge		•
Variable high dump system	•	•
Non marking traction wheels	•	•
Wet sweep by-pass	•	•
Variable speed control	•	•
Automatic speed reduction	•	•
STANDARD EQUIPMENT		
BROOM MAIN 360X850 8R PPL 0.8	1465717000	1465717000
BROOM SIDE 302X500 PPL 1.5 BLACK	1466670000	1466670000
FILTER PANEL PAPER ULTRA WEB	1467174000	1467174000
ITEM NO.	9084413010	9084414010



Batteries & Chargers for Walk-behind and Ride-on Sweepers

Machine name	Machine Volt	Item no. Battery	Use per machine	Description	Item no. On-board charger	Description	Item no. External complete charger	Description
FLOORTEC 350	12	1464853000	1	BATT.12V-84Ah AGM Monobloc	146 3051 000	CHARGER BATT. ONBOARD 12V-6A 100-240V	Not Available	Not Available
FLOORTEC 350	12	1464483000	1	BATT.12V-49Ah AGM Monobloc	146 3051 000	CHARGER BATT. ONBOARD 12V-6A 100-240V	Not Available	Not Available
FLOORTEC 760	12	80563200	2	BATT. 6V-200Ah WET Tubular Monobloc	1465494000	CHARGER BATT. ONBOARD 12V-25A 100-240V	Not Available	Not Available
FLOORTEC 760	12	80563211	2	BATT. 6V-175Ah WET Tubular Monobloc	1465494000	CHARGER BATT. ONBOARD 12V-25A 100-240V	Not Available	Not Available
FLOORTEC 760	12	80564600	1	BATT.12V-110Ah WET Tubular Monobloc	1465494000	CHARGER BATT. ONBOARD 12V-25A 100-240V	Not Available	Not Available
FLOORTEC 760	12	80564000	2	BATT. 6V-180Ah GEL Monobloc	1465494000	CHARGER BATT. ONBOARD 12V-25A 100-240V	Not Available	Not Available
FLOORTEC 760	12	80564400	1	BATT.12V-105Ah GEL Monobloc	1465494000	CHARGER BATT. ONBOARD 12V-25A 100-240V	Not Available	Not Available
FLOORTEC R 360	24	80565111	2	BATT.12V-150Ah WET Semi T Monobloc	1464527000	CHARGER BATT. ONBOARD KIT 24V-13A 100-240V	80522420	CHARGER HF 24V 20A SB120R
FLOORTEC R 360	24	80564600	2	BATT.12V-110Ah WET Tubular Monobloc	1464527000	CHARGER BATT. ONBOARD KIT 24V-13A 100-240V	80532413	CHARGER HF 24V 13A SB120R
FLOORTEC R 360	24	80564400	2	BATT.12V-105Ah GEL Monobloc	1464527000	CHARGER BATT. ONBOARD KIT 24V-13A 100-240V	80532413	CHARGER HF 24V 13A SB120R
FLOORTEC R 670	24	80563300	1	BATT.24V-300Ah WET in tray with Aquamatic	146 2052 000	CHARGER BATT. ONBOARD KIT 24V-25A EU	80542430	CHARGER HF 24V 30A SB120R
FLOORTEC R 670	24	80563200	4	BATT. 6V-200Ah WET Tubular Monobloc	146 2052 000	CHARGER BATT. ONBOARD KIT 24V-25A EU	80542425	CHARGER HF 24V 25A SB120R
FLOORTEC R 670	24	80564900	4	BATT. 6V-200Ah WET Semi T Monobloc	146 2052 000	CHARGER BATT. ONBOARD KIT 24V-25A EU	80542425	CHARGER HF 24V 25A SB120R
FLOORTEC R 670	24	L00210022	1	BATT.24V-275Ah GEL Single Cells in tray	146 2052 000	CHARGER BATT. ONBOARD KIT 24V-25A EU	80542430	CHARGER HF 24V 30A SB120R
FLOORTEC R 670	24	80564000	4	BATT. 6V-180Ah GEL Monobloc	146 2052 000	CHARGER BATT. ONBOARD KIT 24V-25A EU	80522420	CHARGER HF 24V 20A SB120R
FLOORTEC R 870	24	80565200	1	BATT.24V-360Ah WET in tray with Aquamatic	1465175000	CHARGER BATT. ONBOARD KIT 24V-30A 230V	80542440	CHARGER HF 24V 40A SB175R
FLOORTEC R 870	24	80565000	4	BATT. 6V-255Ah WET Semi T Monobloc	1465175000	CHARGER BATT. ONBOARD KIT 24V-30A 230V	80542431	CHARGER HF 24V 30A SB175R
FLOORTEC R 870	24	80563200	4	BATT. 6V-200Ah WET Tubular Monobloc	1465175000	CHARGER BATT. ONBOARD KIT 24V-30A 230V	80542426	CHARGER HF 24V 25A SB175R
FLOORTEC R 870	24	80565300	1	BATT.24V-330Ah GEL Single Cells in tray	1465175000	CHARGER BATT. ONBOARD KIT 24V-30A 230V	80542440	CHARGER HF 24V 40A SB175R
FLOORTEC R 870	24	80564100	4	BATT. 6V-240Ah GEL Monobloc	1465175000	CHARGER BATT. ONBOARD KIT 24V-30A 230V	80542431	CHARGER HF 24V 30A SB175R
FLOORTEC R 870	24	80564000	4	BATT. 6V-180Ah GEL Monobloc	1465175000	CHARGER BATT. ONBOARD KIT 24V-30A 230V	80542426	CHARGER HF 24V 25A SB175R

Machine name	Machine Volt	Item no. Battery	Use per machine	Description	Item no. External complete charger	Description	Item no. Onboard charger	Item no.	Description
FLOORTEC R 985	24	80562448	1	BATT.24V-480Ah WET in tray with Aquamatic	80552460	CHARGER HF 24V 60A SB175G	Onboard not adequate		
FLOORTEC R 985	24	80565200	1	BATT.24V-360Ah WET in tray with Aquamatic	80542440	CHARGER HF 24V 40A SB175R	OPT	1466893000	CHARGER BATT. ONBOARD KIT 24V-40A 230V
FLOORTEC R 985	24	80565000	4	BATT. 6V-255Ah WET Semi T Monobloc	80542431	CHARGER HF 24V 30A SB175R	OPT	1466893000	CHARGER BATT. ONBOARD KIT 24V-40A 230V
FLOORTEC R 985	24	80562442	1	BATT.24V-420Ah GEL Single Cells in tray	80552460	CHARGER HF 24V 60A SB175G	Onboard not adequate		
FLOORTEC R 985	24	80565300	1	BATT.24V-330Ah GEL Single Cells in tray	80542440	CHARGER HF 24V 40A SB175R	OPT	1466893000	CHARGER BATT. ONBOARD KIT 24V-40A 230V
FLOORTEC R 985	24	80564100	4	BATT. 6V-240Ah GEL Monobloc	80542431	CHARGER HF 24V 30A SB175R	OPT	1466893000	CHARGER BATT. ONBOARD KIT 24V-40A 230V



Main Broom

BROOM MAIN 180X500 CHEVRON 6R NYLON 146 3016 000

BROOM MAIN 200X500 CHEVRON 6R PPL 0.7 1463174000

BROOM MAIN 200X500 CHEVRON 6R PPL 0.3 146 3015 000

BROOM MAIN 245X600 CHEVRON 6R PPL 0.7 146 0751 000

BROOM MAIN 245X600 CHEVRON 6R NATURAL 146 0753 000

BROOM MAIN 265X600 CHEVRON 6R MIX STELL 146 0750 000

BROOM MAIN 265X600 CHEVRON 6R PPL 0.7 146 0748 000

BROOM MAIN 265X600 CHEVR. 6R PPL 0.5-0.8 1465215000

BROOM MAIN 265X600 CHEVRON 7R MIX 5 1465216000

BROOM MAIN 300X700 CHEVRON 6R NATURAL 145 6080 000

BROOM MAIN 300X700 CHEVR. 6R PPL 0.5-0.7 145 4879 000

BROOM MAIN 300X700 CHEVRON 6R MIX STEEL 145 4957 000

BROOM MAIN 340X700 CHEVRON 6R MIX 5 1463854000

BROOM MAIN 340X700 CHEVRON 6R PPL 0.8 1463913000

BROOM MAIN 340X700 CHEVRON 6R MIX STEEL 1464947000

Broom Main PPL 250x480 60642

BROOM MAIN 245X600 CHEVRON 6R NYLON 146 0752 000

BROOM MAIN NYLON KIT 1465201000

BROOM MAIN 360X850 8R MIX STEEL WHITE 1465730000

Item no.



FLOORTEC 480 M BK 900 M FLOORTEC 350 FLOORTEC 760 B FLOORTEC R 360 B OBC FLOORTEC R 360 P FLOORTEC R 670 B OBC FLOORTEC R 670 P FLOORTEC R 870 B FLOORTEC R 870 P FLOORTEC R 985 B FLOORTEC R 985 LPG

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories


Main Broom

BROOM MAIN 360X850 8R PPL 0.8

	FLOORTEC 480 M	BK 900 M	FLOORTEC 350	FLOORTEC 760 B	FLOORTEC R 360 B OBC	FLOORTEC R 360 P	FLOORTEC R 670 B OBC	FLOORTEC R 670 P	FLOORTEC R 870 B	FLOORTEC R 870 LPG	FLOORTEC R 985 B	FLOORTEC R 985 LPG	Item no.
											●	●	1465717000

BROOM MAIN 360X850 8R PPL 1 BLACK

○ ○ 1465731000

Side Broom

BROOM SIDE 109X315 PPL 0.5

● ● ● 146 3035 000

BROOM SIDE 145X300 NYLON

□ ○ ○ 146 3036 000

BROOM SIDE 180X350 NYLON

○ ○ 146 0678 000

BROOM SIDE 180X400 NATURAL

○ ○ 145 4976 000

BROOM SIDE 180X400 NATURAL

○ ○ 1466141000

BROOM SIDE 180X400 PPL 0.7

● ● 145 1899 000

BROOM SIDE 180X400 MIX STEEL

○ ○ 145 4959 000

BROOM SIDE 180X400 MIX STEEL

● ● 1466140000

BROOM SIDE 280X450 MIX STEEL

● ● ● 1465318000

BROOM SIDE 280X450 MIX 5

○ ○ ○ 1465319000

BROOM SIDE 280X450 PPL 1.0

○ ○ ○ 1465320000

BROOM LEFT SIDE MIX STEEL KIT

● ● 1463970000

BROOM LEFT SIDE PPL KIT

□ □ 1465408000

Broom Side PPL D.330

● 60641

SIDE BROOM

● 1463623000

BROOM SIDE 302X500 MIX 5

○ ○ 1467076000





Side Broom
BROOM SIDE 302X500 MIX STEEL

	FLOORTEC 480 M	BK 900 M	FLOORTEC 350	FLOORTEC 760 B	FLOORTEC R 360 B OBC	FLOORTEC R 360 P	FLOORTEC R 670 B OBC	FLOORTEC R 670 P	FLOORTEC R 870 B	FLOORTEC R 870 LPG	FLOORTEC R 985 B	FLOORTEC R 985 LPG	Item no.
													1466936000

BROOM SIDE 302X500 PPL 1.5 BLACK

● ● 1466670000

Other
BROOM LEFT SIDE MIX STEEL KIT

CARPET KIT

1464946000

1463171000

CARPET KIT

1464101000

CARPET KIT

146 2102 000

MINI CONTAINERS KIT

1463981000

BOX BATTERY KIT

146 2791 000

BRACKETS BATTERY FIXING KIT

1465171000

ARMREST LT SEAT KIT

1464960000

ARMREST RT SEAT KIT

33019556

WHEELS REAR FOAM FILLED NON MARKING KIT

1465312000

WHEELS REAR SOLID NON MARKING KIT

1465313000

WHEEL FRONT NON MARKING

146 2745 000

WHEEL REAR NON MARKING

146 2746 000

TYRE DRIVE FRONT NON MARKING

1464955000

VACUUM CLEANER KIT

146 2524 000

MAT FLOOR KIT

1464957000

Accessories for sweepers



	FLOORTEC 480 M	BK 900 M	FLOORTEC 350	FLOORTEC 760 B	FLOORTEC R 360 B OBC	FLOORTEC R 360 P	FLOORTEC R 670 B OBC	FLOORTEC R 670 P	FLOORTEC R 870 B	FLOORTEC R 870 P	FLOORTEC R 985 B	FLOORTEC R 985 LPG	Item no.
Other													
COUNTER HOUR 24V KIT													9096951000
BELTS SAFETY KIT													1464954000
SEAT WITH BELT													146 2900 000
ALARM BACK UP KIT													146 2661 000
SKIRT NEOP.SIDE BROOM KIT													1463255000
FILTER SHAKER ELECTRIC KIT													1465474000
FILTER SHAKER MANUAL KIT				●	●								1465480000
DUST GUARD KIT													1464953000
CONTAINER BATTERY						●							146 1684 000
BATT. FIXING 420/480Ah BATTERY TRAY KIT													1466420000
BATT. FIXING HYBRID LPG KIT													1467092000
BATTERY TRAY 630X420													1467475000
BROOM LEFT SIDE PPL 1.5 KIT													1466888000
HYBRID KIT													1466249000
SEAT SUSPENSION KIT													1466887000
USB PORT KIT													1466247000
WHEELS SOLID 4.00-8 CPL KIT													1466860000
WHEELS SOLID 4.00-8 NON MARKING CPL KIT													1466588000





Filter for Sweeping

FILTER PAPER

FILTER PAPER

FILTER PAPER PANEL

FILTER PANEL PAPER OPEN FINE DUST

FILTER PANEL PAPER ULTRA WEB BLUE

FILTER PANEL POLYESTER OPEN FINE DUST

FILTER PANEL POLYESTER ULTRA WEB

FILTER POLYESTER

FILTER POLYESTER

FILTER POLYESTER KIT

FILTER POLYESTER ANTISTATIC

FILTER POLYESTER ANTIST.

PRE-FILTER

PREFILTER

FILTER PANEL PAPER ULTRA WEB

FILTER PANEL POLYESTER ULTRA WEB

FILTER POCKET KIT

FLOORTEC 480 M

BK 900 M

FLOORTEC 350

FLOORTEC 760 P

FLOORTEC R 360 B OBC

FLOORTEC R 360 P

FLOORTEC R 670 B OBC

FLOORTEC R 670 P

FLOORTEC R 870 B

FLOORTEC R 870 LPG

FLOORTEC R 870 P

FLOORTEC R 985 B

FLOORTEC R 985 LPG

Item no.

146 1888 000

1464902000

1463523000

1465402000

1464189000

1465403000

1464839000

1464691000

146 2759 000

146 1988 000

1463161000

145 6013 000

146 1989 000

146 2731 000

1465018000

1467174000

1467173000

1466885000

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for sweepers



	FLOORTEC 480 M	BK 900 M	FLOORTEC 350	FLOORTEC 760 B	FLOORTEC R 360 B OBC	FLOORTEC R 360 P	FLOORTEC R 670 B OBC	FLOORTEC R 670 P	FLOORTEC R 870 B	FLOORTEC R 870 LPG	FLOORTEC R 985 B	FLOORTEC R 985 LPG	Item no.
Guard Option													1464058000
PROTECTION RIGHT BROOM KIT													
PROTECTION LEFT BROOM KIT													1464105000
GUARD RIGHT SIDE BROOM KIT													1464958000
GUARD LEFT SIDE BROOM KIT													1464959000
OVERHEAD GUARD KIT													1464952000
GUARD OVERHEAD KIT													146 2735 000
SIDE BROOM PROTECTION KIT RIGHT AND LEFT													146 2876 000
CANOPY KIT													1464956000
CANOPY FOR OHG KIT													1466886000
DUSTGUARD KIT													1466890000
GUARD LEFT SIDE BROOM KIT													1466892000
GUARD OVERHEAD KIT													1466096000
GUARD RIGHT SIDE BROOM KIT													1466891000
Flap and Skirt													
SKIRTS NO MARKING KIT													1465541000
SKIRTS NO MARKING KIT													1463167000
SKIRT NON MARKING KIT													1464951000
SKIRTS NON MARKING KIT													146 2744 000
Light Option													
LIGHT WORKING KIT													1463972000



Light Option
LIGHT WORKING KIT

BEACON KIT



BEACON FLASHING KIT

BEACON FLASHING KIT

LIGHTS FRONT KIT 24V 70W



LIGHT FRONT KIT

	FLOORTEC 480 M	BK 900 M	FLOORTEC 350	FLOORTEC 760 B	FLOORTEC R 360 B OBC	FLOORTEC R 360 P	FLOORTEC R 670 B OBC	FLOORTEC R 670 P	FLOORTEC R 870 B	FLOORTEC R 870 LPG	FLOORTEC R 870 P	FLOORTEC R 985 B	FLOORTEC R 985 LPG	Item no.
Light Option														146 2663 000
LIGHT WORKING KIT														
BEACON KIT														1464948000
BEACON FLASHING KIT														146 2659 000
BEACON FLASHING KIT														146 2692 000
LIGHTS FRONT KIT 24V 70W														1466346000
LIGHT FRONT KIT														1466889000

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories





430 mm low speed single disc polisher for medium duty allround tasks

- Extra features: plug holder, big wheels, easy cable replacement, ergonomic handle
- Offset motor to clean under radiator and furniture
- Rugged tube and frame resistant to knocks and bumps without breaking
- Long life with a minimum of service costs
- Cable hook, where the cable can be easily wound up on the machine
- Rubber bumper protects obstacles and machine from damages
- Quiet operation and long life
- Easy to operate
- Also run at 230V/60hz

Ease of use and reliability at competitive price. The SPINTEC443 is made to stand a wide range of applications within professional maintenance. Ideal for cleaning tasks on a variety of floor types; concrete and coated floors, stone and ceramic floor coverings, tiles, PVC and linoleum, parquet, wood and carpet.



TECHNICAL DATA	SPINTEC 443
Rated power (W)	1100
Voltage (V)	230
Frequency (Hz)	50
Sound pressure level at 1.5 m (dB(A) ISO 3744)	59
Brush/pad diameter (mm)	430
Brush/pad speed (RPM)	180
Brush torque (nm)	63
Cable length (m)	15
Weight (kg)	37
Length x width x height (mm)	572x445x1236
FEATURES	
Cable storage	•
Ergonomic handle	•
Accessory holders	•
Easy cable change	•
Belt drive	•
Offset	•
ITEM NO.	56380065



430 mm high speed single disc polisher for light to medium duty tasks

- Extra features: cable hook, plug holder, big wheels, easy cable replacement, ergonomic handle
- Offset motor to clean under radiators and furniture
- Rugged tube and frame resistant to knocks and bumps without breaking
- Long life with a minimum of service costs
- Cable hook, where the cable can be easily wound up on the machine
- Rubber bumper protects obstacles and machine from damages
- Quiet operation and long life
- Easy to operate

Ease of use and reliability at competitive price. The SPINTEC443 H is made to stand a wide range of applications within professional maintenance. Ideal for cleaning tasks on a variety of floor types: coated floors, stone and ceramic floor coverings, tiles, PVC and linoleum, parquet, wood.



TECHNICAL DATA	SPINTEC 443 H
Rated power (W)	1500
Voltage (V)	230
Frequency (Hz)	50
Sound pressure level at 1.5 m (dB(A) ISO 3744)	61
Brush/pad diameter (mm)	430
Brush/pad speed (RPM)	410
Brush torque (nm)	36
Cable length (m)	15
Weight (kg)	40
Length x width x height (mm)	572x445x1236
FEATURES	
Cable storage	•
Ergonomic handle	•
Accessory holders	•
Easy cable change	•
Belt drive	•
Offset	•
ITEM NO.	56380068



430 mm high speed (two speed) single disc polisher for high gloss floors

- Extra features: plug holder, big wheels, easy cable replacement, ergonomic handle
- Offset motor to clean under radiators and furniture
- Rugged tube and frame resistant to knocks and bumps without breaking
- Long life with a minimum of service costs
- Cable hook, where the cable can be easily wound up on the machine
- Rubber bumper protects obstacles and machine from damages
- Quiet operation and long life
- Easy to operate

Ease of use and reliability at competitive price. The SPINTEC443 is made to stand a wide range of applications with in professional maintenance. Ideal for cleaning tasks on a variety of floor types: concrete and coated floors, stone and ceramic floor coverings, tiles, PVC and linoleum, parquet, wood.


TECHNICAL DATA
SPINTEC 443 D

Rated power (W)	1500
Voltage (V)	230
Frequency (Hz)	50
Sound pressure level at 1.5 m (dB(A) ISO 3744)	61
Brush/pad diameter (mm)	430
Brush/pad speed (RPM)	185/370
Brush torque (nm)	58/40
Cable length (m)	15
Weight (kg)	40
Length x width x height (mm)	572x445x1236
FEATURES	
Cable storage	•
Ergonomic handle	•
Accessory holders	•
Easy cable change	•
Belt drive	•
Offset	•
ITEM NO.	56380070



Electric cord burnisher ready to be used and maintenance free

- Extra features: plug holder, big wheels, easy cable replacement, ergonomic handle
- Rugged tube and frame resistant to knocks and bumps without breaking
- Long life with a minimum of service costs
- Cable hook, where the cable can be easily wound up on the machine
- Rubber bumper protects obstacles and machine from damages
- Quiet operation and long life
- Easy to operate

SPINTEC 551 UH is a 1500 RPM belt driven handy and easy to use floor polishing machine. Due to low noise level, it is ideally suited for daytime cleaning in public areas. The foldable handle eases transportation and can be in operation within few seconds.



TECHNICAL DATA

SPINTEC 551 UH

Rated power (W)	1100
Voltage (V)	230
Frequency (Hz)	50
Sound pressure level at 1.5 m (dB(A) ISO 3744)	>70
Brush/pad diameter (mm)	510
Brush/pad speed (RPM)	1500
Brush torque (nm)	12
Cable length (m)	15
Weight (kg)	41
Length x width x height (mm)	824x566x1261
FEATURES	
Adjustable handle	•
Cable storage	•
Ergonomic handle	•
Easy cable change	•
Belt drive	•
ITEM NO.	56380072

		SPINTEC 443	SPINTEC 443 H	SPINTEC 443 D	SPINTEC 551 UH	Item no.
	Pad Holder PAD DRIVER-LOW SPEED-430 MM	<input type="checkbox"/>				11315A
	PAD DRIVER-HIGH SPEED-FLEX		<input type="checkbox"/>			11316A
	PAD DRIVER-HIGH SP-FLEX-FOAM		<input type="checkbox"/>			56381578
	Pad 20" / 508 mm PAD 20 508MM ECO WHITE 5PCS			<input type="checkbox"/>	<input type="checkbox"/>	10001960
	PAD 20 508MM ORANGE WHITE 5 PCS			<input type="checkbox"/>	<input type="checkbox"/>	L00190840
	PAD 20 508MM ORANGE GREEN 5 PCS			<input type="checkbox"/>	<input type="checkbox"/>	L00305600
	Pad 17" / 432 mm PAD 17 432MM ECO TAN 5PCS		<input type="checkbox"/>	<input type="checkbox"/>		10001937
	PAD 17 432MM ECO BLUE 5PCS	<input type="checkbox"/>		<input type="checkbox"/>		10001939
	PAD 17 432MM ECO GREEN 5PCS	<input type="checkbox"/>		<input type="checkbox"/>		10001940
	PAD 17 432MM ECO RED 5PCS	<input type="checkbox"/>		<input type="checkbox"/>		10001941
	PAD 17 432MM ECO WHITE 5PCS		<input type="checkbox"/>	<input type="checkbox"/>		10001936
	PAD 17 432MM ECO CARPET BONNET 6PCS		<input type="checkbox"/>			10001935
	PAD 17 432MM ECO BLACK 5PCS		<input type="checkbox"/>			10001938
	Special Pad PAD 17 432MM ECO BRILLIANCE RED 2PCS	<input type="checkbox"/>		<input type="checkbox"/>		10002336
	PAD 17 432MM ECO BRILLIANCE BLUE 2PCS	<input type="checkbox"/>		<input type="checkbox"/>		10002337
	PAD 17 432MM ECO BRILLIANCE YELLOW 2PCS	<input type="checkbox"/>		<input type="checkbox"/>		10002338
	PAD 17 432MM ECO BRILLIANCE GREEN 2PCS	<input type="checkbox"/>		<input type="checkbox"/>		10002339
	PAD 20 508MM ECO BRILLIANCE GREEN 2PCS			<input type="checkbox"/>	<input type="checkbox"/>	10002351

Standard accessories
 Supplementary accessories
 Supplementary and mountable accessories



	SPINTEC 443	SPINTEC 443 H	SPINTEC 443 D	SPINTEC 551 UH	Item no.
Disc Brush 430 mm POLISHING BRUSH 430MM		<input type="checkbox"/>	<input type="checkbox"/>		11296A
LIGHT-MEDIUM CLEANING BRUSH 430MM	<input type="checkbox"/>		<input type="checkbox"/>		11298A
MEDIUM-HEAVY CLEANING BRUSH 430MM	<input type="checkbox"/>		<input type="checkbox"/>		11299A
HEAVY CLEANING STRIPPING BRUSH 430MM	<input type="checkbox"/>				11310A
SHAMPOO CARPET BRUSH 430MM		<input type="checkbox"/>			56383868
<hr/>					
Bag					
DUST BAG KIT 5L 5-PCS		<input type="checkbox"/>	<input type="checkbox"/>		147 1098 500
<hr/>					
Filter					
HEPA FILTER		<input type="checkbox"/>	<input type="checkbox"/>		147 1104 500
<hr/>					
Tank					
SOLUTION TANK ACC KIT	<input type="checkbox"/>		<input type="checkbox"/>		10104A
<hr/>					
Other					
SINGLE DISC VAC UNIT		<input type="checkbox"/>	<input type="checkbox"/>		107401691
DUST SKIRT ASM		<input type="checkbox"/>	<input type="checkbox"/>		10394A
SPRAY BUFF KIT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		11295A
DUST COLLECTION KIT		<input type="checkbox"/>	<input type="checkbox"/>		56381571
EXTRA WEIGHT KIT FM400 L / SPINTEC443	<input type="checkbox"/>				56382007
FOAM GENERATOR KIT	<input type="checkbox"/>				11294A



Nilfisk professional high pressure washers clearing the way to more efficient and productive cleaning

Why and how to use detergents

Use of detergents makes cleaning quicker and easier. The chemical compounds break down and bind the dirt particles. Imagine cleaning grease and oil from your hands or dishes without the help of soap or washing liquid? Of course not. The same principle applies to detergents for use with cleaning equipment.

Detergents thus offer big benefits:

- Speed the cleaning process.
- Reduce time and thus labour and energy costs.
- Reduce water consumption by reducing cleaning time.
- Save money!
- Protect surfaces: use of detergents in an effort to avoid higher pressures or mechanical cleaning effects, leaving surfaces intact.
- Certified Quality: Confirmed by internationally recognized institutes.

Why use Nilfisk detergents:

- All products have been developed by Nilfisk.
- Nilfisk detergents are ecological, 80% of the tensides are 100% biodegradable within 14 days.
- Some detergents are formulated with anti-corrosion compounds that protect the lifetime of the equipment.
- All detergents are tested on our equipment – ensuring that parts do not corrode or get damaged by contact with the chemicals. Warranty is thus assured.

Nilfisk not only ensures the quality and performance of our detergents but also the compliance with the latest legislations such as REACH and GHS.

The equipment for your detergent application



Perfect solution when high accuracy is required

Detergent can be applied simply using the products inbuilt equipment (injectors etc). On a pressure washer, however, external – or down-stream – injectors may offer several advantages:

- Avoid passing detergent through the pressure washer components.
- Allow the user to turn on-off easily.
- Reduce the time between detergent shut-off and the actual stop.
- Can be placed closer to the work zone, allowing refilling and switch on/off more easily.
- Be more adapted to certain, aggressive chemicals.



The simple foam sprayer system can be easily attached to most machine's spray guns and provides a simple and effective way to obtain thick foam in order to increase the detergent's cleaning effect.



In addition with a foam injector, the foam lance will assure an air intake into the water/chemical stream, giving a thick foam. The foam will adhere to the surface to be cleaned, increasing the contact with the dirt and thus the cleaning effect. Foam also allows excellent visibility of areas already sprayed by detergent – reducing waste and cost.





	Product	Soiling	Fields of application	Technique	Size	Item No.
Prewash	RIM TOP SV1 Basic rim cleaner. Dilution: 5-10%; pH: 2.5 (1% solution)	▼ ●	Cleaning of steel and light alloy wheel rims.	 	10 L	105301660
	ALLOSIL SV1 Coarse dirt remover. Dilution: 1-5%; pH: 10 (1% solution)	● ■	Precleaning or main cleaning of cars, trucks, busses, fork-lift trucks, etc.	 	40 L 25 L	105301630 105301629
Main wash	ACTIVE SHAMPOO SV1 Foam cleaner – neutral. Dilution: 0.1-0.5%; pH: 7 (1% solution)	● ■	Cleaning of cars, particularly in brush washing installations, but also in high-pressure and self-service car washes, etc.	 	25 L	1053016295
	SUPER PLUS SV1 Foam cleaner – alkaline. Dilution: 0.1-0.5%; pH: 10.5 (1% solution)	● ■	Cleaning of cars, trucks, busses and commercial vehicles in self-service car washes or by high pressure washer.	 	4 x 2.5 L 10 L 25 L 220 kg 1000 kg	105301670 105301666 105301667 105301668 105301669
	AUTOACTIVE SV1 Shampoo. Dilution: 0.1-0.5%; pH: 9.5 (1% solution)	● ■	Cleaning of cars, trucks, busses and commercial vehicles in self-service car washes or by high pressure washer.	 	10 L 25 L 220 L	105301634 105301635 105301636
	ACTIVE FOAM SV1 Shampoo and wax effect – neutral. Dilution: 0.1-0.5%; pH: 7 (1% solution)	●	Cleaning of cars in brush washing installations with feeble or too short drying zone.	 	25 L	105301624
Care & conservation	SAPPHIRE SV1 Shampoo and wax effect – alkaline. Dilution: 0.1-0.5%; pH: 10 (1% solution)	● ■	Cleaning of cars, trucks, busses and commercial vehicles in self-service car washes or by high pressure washer.	 	4 x 2.5 L 10 L 25 L	105301661 105301662 105301663
	ACIDO SV1 Special cleaner. Dilution: 1-3%; pH: 2 (1% solution)	▼ ● ★	Special cleaning of trucks, commercial vehicles, tarpaulins, boxes, washing bays, etc.	 	10 L 25 L	105301622 105301623
	QUICK DRY SV1 Drying aid – concentrated. Dilution: 0.05-0.2%; pH: 5 (1% solution)	◆	For care and quick drying of vehicles in self-service and brush washing installations.	 	25 L	105301656
Conservation	ACTIVE WAX Conservation agent with waxes. Dilution: 0.1-0.2%; pH: 5 (1% solution)	◆	For care and quick drying of vehicles in self-service and brush washing installations.	 	10 L 25 L	81177 81222

Explanation of symbols: * Suitable, but not for continuous use.
Please read the product description carefully!

■ Greases, oils, soot,
proteins, blood

● Sand, dirt, light
oil and grease

▼ Lime, rust,
cement

★ Bacteria,
viruses, fungi

◆ Care, conservation,
gloss, machine protection



Product	Soiling	Fields of application	Technique	Size	Item No.
ACIDO SV1 All-round cleaner – acid. Dilution: 1-10%; pH: 2 (1% solution)	▼●★	Rust transformer/rust dissolver, lime/cement haze remover in trade and industry; disinfectant agent in foodstuffs related sectors.		10 L 25 L	105301622 105301623
UNIVERSAL SV1 All-round cleaner – neutral. Dilution: 0.5-10%; pH: 7 (1% solution)	●	Various cleaning tasks on a wide range of particularly delicate surfaces in trade and industry.		4 x 2.5 L 10 L 25 L	105301681 105301678 105301679
J 25 MULTI SV1 All-round cleaner – alkaline. Dilution: 1-10%; pH: 9.5 (1% solution)	●■	Cleaning of industrial and commercial floors, motor vehicles, steel parts, motors/machines, walls, facades, working surfaces, etc.		4 x 2.5 L 10 L 25 L 220 kg	105301651 105301649 105301650 105301648
COMBI ACTIVE SV1 All-round cleaner – strongly alkaline. Dilution: 1-10%; pH: 13 (1% solution)	■	Cleaning of sturdy industrial floors, steel parts, motors/machines, working surfaces, etc.		4 x 2.5 L 10 L 25 L 220 kg	105301640 105301638 105301639 105301637
DES 3000 SV1 Disinfection cleaner. Dilution: 1-5%; pH: 9.5 (1% solution)	■●★	Floor and hard surface cleaning in slaughterhouses, bakeries, butchers' shops, cheese-making plants, canteens, agriculture, pharmaceuticals plants, etc.		25 L	105301641
ALKAFoAM SV1 Foam cleaner. Dilution: 1-5%; pH: 12 (1% solution)	●■	Hard surface cleaning of machines, walls, working surfaces and tiles, etc., particularly in slaughterhouses and butchers' shops.		25 L 220 kg 1000 L	105301626 105301627 105301628
PHOSPHAT Phosphating agent. Dilution: 0.5-1%; pH: 5.5 (1% solution)	●■	Temporary corrosion protection for iron parts in metal processing plants.		25 L	81232
UNIKAL PLUS SV1 Solvent-based cold cleaner. Dilution: apply neat; pH: not applicable	■	Metal processing plants and workshops.		10 L 25 L	105301684 105301685
SUPER BLAST P Sandblasting agent for high-pressure units. Dilution: apply neat via wet spraying attachment; pH: not applicable	▼	Rust and paint removal and smoothing of sturdy industrial and commercial surfaces.		25 kg	8379
ARMEX Abrasive agent for "Soft Blasting", baking soda and slightly alkaline. pH: 8.2 (1% Solution)	■	Cars and buses, trucks and vans, hard floor, metal industry and special purpose.		25 kg	5218617



	Product	Soiling	Fields of application	Technique	Size	Item No.
Hard floors	QUICK FRESH SV1	●	Daily floor cleaning in hotels, restaurants, car showrooms, office buildings, supermarkets, schools, exhibition rooms, DIY markets, etc.		4 x 2.5 L 10 L 25 L	105301659 105301657 105301658
			Maintenance cleaner with refreshing effect. Dilution: 1-5%; pH: 7 (1% solution)			
	WAX CLEAN SV1	●	Daily floor cleaning in hotels, restaurants, car showrooms, office buildings, supermarkets, schools, exhibition rooms, DIY markets, etc.	 	10 L	105301683
			Maintenance cleaner with gloss effect Dilution: 1-3%; pH: 7 (1% solution)			
Textile floors	INTENSIVE SV1	● ■	Various cleaning applications on a wide range of surfaces in trade and industry.	 	4 x 2.5 L 10 L 25 L 220 kg 1000 kg	105301646 105301644 105301643 105301643 105301647
			All-round cleaner. Dilution: 3-10%; pH: 9.3 (1% solution)			
	TORNADO SV1	■	Basic cleaning of sturdy commercial and industrial floors for removing coatings, films or very severe soiling.	 	4 x 2.5 L 10 L 25 L 220 kg	105301677 105301675 105301676 105301674
	SPOT-EX SV1	■	Floor cleaning in warehouses, workshops, DIY markets, supermarkets, industrial buildings with stacker and rubber markings.	 	6 x 1 L 10 L	105301665 105301664
Care	TOP WASH SV1	●	Textile and hard floor cleaning in office buildings, schools, hotels, restaurants, banks, exhibition rooms, etc.	 	4 x 2.5 L 6 x 1 L 10 L	105301673 105301671 105301672
			Spray extraction cleaner. Dilution: 1-5%; pH: 8 (1% solution)			
	PRO GLOSS SV1	◆	Floor sealing with gloss effect in schools, hotels, car showrooms, restaurants, supermarkets, medical practices, etc.	 	10 L	105301654
			Floor gloss emulsion. Dilution: apply neat; pH: 7 (1% solution)			
Ancillary products	PROTECTOR SV1	◆	Floor sealing for lasting protection in schools, hotels, car showrooms, restaurants, supermarkets, medical practices, etc.	 	10 L	105301655
			Floor polymer dispersion. Dilution: apply neat; pH: 7 (1% solution)			
	FOAM STOP SV1	◆	Foam combating for cleaning tasks with extreme foam development in the recovery tank.	 	6 x 1 L	105301642
			Anti-foaming agent. Dilution (waste water tank): 0.05%; pH: 7 (1% solution)			

Explanation of symbols: * Suitable, but not for continuous use.
Please read the product description carefully!

■ Greases, oils, soot, proteins, blood

● Sand, dirt, light oil and grease

▼ Lime, rust, cement

★ Bacteria, viruses, fungi

◆ Care, conservation, gloss, machine protection



	Product	Soiling	Fields of application	Technique	Size	Item No.
	ANTI STONE SV1	◆	Mobile and stationary high pressure washers and comparable systems.		6 x 1 L 10 L 25 L	105301631 105301632 105301633
	Scaling protection agent. Dilution: Pour neat into the scaling protection agent tanks, pH: 7.5 (1% solution)					
	STONE EX	▼	Mobile and stationary high pressure washers and comparable systems.		10 L 25 L	81191 81236
High pressure unit	MACHINE PROTECTOR SV1	◆	Mobile and stationary hot water pressure washers with steel coils.		6 x 1 L	105301652
	Boiler and machine protection agent against corrosion of steel coils by soft, acidic water. Dilution: Pour neat into the scaling protection agent tanks pH: 13 (1% solution)					

* Suitable, but not for continuous use.
Please read the product description carefully!

High-pressure cleaners

Self-service car wash systems

Brush washers

Prespraying units

Spray-extraction units




Nilfisk professional high pressure washers clearing the way to more efficient and productive cleaning

Commercial car wash is a market with a large potential for the future

For more than 30 years, Nilfisk CarWash has been a pioneer and specialist for the commercial car wash. The concentration on self-service and centre car wash stations with facility management is an important basis for the success in this market segment. For any activities the economic success is always the centre of attention. More than 1000 locations in Europe confirm the satisfaction of the customers as well as the reliability of the technology and the operator concept.

The potential and prospects of this market are also very promising for the future: the number of vehicles in Europe will continue to increase, the environmental protection will become even more important and with regard to the stability of value, cleanliness and care clearly rise in value.

Either individual modules or turn key projects, Nilfisk CarWash Division can offer the customer a solution for every location: from the compact car wash to the car wash centre. Fully developed in details.



Professional support - just from the beginning

Modern, attractive, flexible. The car wash facilities are economic and profitable for the investor and perfectly designed for wash customers' use. With more than 1000 locations in Europe our success and expertise is unquestioned.

The quality of the conception and project engineering as well as of the location analysis and the resulting marketable configuration by the experienced Nilfisk team are substantial conditions for a later success.

That also applies for the question about the "right" financing, where you can rely on the long-standing experience and the good relations of our specialists.

The technical part of the business can be optimized individually by different service options.

For further information please see www.nilfisk-carwash.com



The private customer

Pressure Washer

Frequency of use, how much to clean and how tough your dirt is are key aspects to consider prior to buying a pressure washer.



Compact

Once in a while cleaning



Excellent/Dynamic

Regular cleaning



Pro

Semi-professional cleaning



Other Nilfisk products

Buddy & Multi



Perfect for suction of wet and dry application – outdoor and indoor

Smart



Simple and fun window cleaning - no drops or streaks

Central Vacuum



Install in only one weekend

Steamtec



Indepth cleaning without chemicals

**Small and compact pressure washer for occasional cleaning - easy to use**

- The C 100.7 is easy to use, move around and store with its compact and light weight design.
- The automatic start/stop system along with an aluminum pump makes this a reliable product.

This high pressure washer is for everyone who appreciates doing a basic cleaning task well. It is suitable for all types of low frequency cleaning tasks and cleaning of mild dirt around your house and garden, car and bikes, garden furniture and the like.



TECHNICAL DATA	C 100.7-5 - EU
Pump pressure (bar/MPa)	Max 100 / Max 10
Water flow Qmax/Qiec (l/h)	440 / 320
Max inlet temperature (°C)	40
Power consumption (A)	6.0
Rated power (kW)	1.3
Weight (kg)	5.1
Hose length (m)	5
Length x width x height (mm)	200x230x460
Voltage 1-Phase (V)	220 - 240
FEATURES	
Aluminium pump	•
Lance and spray gun storage	•
Click&Clean (C&C) nozzle concept	•
Gun with quick connection and swivel	•
Automatic start/stop	•
STANDARD EQUIPMENT	
HOSE 5M	126481137
G1 GUN NILFISK	128500908
C&C FOAMSPRAYER WITH BOTTLE	128500077
G2 C&C SPRAY LANCE	128500073
C&C POWERSPEED	128500298
TORNADO G2 TURQUOISE	126481122
ITEM NO.	128470902



Compact and handy pressure washer - easy to use

- The C 105.7 is easy to use, move around and store with its compact and light weight design.
- The automatic start/stop system along with an aluminum pump makes this a reliable product.

This high pressure washer is suitable for all types of low frequency cleaning tasks around your house and perfect for cleaning smaller patios or driveways. It is suitable for all types of mild dirt around your house and garden, car and bikes, garden furniture and the like.



TECHNICAL DATA	C 105.7-5 EU
Pump pressure (bar/MPa)	Max 105 / Max 10,5
Water flow Qmax/Qiec (l/h)	440 / 310
Max inlet temperature (°C)	40
Power consumption (A)	6.0
Rated power (kW)	1.4
Weight (kg)	5.1
Hose length (m)	5
Length x width x height (mm)	200x230x460
Voltage 1-Phase (V)	220 - 240
FEATURES	
Aluminium pump	•
Lance and spray gun storage	•
Click&Clean (C&C) nozzle concept	•
Gun with quick connection and swivel	•
Automatic start/stop	•
STANDARD EQUIPMENT	
HOSE 5M	126481137
G1 GUN NILFISK	128500908
C&C FOAMSPRAYER WITH BOTTLE	128500077
G2 C&C SPRAY LANCE	128500073
C&C POWERSPEED	128500298
TORNADO G2 TURQUOISE	126481122
ITEM NO.	128470910




Compact and handy high pressure washers for basic outdoor cleaning tasks

- The C 110.7 is easy to use, move around and store with its compact and light weight design.
- X-TRA models have a trolley build in.
- The automatic start/stop system along with an aluminum pump makes this a reliable product.

You can make good use of the C 110.7 pressure washer. It is handy sized and the build-in trolley on the X-TRA models makes it easy to transport. This machine has a number of functions that cover basic cleaning needs and is used for tasks around the house such as cleaning of cars, bicycles, garden furniture, fences and small patios



TECHNICAL DATA	C 110.7-5 EU	C 110.7-5 PC X-TRA EU	C 110.7-5 X-TRA EU
Pump pressure (bar/MPa)	Max 110/ Max 11	Max 110/ Max 11	Max 110/ Max 11
Water flow Qmax/Qiec (l/h)	440 / 310	440 / 310	440 / 310
Max inlet temperature (°C)	40	40	40
Power consumption (A)	6.0	6.0	6.0
Rated power (kW)	1.4	1.4	1.4
Weight (kg)	6	6	6
Hose length (m)	5	5	5
Voltage (V)	220 - 240	220 - 240	220 - 240
Length x width x height (mm)	260x295x660	260x295x660	260x295x660
FEATURES			
Trolley		•	•
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•
STANDARD EQUIPMENT			
HOSE 5M	126481137	126481137	126481137
G1 GUN NILFISK	128500908	128500908	128500908
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844
G2 C&C SPRAY LANCE	128500073	128500073	128500073
NILFISK COMPACT PATIO ACC		128500700	
C&C POWERSPEED	128500298	128500298	128500298
TORNADO G2 TURQUOISE	126481122	126481122	126481122
ITEM NO.	128470920	128471000	128470921



Handy high pressure washers with trolley for basic outdoor cleaning tasks

- Automatic start/stop system along with aluminum pump makes it a reliable product.
- The compact design even with trolley and low weight makes it convenient to move around.
- With Click&Clean connectivity a broad range of accessories ranging from nozzles, brushes, foam sprayers and patio cleaners can be attached.
- X-TRA models have trolley build in.

The C 120.7 models are suitable for users with light to moderate cleaning tasks. If you are in need of a compact and easy to use high pressure washer with a good cleaning performance then the C 120.7 is worth considering. It is super for tasks around the house and garden such as cleaning of cars, bicycles garden furniture and small to medium sized patios.



TECHNICAL DATA	C 120.7-6 EU	C 120.7-6 PCAD EU	C 120.7-6 PCA EU	C 120.7-6 PC EU
Pump pressure (bar/MPa)	Max 120 / Max 12	Max 120 / Max 12	Max 120 / Max 12	Max 120 / Max 12
Water flow Qmax/Qiec (l/h)	440 / 310	440 / 310	440 / 310	440 / 310
Max inlet temperature (°C)	40	40	40	40
Power consumption (A)	6.2	6.2	6.2	6.2
Rated power (kW)	1.4	1.4	1.4	1.4
Weight (kg)	6.2	6.2	6.2	6.2
Hose length (m)	6	6	6	6
Voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240
Length x width x height (mm)	260x295x710	260x295x710	260x295x710	260x295x710
FEATURES				
Trolley	•	•	•	•
Aluminium pump	•	•	•	•
Lance and spray gun storage	•	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•	•
Gun with quick connection and swivel	•	•	•	•
Automatic start/stop	•	•	•	•
STANDARD EQUIPMENT				
HOSE 6M	126481138	126481138	126481138	126481138
G1 GUN NILFISK	128500908	128500908	128500908	128500908
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844	6520844
G2 C&C SPRAY LANCE	128500073	128500073	128500073	128500073
NILFISK COMPACT PATIO ACC		128500700	128500700	128500700
DRAIN AND TUBE 8M		128500461		
C&C POWERSPEED	128500298	128500298	128500298	128500298
PR TORNADO DARK BLUE	126481120	126481120	126481120	126481120
FIXED BRUSH SHORT NILFISK SP		128500685	128500685	
ITEM NO.	128470930	128471010	128471011	128471007



Handy high pressure washers with trolley for basic outdoor cleaning tasks

- Automatic start/stop system along with aluminum pump makes it a reliable product.
- The compact design even with trolley, hose reel and low weight makes it convenient to move around.
- With Click&Clean connectivity a broad range of accessories ranging from nozzles, brushes, foam sprayers and patio cleaners can be attached.

The C 125.7 models are suitable for users with light to moderate cleaning tasks. If you are in need of a compact and easy to use high pressure washer with a good cleaning performance then the C 125.7 is worth considering. It is super for tasks around the house and garden such as cleaning of cars, bicycles garden furniture and small to medium sized patios.



TECHNICAL DATA	C 125.7-6 CAR X-TRA EU	C 125.7-6 PCAD X-TRA EU	C 125.7-6 PCD X-TRA EU	C 125.7-6 PC X-TRA EU	C 125.7 PAD X-TRA EU	C 125.7 X-TRA EU
Pump pressure (bar/MPa)	Max 125 / Max 12.5	Max 125 / Max 12.5	Max 125 / Max 12.5	Max 125 / Max 12.5	Max 125 / Max 12.5	Max 125 / Max 12.5
Water flow Qmax/Qiec (l/h)	460 / 320	460 / 320	460 / 320	460 / 320	460 / 320	460 / 320
Max inlet temperature (°C)	40	40	40	40	40	40
Power consumption (A)	6.4	6.4	6.4	6.4	6.4	6.4
Rated power (kW)	1.5	1.5	1.5	1.5	1.5	1.5
Weight (kg)	6.6	6.6	6.6	6.6	6.6	6.6
Hose length (m)	6	6	6	6	6	6
Voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
Length x width x height (mm)	270x300x820	270x300x820	270x300x820	270x300x820	270x300x820	270x300x820
FEATURES						
Trolley	•	•	•	•	•	•
Hose reel	•	•	•	•	•	•
Aluminium pump	•	•	•	•	•	•
Lance and spray gun storage	•	•	•	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•	•	•	•
Gun with quick connection and swivel	•	•	•	•	•	•
Automatic start/stop	•	•	•	•	•	•
STANDARD EQUIPMENT						
HOSE 6M	126481138	126481138	126481138	126481138	126481138	126481138
G1 GUN NILFISK	128500908	128500908	128500908	128500908	128500908	128500908
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844	6520844	6520844	6520844
G2 C&C SPRAY LANCE	128500073	128500073	128500073	128500073	128500073	128500073
NILFISK COMPACT PATIO ACC		128500700	128500700	128500700		
NILFISK PATIO ACCESSORY					128500702	
UNDERCHASSIS SPRAY LANCE	6410763					
DRAIN AND TUBE 8M		128500461	128500461		128500461	
C&C CAR NOZZLE	6411136					
C&C POWERSPEED	128500298	128500298	128500298	128500298	128500298	128500298
PR TORNADO DARK BLUE	126481120	126481120	126481120	126481120	126481120	126481120
UNDER CARRIAGE SPRAY NOZZLE	6411135					
FIXED BRUSH SHORT NILFISK SP		128500685			128500685	
ITEM NO.	128470809	128470807	128470806	128470805	128471017	128470951



A compact high pressure washer with 130 bar

- Reliable aluminium pump.
- Trolley for high mobility.
- Storage of gun, nozzle and foam sprayer.
- Integrated storage for hose and electric cable.
- Click&Clean nozzle system ensures quick and easy change of nozzle.
- Automatic start/stop.
- Sturdy and robust design.
- Noise reduction by rubber suspension of motor pump unit.

The C 130.1 is a domestic pressure washer which offers good performance level, a high level of comfort, flexibility and user-friendliness. This is for all types of low to medium frequency cleaning tasks around the house.



TECHNICAL DATA	C130.1-6 P X-TRA EU	C 130.1-8 PAD X-TRA EU
Pump pressure (bar/MPa)	Max 130 / Max 13	Max 130 / Max 13
Water flow Qmax/Qiec (l/h)	440 / 380	440 / 380
Max inlet temperature (°C)	40	40
Power consumption (A)	7,4	7,4
Rated power (kW)	1.7	1.7
Weight (kg)	17	17.3
Hose length (m)	6	8
Voltage (V)	230	230
Length x width x height (mm)	305x295x885	305x295x885
FEATURES		
Trolley	•	•
Hose reel	•	•
Aluminium pump	•	•
Lance and spray gun storage	•	•
Click&Clean (C&C) nozzle concept	•	•
Gun with quick connection and swivel	•	•
Automatic start/stop	•	•
STANDARD EQUIPMENT		
8M STANDARD HOSE		128500080
HOSE 6M	126481138	
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844
G3 GUN WITH INTERMEDIATE TUBE	126481132	126481132
G3 LANCE COMPLETE	126481134	126481134
NILFISK PATIO ACCESSORY	128500702	128500702
DRAIN AND TUBE 8M		128500461
C&C POWERSPEED	128500298	128500298
PR TORNADO TURQUOISE	126481118	126481118
FIXED BRUSH SHORT NILFISK SP		128500685
ITEM NO.	128470253	128470814



Versatile high pressure cleaner for occasional cleaning

- 130 bar Max pressure
- Reliable aluminum pump
- Automatic start/stop
- Click&Clean system ensures a quick change of nozzles
- Spray handle with quick coupling and swivel of hose
- Light-weight makes it easy to handle
- Hook for storage of hose and cable

The C 130.2 high pressure washer is ideal for all types of infrequent outdoor cleaning tasks. The C 130.2 offers a great value of performance and flexibility. It is perfect for anyone who needs a basic ergonomic pressure washer with good performance.



TECHNICAL DATA	C 130.2-8 Car de Luxe EU	C 130.2-8 EU	C 130.2-8 PAD EU	C 130.2-8 PCAD EU	C 130.2-8 PCA EU	C 130.2-8 PCD EU	C 130.2-8 PC EU
Pump pressure (bar/MPa)	Max 130 / Max 13	Max 130 / Max 13	Max 130 / Max 13	Max 130 / Max 13	Max 130 / Max 13	Max 130 / Max 13	Max 130 / Max 13
Water flow Qmax/Qiec (l/h)	520 / 350	520 / 350	520 / 350	520 / 350	520 / 350	520 / 350	520 / 350
Max inlet temperature (°C)	40	40	40	40	40	40	40
Power consumption (A)	7.8	7.8	7.8	7.8	7.8	7.8	7.8
Rated power (kW)	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Weight (kg)	11	11	11	11	11	11	11
Hose length (m)	8	8	8	8	8	8	8
Voltage (V)	230 - 240	230 - 240	230 - 240	230 - 240	230 - 240	230 - 240	230 - 240
Length x width x height (mm)	280x250x850	280x250x850	280x250x850	280x250x850	280x250x850	280x250x850	280x250x850

FEATURES							
Trolley	•	•	•	•	•	•	•
Aluminium pump	•	•	•	•	•	•	•
Lance and spray gun storage	•	•	•	•	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•	•	•	•	•
Gun with quick connection and swivel	•	•	•	•	•	•	•
Automatic start/stop	•	•	•	•	•	•	•

STANDARD EQUIPMENT							
8M STANDARD HOSE	128500080	128500080	128500080	128500080	128500080	128500080	128500080
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077	128500077	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844	6520844	6520844	6520844	6520844
G3 GUN WITH INTERMEDIATE TUBE	126481132	126481132	126481132	126481132	126481132	126481132	126481132
G3 LANCE COMPLETE	126481134	126481134	126481134	126481134	126481134	126481134	126481134
NILFISK COMPACT PATIO ACC				128500700	128500700	128500700	128500700
NILFISK PATIO ACCESSORY				128500702			
UNDERCHASSIS SPRAY LANCE	6410763						
DRAIN AND TUBE 8M			128500461	128500461		128500461	
C&C CAR NOZZLE	6411136						
C&C POWERSPEED	128500298	128500298	128500298	128500298	128500298	128500298	128500298
PR TORNADO YELLOW	126481116	126481116	126481116	126481116	126481116	126481116	126481116
UNDER CARRIAGE SPRAY NOZZLE	6411135						
FIXED BRUSH SHORT NILFISK SP			128500685	128500685	128500685		
MULTI BRUSH KIT	128470459						
C&C SUPER FOAM SPRAYER	128500938						
ITEM NO.	128470811	128470704	128470705	128470709	128471018	128470708	128470810



Versatile high pressure cleaner with PowerGrip control and hose reel making it user-friendly

- 130 bar Max pressure
- PowerGrip control for easy adjustment of pressure to the cleaning task and for reduced energy and water consumption
- Reliable aluminum pump
- Automatic start/stop
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Spray handle with quick coupling and swivel of hose
- Light-weight makes it easy to handle

The C PG 130.2 high pressure washer is ideal for all types of infrequent outdoor cleaning tasks. The C PG 130.2 offers great mobility and flexibility. It is perfect for anyone who needs a basic ergonomic pressure washer with good performance and values the versatility that comes with the PowerGrip Control.



TECHNICAL DATA	C-PG 130.2-8 PCDI X-TRA EU	C-PG 130.2-8 P X-TRA EU	C-PG 130.2-8 X-TRA EU
Pump pressure (bar/MPa)	Max 130 / Max 13	Max 130 / Max 13	Max 130 / Max 13
Water flow Qmax/Qiec (l/h)	520 / 350	520 / 350	520 / 350
Max inlet temperature (°C)	40	40	40
Power consumption (A)	7.8	7.8	7.8
Rated power (kW)	1.8	1.8	1.8
Weight (kg)	11.2	11.2	11.2
Hose length (m)	8	8	8
Voltage (V)	230 - 240	230 - 240	230 - 240
Length x width x height (mm)	280x250x850	280x250x850	280x250x850
FEATURES			
Trolley	•	•	•
Hose reel	•	•	•
Aluminium pump	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•
Telescopic handle	•	•	•
STANDARD EQUIPMENT			
HOSE SOFT DN6 8M WITH THREAD	128500857	128500857	128500857
G4 POWERGRIP SPRAY HANDLE	128500859	128500859	128500859
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844
G3 LANCE COMPLETE	126481134	126481134	126481134
INLET SUCTION HOSE 3M	128500673		
NILFISK COMPACT PATIO ACC	128500700		
NILFISK PATIO ACCESSORY		128500702	
DRAIN AND TUBE 8M	128500461		
C&C POWERSPEED	128500298	128500298	128500298
NOZZLE C&C TORNADO G2 YELLOW	126481114	126481114	126481114
ITEM NO.	128470713	128470714	128470712



Allround high pressure washers with hose reel - high performance and user-friendliness

- Reliable aluminium pump
- Telescopic handle with sturdy and robust aluminium tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electric cable
- Click&Clean nozzle system ensures quick and easy change of nozzle
- The height of the products ensures good ergonomic
- Automatic start/stop
- Sturdy and robust design
- Noise reduction by rubber suspension of motor pump unit
- Can be used as stationary solution with a separate wall hook

The E 130.3 X-TRA is a domestic pressure washer, which offers, along with a good performance level, a high level of comfort, flexibility and user-friendliness. It is standard with a reliable and long lasting induction motor. These pressure washers are super cleaning machines for all types of medium to high frequency outdoor cleaning tasks around the house. Perfect for cleaning 4x4 vehicles, caravans and of course the patio.



TECHNICAL DATA

E130.3-9 X-TRA EU

Pump pressure (bar/MPa)	Max 130 / Max 13
Water flow Qmax/Qiec (l/h)	500 / 450
Max inlet temperature (°C)	60
Power consumption (A)	9.0
Rated power (kW)	2.0
Weight (kg)	18.6
Hose length (m)	9
Voltage (V)	230 - 240
Length x width x height (mm)	345x395x900

FEATURES

Trolley	•
Hose reel	•
Aluminium pump	•
Click&Clean (C&C) nozzle concept	•
Automatic start/stop	•
Telescopic handle	•

STANDARD EQUIPMENT

HOSE TEXTILE SOFT 9M FOR MODEL	128500654
C&C FOAMSPRAYER WITH BOTTLE	128500077
CLEANING TOOL BLACK	6520844
G3 LANCE COMPLETE	126481134
G4 SPRAY HANDLE W.SOFT COATING	128500071
PR TORNADO YELLOW	126481116
C&C POWER SPEED TURQUOISE	128500033

ITEM NO.

128470502



Good all-round robust high pressure cleaner with telescopic handle and hose reel making it user-friendly

- 130 bar Max pressure
- Reliable aluminum pump
- Automatic start/stop
- Telescopic handle with sturdy and robust aluminum tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electric cable
- Click&Clean nozzle system ensures quick and easy change of nozzle
- Sturdy and robust design

The D 130.4 offers great performance, durability and flexibility. It is perfect for anyone who needs a good ergonomic pressure washer with high performance. For all types of medium to high frequency cleaning tasks around the house. Perfect for cleaning 4x4 vehicles, caravans and of course the patio.



TECHNICAL DATA

D 130.4-9 X-TRA EU

Pump pressure (bar/MPa)	Max 130 / Max 13
Water flow Qmax/Qiec (l/h)	550 / 450
Max inlet temperature (°C)	60
Power consumption (A)	9.5
Rated power (kW)	2.1
Weight (kg)	13.8
Hose length (m)	9
Voltage (V)	230 - 240
Length x width x height (mm)	345x395x875

FEATURES

Trolley	•
Hose reel	•
Aluminium pump	•
Click&Clean (C&C) nozzle concept	•
Automatic start/stop	•
Telescopic handle	•

STANDARD EQUIPMENT

HOSE TEXTILE SOFT 9M FOR MODEL	128500654
C&C FOAMSPRAYER WITH BOTTLE	128500077
CLEANING TOOL BLACK	6520844
G3 LANCE COMPLETE	126481134
G4 SPRAY HANDLE W.SOFT COATING	128500071
PR TORNADO YELLOW	126481116
C&C POWER SPEED TURQUOISE	128500033

ITEM NO.

128470525



Good all-round high pressure cleaner with PowerGrip control, telescopic handle and hose reel making it the most user-friendly

- 130 bar Max pressure
- PowerGrip control for easy adjustment of pressure to the cleaning task and for reduced energy and water consumption
- Reliable aluminum pump
- Automatic start/stop
- Telescopic handle with sturdy and robust aluminum tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electrical cable
- Click&Clean nozzle system ensures quick and easy change of nozzle
- Sturdy and robust design

The D PG 130.4 offers great performance, durability and flexibility. It is perfect for anyone who needs a good ergonomic pressure washer with high performance and values the versatility that comes with the PowerGrip Control.

For all types of medium to high frequency cleaning tasks around the house. Perfect for cleaning 4x4 vehicles, caravans and of course the patio.



TECHNICAL DATA

D-PG 130.4-9 X-TRA EU

Pump pressure (bar/MPa)	Max 130 / Max 13
Water flow Qmax/Qiec (l/h)	550 / 450
Max inlet temperature (°C)	60
Power consumption (A)	9.5
Rated power (kW)	2.1
Weight (kg)	13.8
Hose length (m)	9
Voltage (V)	230 - 240
Length x width x height (mm)	345x395x875

FEATURES

Trolley	•
Hose reel	•
Aluminium pump	•
Click&Clean (C&C) nozzle concept	•
Automatic start/stop	•
Telescopic handle	•
Wireless PowerGrip	•

STANDARD EQUIPMENT

HOSE TEXTILE SOFT 9M FOR MODEL	128500654
G4 POWERGRIP SPRAY HANDLE	128500859
C&C FOAMSPRAYER WITH BOTTLE	128500077
CLEANING TOOL BLACK	6520844
G3 LANCE COMPLETE	126481134
NOZZLE C&C TORNADO G2 YELLOW	126481114
C&C POWER SPEED TURQUOISE	128500033
ITEM NO.	128470529



Powerful all-round high pressure washer with hose reel making it user-friendly

- 140 bar pressure
- Reliable aluminium pump
- Telescopic handle with sturdy and robust aluminium tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electric cable
- Pressure regulation
- Click&Clean nozzle system ensures quick and easy change of nozzle
- The height of the products ensures good ergonomic
- Automatic start/stop
- Sturdy and robust design
- Noise reduction by rubber suspension of motor pump unit
- Can be used as stationary solution with a separate wall hook

The E 140.3 X-TRA is a domestic pressure washer, which offers, along with a good performance level, a high level of comfort, flexibility and user-friendliness. These pressure washers are super cleaning machines for all types of medium to high frequency outdoor cleaning tasks around the house. Perfect for cleaning 4x4 vehicles, caravans and of course the patio.



TECHNICAL DATA	E 140.3-9 DP X-TRA EU	E 140.3-9 PAD X-TRA EU	E 140.3-9 PCAR X-TRA EU	E 140.3-9 Power X-TRA EU	E 140.3-9 P X-TRA EU	E140.3 -9 X-TRA EU
Pump pressure (bar/MPa)	Max 140 / Max 14	Max 140 / Max 14	Max 140 / Max 14	Max 140 / Max 14	Max 140 / Max 14	Max 140 / Max 14
Water flow Qmax/Qiec (l/h)	500 / 420	500 / 420	500 / 420	500 / 420	500 / 420	500 / 420
Max inlet temperature (°C)	60	60	60	60	60	60
Power consumption (A)	9.5	9.5	9.5	9.5	9.5	9.5
Rated power (kW)	2.1	2.1	2.1	2.1	2.1	2.1
Weight (kg)	18.6	18.6	18.6	18.6	18.6	18.6
Hose length (m)	9	9	9	9	9	9
Voltage (V)	230 - 240	230 - 240	230 - 240	230 - 240	230 - 240	230 - 240
Length x width x height (mm)	345x395x900	345x395x900	345x395x900	345x395x900	345x395x900	345x395x900

FEATURES

Trolley	•	•	•	•	•	•
Hose reel	•	•	•	•	•	•
Aluminium pump	•	•	•	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•	•	•	•
Automatic start/stop	•	•	•	•	•	•
Telescopic handle	•	•	•	•	•	•

STANDARD EQUIPMENT

HOSE TEXTILE SOFT 9M FOR MODEL	128500654	128500654	128500654	128500654	128500654	128500654
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844	6520844	6520844	6520844
G3 LANCE COMPLETE	126481134	126481134	126481134	126481134	126481134	126481134
G4 SPRAY HANDLE W.SOFT COATING	128500071	128500071	128500071	128500071	128500071	128500071
NILFISK PATIO ACCESSORY	128500702	128500702	128500702		128500702	
DRAIN AND TUBE 8M	128500461	128500461				
C&C CAR NOZZLE			6411136			
PR TORNADO DARK BLUE	126481120	126481120	126481120	126481120	126481120	126481120
UNDER CARRIAGE SPRAY NOZZLE			6411135			
C&C POWER SPEED TURQUOISE	128500033	128500033	128500033	128500033	128500033	128500033
AUTOBRUSH ALONE			6411131			
ROTARY BRUSH		126411395				
POWER PATIO				128500955		
ITEM NO.	128470515	128470514	128470518	128470817	128470486	128470505



10 m. high pressure hose on a powerful, yet user-friendly high pressure washer

- 145 bar pressure
- 10 m. steel armed high pressure hose
- Reliable aluminium pump
- Telescopic handle with sturdy and robust aluminium tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electric cable
- Pressure regulation
- Click&Clean nozzle system ensures quick and easy change of nozzle
- The height of the products ensures good ergonomic
- Automatic start/stop
- Sturdy and robust design
- Noise reduction by rubber suspension of motor pump unit
- Can be used as stationary solution with a separate wall hook

The E 145.3 X-TRA is a domestic pressure washer, which offers, along with a good performance level, a high level of comfort, flexibility and user-friendliness. It is standard with a reliable and long lasting induction motor.

These pressure washers are super cleaning machines for all types of medium to high frequency outdoor cleaning tasks around the house. Perfect for cleaning 4x4 vehicles, caravans and of course the patio



TECHNICAL DATA	E 145.3-10 DPH X-TRA EU	E145.3-10 H X-TRA EU	E 145.3-9 P X-TRA EU	E145.3-9 X-TRA EU
Pump pressure (bar/MPa)	Max 145 / Max 14,5	Max 145 / Max 14,5	Max 145 / Max 14,5	Max 145 / Max 14,5
Water flow Qmax/Qiec (l/h)	500 / 400	500 / 400	500 / 400	500 / 400
Max inlet temperature (°C)	60	60	60	60
Power consumption (A)	10	10	10	10
Rated power (kW)	2.1	2.1	2.1	2.1
Weight (kg)	19.8	19.8	19.8	19.8
Hose length (m)	10	10	9	9
Voltage (V)	230	230	230	230
Length x width x height (mm)	345x395x900	345x395x900	345x395x900	345x395x900
FEATURES				
Trolley	•	•	•	•
Hose reel	•	•	•	•
Aluminium pump	•	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•	•
Automatic start/stop	•	•	•	•
Telescopic handle	•	•	•	•
STANDARD EQUIPMENT				
10M SUPERFLEX HOSE	128500082	128500082		
HOSE TEXTILE SOFT 9M FOR MODEL			128500654	128500654
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844	6520844
G4 C&C SPRAY LANCE LONG VER.	128500074	128500074	128500074	128500074
G5 SPRAY HANDLE	128500072	128500072	128500072	128500072
NILFISK PATIO ACCESSORY	128500702		128500702	
DRAIN AND TUBE 8M	128500461			
PR TORNADO RED2 LINES CLICK	128500657	128500657	128500657	128500657
C&C POWER SPEED TURQUOISE	128500033	128500033	128500033	128500033
ITEM NO.	128470517	128470508	128470819	128470797



Powerful all-round high pressure cleaner, telescopic handle and hose reel making it the most user-friendly

- 140 bar Max pressure
- Reliable aluminum pump
- Automatic start/stop
- Telescopic handle with sturdy and robust aluminum tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electrical cable
- Click&Clean nozzle system ensures quick and easy change of nozzle

The D 140.4 offers great performance, durability and flexibility. It is perfect for anyone who needs a good ergonomic pressure washer with high performance. For all types of medium to high frequency cleaning tasks around the house. Perfect for cleaning 4x4 vehicles, caravans and of course the patio.



TECHNICAL DATA	D 140.4-9 HOME X-TRA EU	D 140.4-9 PAD X-TRA EU	D 140.4-9 X-TRA EU
Pump pressure (bar/MPa)	Max 140 / Max 14	Max 140 / Max 14	Max 140 / Max 14
Water flow Qmax/Qiec (l/h)	550 / 420	550 / 420	550 / 420
Max inlet temperature (°C)	60	60	60
Power consumption (A)	10	10	10
Rated power (kW)	2.4	2.4	2.4
Weight (kg)	13.8	13.8	13.8
Hose length (m)	9	9	9
Voltage (V)	230 - 240	230 - 240	230 - 240
Length x width x height (mm)	345x395x875	345x395x875	345x395x875
FEATURES			
Trolley	•	•	•
Hose reel	•	•	•
Aluminium pump	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Automatic start/stop	•	•	•
Telescopic handle	•	•	•
STANDARD EQUIPMENT			
HOSE TEXTILE SOFT 9M FOR MODEL	128500654	128500654	128500654
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844	6520844
G3 LANCE COMPLETE	126481134	126481134	126481134
G4 SPRAY HANDLE W.SOFT COATING	128500071	128500071	128500071
NILFISK PATIO ACCESSORY	128500702	128500702	
DRAIN AND TUBE 8M		128500461	
PR TORNADO DARK BLUE	126481120	126481120	126481120
C&C POWER SPEED TURQUOISE	128500033	128500033	128500033
ROTARY BRUSH		126411395	
ITEM NO.	128470552	128470535	128470531



Powerful all-round high pressure cleaner, telescopic handle and hose reel making it the most user-friendly

- 140 bar Max pressure
- Reliable aluminum pump
- Automatic start/stop
- Telescopic handle with sturdy and robust aluminum tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electrical cable
- Click&Clean nozzle system ensures quick and easy change of nozzle
- PowerGrip control for easy adjustment of pressure to the cleaning task and for reduced energy and water consumption.

The D-PG 140.4 offers great performance, durability and flexibility. It is perfect for anyone who needs a good ergonomic pressure washer with high performance. For all types of medium to high frequency cleaning tasks around the house. Perfect for cleaning 4x4 vehicles, caravans and of course the patio.



TECHNICAL DATA

	D-PG 140.4-9 P X-TRA EU	D-PG 140.4-9 X-TRA EU
Pump pressure (bar/MPa)	Max 140 / Max 14	Max 140 / Max 14
Water flow Qmax/Qiec (l/h)	550 / 420	550 / 420
Max inlet temperature (°C)	60	60
Power consumption (A)	10	10
Rated power (kW)	2.4	2.4
Weight (kg)	13.8	13.8
Hose length (m)	9	9
Voltage (V)	230 - 240	230 - 240
Length x width x height (mm)	345x395x875	345x395x875

FEATURES

Trolley	•	•
Hose reel	•	•
Aluminium pump	•	•
Click&Clean (C&C) nozzle concept	•	•
Automatic start/stop	•	•
Telescopic handle	•	•
Wireless PowerGrip	•	•

STANDARD EQUIPMENT

HOSE TEXTILE SOFT 9M FOR MODEL	128500654	128500654
G4 POWERGRIP SPRAY HANDLE	128500859	128500859
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844
G3 LANCE COMPLETE	126481134	126481134
NILFISK PATIO ACCESSORY	128500702	
C&C POWER SPEED TURQUOISE	128500033	128500033
TORNADO CC 4 DOTS DARK BLUE	128500854	128500854
ITEM NO.	128470538	128470537



Powerful consumer high pressure washer offering performance like a semi-professional machine

- 150 bar Max pressure
- Reliable aluminum pump
- Automatic start/ stop system
- Telescopic handle with sturdy and robust aluminum tubes
- Trolley ensures high mobility
- Storage of gun, nozzle and foam sprayer
- Integrated storage for hose and electrical cable
- Click & Clean nozzle system ensures quick and easy change of nozzle
- Good height ensures improved ergonomics
- Sturdy and robust design
- Noise reduction by rubber suspension of motor-pump unit
- As standard it comes with a sturdy, yet flexible steel-armed hose

The E 150.1 is a high performing pressure washer that easily handles any dirt in an effective way. With a high pressure and water flow the cleaning efficiency is high and reliable. Perfect for cleaning (horse) trailers, boats, swimming pools, sand blasting and it can of course also be used for patio and garden furniture cleaning.



TECHNICAL DATA	E 150.1-10 H X-TRA EU	E 150.1-10 PH X-TRA EU
Pump pressure (bar/MPa)	Max 150 / Max 15	Max 150 / Max 15
Water flow Qmax/Qiec (l/h)	500 / 430	500 / 430
Max inlet temperature (°C)	60	60
Power consumption (A)	10.5	10.5
Rated power (kW)	2.3	2.3
Weight (kg)	20.6	20.6
Hose length (m)	10	10
Voltage (V)	230 - 240	230 - 240
Length x width x height (mm)	345x395x900	345x395x900
FEATURES		
Trolley	•	•
Hose reel	•	•
Aluminium pump	•	•
Click&Clean (C&C) nozzle concept	•	•
Automatic start/stop	•	•
Telescopic handle	•	•
STANDARD EQUIPMENT		
10M SUPERFLEX HOSE	128500082	128500082
C&C FOAMSPRAYER WITH BOTTLE	128500077	128500077
CLEANING TOOL BLACK	6520844	6520844
G4 C&C SPRAY LANCE LONG VER.	128500074	128500074
G5 SPRAY HANDLE	128500072	128500072
NILFISK PATIO ACCESSORY		128500072
PR TORNADO RED2 LINES CLICK	128500657	128500657
C&C POWER SPEED TURQUOISE	128500033	128500033
ITEM NO.	128470540	128470541



Sturdy, robust, semi-professional pressure washer for powerful outdoor cleaning

- Brass cylinder head
- Telescopic handle for easy storage
- Excellent mobility on all types of surfaces by the build-in trolley and large wheels
- Pressure regulation
- Soft grip on handle and gun
- Accessory storage on the machine
- Hooks for storage of electric cable
- Internal detergent system with regulation of detergent dosage and extralong hose for detergent suction
- Long lance ensures good working position X-TRA models include trolley and hose reel 10 m high pressure hose

The sturdy and robust semi professional pressure washer that easily handles any application in a reliable, effective and powerful way. Perfect for cleaning horse trailers, boats, swimming pools and can ofcourse also be used for patio and garden furniture cleaning.



TECHNICAL DATA	P 150.2-10 EU	P 150.2-10 X-TRA EU	P150.2-9 POWER X-TRA EU
Pump pressure (bar/MPa)	Max 150 / Max 15	Max 150 / Max 15	Max 150 / Max 15
Water quantity min/max, l/h	610 / 540	610 / 540	610 / 540
Max inlet temperature (°C)	60	60	60
Power consumption (A)	12.6	12.6	12.6
Rated power (kW)	2.9	2.9	2.9
Dimensions LxWxH (mm)	395x380x975	390x391x955	390x380x975
Weight (kg)	26	26.8	26.8
Hose length (m)	10	10	9
Voltage (V)	230	230	230
Length x width x height (mm)	495x380x975	390x391x955	390x391x955
FEATURES			
Trolley	•	•	•
Detergent tank	•	•	•
Hose reel		•	•
Brass cylinder head	•	•	•
Cable storage	•	•	•
Automatic start/stop	•	•	•
STANDARD EQUIPMENT			
10M SUPERFLEX HOSE		128500082	128500082
10M SUPERFLEX HOSE	128500083		
G5 SPRAY LANCE	128500075	128500075	128500075
CLEANING TOOL BLACK	6520844	6520844	6520844
G5 SPRAY HANDLE	128500072	128500072	128500072
POWER SPEED	128500079	128500079	128500079
TORNADO PR	128500078	128500078	128500078
POWER PATIO			128500955
ITEM NO.	128470129	128470132	128470798



The top semi-professional high pressure washers for best everyday cleaning

- Brass cylinder head
- Telescopic handle for easy storage
- Excellent mobility on all types of surfaces by the build-in trolley and large wheels
- Pressure regulation
- Accessory storage on the machine
- Hooks for storage of electric cable Internal detergent system with regulation of detergent dosage and extra-long hose for detergent suction
- Long lance ensures good working position 15 m steel armed high pressure hose enhances flexibility

This is the top model in the consumer high pressure washer range and it is sturdy, robust and semi-professional. It easily handles any application in a reliable, effective and powerful way. Perfect tool for cleaning boats, horse trailers, swimming pools and ofcourse large surfaces, as driveways.



TECHNICAL DATA	P 160.2-12 X-TRA EU	P 160.2-15 POWER PLUS X-TRA EU	P 160.2-15 POWER X-TRA EU	P 160.2-15 X-TRA EU
Pump pressure (bar/MPa)	Max 160 / Max 16	Max 160 / Max 16	Max 160 / Max 16	Max 160 / Max 16
Water quantity min/max, l/h	650 / 540	650 / 570	650 / 540	650 / 570
Max inlet temperature (°C)	60	60	60	60
Power consumption (A)	12.6	14.3	12.6	14.5
Rated power (kW)	2.9	3.3	2.9	3.3
Weight (kg)	27.8	27.8	27.8	27.8
Hose length (m)	12	15	12	15
Voltage (V)	230	230	230	230
Length x width x height (mm)	390x380x975	390x380x975	390x380x975	390x380x975
FEATURES				
Trolley	•	•	•	•
Detergent tank	•	•	•	•
Hose reel	•	•	•	•
Brass cylinder head	•	•	•	•
Ceramic coated pistons		•		
Cable storage	•	•	•	•
Automatic start/stop	•	•	•	•
STANDARD EQUIPMENT				
G5 SPRAY LANCE	128500075	128500075	128500075	128500075
CLEANING TOOL BLACK	6520844	6520844	6520844	6520844
DRAIN AND TUBE CLEANER ALTO		6410766		
G5 SPRAY HANDLE	128500072	128500072	128500072	128500072
15M SUPERFLEX HOSE		128500084	128500084	128500084
POWER SPEED	128500079	128500079	128500079	128500079
TORNADO PR	128500078	128500078	128500078	128500078
POWER PATIO		128500955	128500955	
ITEM NO.	128470799	128470802	128470801	128470133



- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for Pressure washers

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for Pressure washers



Accessory

G3 GUN WITH INTERMEDIATE TUBE



C 100.7.5 - EU	C 105.7.5 EU	C 110.7.5 EU	C 110.7.5 PC X-TRA EU	C 110.7.5 X-TRA EU	C 120.7.6 EU	C 120.7.6 PCD EU	C 125.7.6 CAR X-TRA EU	C 125.7.6 PCD X-TRA EU	C 125.7.6 PC X-TRA EU	C 125.7.6 PAD X-TRA EU	C 125.7.6 X-TRA EU	C 130.1.6 P X-TRA EU	C 130.2.8 PAD EU	C 130.2.8 PC AD EU	C 130.2.8 PCA EU	C 130.2.8 PCD EU	C 130.2.8 PC EU
----------------	--------------	--------------	-----------------------	--------------------	--------------	------------------	------------------------	------------------------	-----------------------	------------------------	--------------------	----------------------	------------------	--------------------	------------------	------------------	-----------------

G3 LANCE COMPLETE



G4 C&C SPRAY LANCE LONG VER.



G4 SPRAY HANDLE W.SOFT COATING



G5 SPRAY HANDLE



INLET SUCTION HOSE 3M



MULTI ANGLE ADAPTER



NILFISK COMPACT PATIO ACC



NILFISK PATIO ACCESSORY



POWER PATIO



ROOF CLEANER



UNDERCHASSIS SPRAY LANCE



VSB SET - GREEN



VSB SET - RED



WALL HOOK



WATER SUCTION KIT



DRAIN AND TUBE 8M



NILFISK WATER FILTER



Hose, High Pressure



15M SUPERFLEX HOSE



● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for Pressure washers



	C-PG 130.2-8 PCDI X-TRA EU	C-PG 130.2-8 PX-TRA EU	E130.3-9 X-TRA EU	D 130.4-9 X-TRA EU	D-PG 130.4-9 X-TRA EU	E 140.3-9 DP X-TRA EU	E 140.3-9 PAD X-TRA EU	E 140.3-9 PCAR X-TRA EU	E 140.3-9 Power X-TRA EU	E 140.3-9 P X-TRA EU	E 140.3-9 X-TRA EU	E 140.3-10 H X-TRA EU	E 145.3-10 DPH X-TRA EU	E 145.3-10 H X-TRA EU	E 145.3-9 P X-TRA EU	E 145.3-9 X-TRA EU	D 140.4-9 HOME X-TRA EU	D 140.4-9 PAD X-TRA EU	D 140.4-9 X-TRA EU	D-PG 140.4-9 P X-TRA EU	D-PG 140.4-9 X-TRA EU	E 150.1-10 H X-TRA EU	E 150.1-10 PH X-TRA EU	P 150.2-10 EU	P 150.2-10 X-TRA EU	P150.2-9 POWER X-TRA EU	P160.2-12 X-TRA EU	P160.2-15 POWER PLUS X-TRA EU	P160.2-15 POWER X-TRA EU	P160.2-15 X-TRA EU	Item no.
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	126481132					
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	126481134					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500074					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500071					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500072					
	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500673					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6411138					
	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500700					
	○	●	○	○	○	●	●	●	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	128500702					
	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500955					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128470040					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6410763					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6410891					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	6410758					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	106411386					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	126411387					
	●	○	○	○	○	○	●	●	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500461					
	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	128500674					
	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	128500084					

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for Pressure washers



Nozzle - High Pressure Washer

C&C CAR NOZZLE

	C 100.7-5 - EU	C 105.7-5 EU	C 110.7-5 EU	C 110.7-5 PC X-TRA EU	C 110.7-5 X-TRA EU	C 120.7-6 EU	C 120.7-6 PCD EU	C 120.7-6 PCA EU	C 120.7-6 PC EU	C 125.7-6 CAR X-TRA EU	C 125.7-6 PCD X-TRA EU	C 125.7-6 PC X-TRA EU	C 125.7 PAD X-TRA EU	C 125.7 X-TRA EU	C 130.1-6 P X-TRA EU	C 130.2-8 PAD EU	C 130.2-8 PCD EU	C 130.2-8 PCA EU	C 130.2-8 PC EU
	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	



C&C POWERSPEED

●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



NOZZLE C&C TORNADO G2 YELLOW

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



POWER SPEED

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



PR TORNADO YELLOW

															●	●	●	●
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	---



PR TORNADO DARK BLUE

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



PR TORNADO RED2 LINES CLICK

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



PR TORNADO TURQUOISE

														●	●			
--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	---	--	--	--



TORNADO G2 TURQUOISE

●	●	●	●	●														
---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--



TORNADO PR

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



UNDER CARRIAGE SPRAY NOZZLE

○	○	○	○	○	○	○	○	●	○	○	○	○	○	●	○	○	○	○
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



C&C POWER SPEED TURQUOISE

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



TORNADO CC 4 DOTS DARK BLUE

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Brush



AUTOBRUSH ALONE

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



Car brush head

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



Garden brush head

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



MULTI BRUSH

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



RIM BRUSH HEAD

○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories

Accessories for Pressure washers

Item no.
6411136
128500298
126481114
128500079
126481116
126481120
128500657
126481118
126481122
128500078
6411135
128500033
128500854
6411131
128500463
128470457
128470458

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories


Brush

ROTARY BRUSH

	C 100.7.5 - EU	C 105.7.5 EU	C 110.7.5 EU	C 110.7.5 PC X-TRA EU	C 110.7.5 X-X-TRA EU	C 120.7.6 EU	C 120.7-6 PCAD EU	C 120.7-6 PCA EU	C 120.7-6 PCE EU	C 125.7.6 CAR X-TRA EU	C 125.7.6 PCAD X-TRA EU	C 125.7-6 PCD X-TRA EU	C 125.7-6 PC X-TRA EU	C 125.7 PAD X-TRA EU	C 125.7 X-X-TRA EU	C 130.1-6 P X-TRA EU	C 130.1-8 PAD X-TRA EU	C 130.2-8 Car de Luxe EU	C 130.2-8 EU	C 130.2-8 PAD EU	C 130.2-8 PCAD EU	C 130.2-8 PCA EU	C 130.2-8 PCD EU	C 130.2-8 PC EU
ROTARY BRUSH	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
WASHING BRUSH																								
FIXED BRUSH SHORT NILFISK SP	○	○	○	○	○	○	●	●	○	○	●	○	○	●	○	○	●	○	○	●	●	○	○	○

Accessory Kit

AUTO KIT



MULTI BRUSH KIT



O-RING KIT CONSUMER HPW



	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
AUTO KIT	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
MULTI BRUSH KIT	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●	○	○	○	○	○	○	○
O-RING KIT CONSUMER HPW	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories

Accessories for Pressure washers



Item no.
6410762
126411395
6410765
128500685
6411134
128470459
128500292

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories



- a good choice for Vacuum cleaner no 2

- 1200 watt motor will pick up any debris you want to get rid of.
- The Blow function provides you with another option for cleaning.
- Two big wheels at the back and two rotation wheels in front make the machine very stable and easy to move around.
- The standard wet filter protects the turbine and ensures a long lifetime.
- The built-in accessory holder provides storage for your accessories so that they are always at hand.
- Ergonomic grip ensures that the machine is in balance when you carry it around. The grip is shaped so that you can place the tube on top when having a break.

The Nilfisk Buddy II 12 is a small, lightweight, yet powerful helper for picking up Wet & Dry debris... for your home, car, workshop, hobbies and even for outside cleaning.



TECHNICAL DATA

NILFISK BUDDY II 12 EU

Weight (kg)	4,4
Vacuum tube diameter (mm)	36
Hose length (m)	1,9
Dimensions LxWxH (mm)	360x330x440
Vacuum (mbar/kPa)	200/20
Power pmax (W)	1200
Power piec (W)	1000
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz
Container volume (l-max)	12
Max. suction power (W)	250
Plug for electric tools (W)	No
Sound level lpa/lwa (dB(A))	87/74

FEATURES

Compact design	•
Wet & dry performance	•
MultiFit accessory system	•
Suction control on hand tube	•
Storage of accessories	•
Blow function	•

STANDARD EQUIPMENT

CREVICE NOZZLE D36X200	29541
FILTER KIT FOR BUDDY II	81943047
TUBE WITH PARKING CLIPS	31000862
WET & DRY NOZZLE KIT	81943049

ITEM NO.

18451119



18 liter wet and dry vacuum cleaner for private households

- The light weight makes it handy to work with.
- 18 liter version with robust Polypropylene container.
- 1200 watt motor will pick up any debris you want to get rid of.
- The Blow function provides you with another option for cleaning.
- Two big wheels at the back and two rotation wheels in front make the machine very stable and easy to move around.
- The standard wet filter protects your turbine for a long lifetime.
- The built in accessory holder provides storage for your accessories so they are always at hand.
- Ergonomic grip so you will have a balanced machine when you carry it around. The grip is shaped so you can place the tube on top when having a break.

The Nilfisk Buddy II Inox is a small, lightweight, yet powerful wet and dry vacuum cleaner... for your home, car, workshop and hobbies. This second generation of Nilfisk Buddy comes with a 18 liters stainless steel container making the machine very robust.



TECHNICAL DATA

NILFISK BUDDY II 18 EU

Weight (kg)	4,9
Vacuum tube diameter (mm)	36
Hose length (m)	1,9
Dimensions LxWxH (mm)	360x330x530
Vacuum (mbar/kPa)	200/20
Power pmax (W)	1200
Power piec (W)	1000
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz
Container volume (l-max)	18
Max. suction power (W)	250
Plug for electric tools (W)	No
Sound level lpa/lwa (dB(A))	87/74

FEATURES

Compact design	•
Wet & dry performance	•
MultiFit accessory system	•
Suction control on hand tube	•
Storage of accessories	•
Blow function	•

STANDARD EQUIPMENT

CREVICE NOZZLE D36X200	29541
FILTER KIT FOR BUDDY II	81943047
TUBE WITH PARKING CLIPS	31000862
WET & DRY NOZZLE KIT	81943049

ITEM NO.

18451124



Perfect helper for picking up wet & dry debris

- The Nilfisk Buddy II 18 Inox is a robust machine build for rough cleaning.
- 1200 watt motor will pick up any debris you want to get rid of.
- The Blow function provides you with another option for cleaning.
- Two big wheels at the back and two rotation wheels in front make the machine very stable and easy to move around.
- The standard wet filter protects your turbine for a long lifetime.
- The built in accessory holder provides storage for your accessories so they are always at hand.
- Ergonomic grip so you will have a balanced machine when you carry it around. The grip is shaped so you can place the tube on top when having a break.

The Nilfisk Buddy II Inox is a small, lightweight, yet powerful wet and dry vacuum cleaner... for your home, car, workshop and hobbies. This second generation of Nilfisk Buddy comes with a 18 liters stainless steel container making the machine very robust



TECHNICAL DATA

NILFISK BUDDY II 18 INOX EU

Weight (kg)	5,6
Vacuum tube diameter (mm)	36
Hose length (m)	1,9
Dimensions LxWxH (mm)	400x350x550
Vacuum (mbar/kPa)	200/20
Power pmax (W)	1200
Power piec (W)	1000
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz
Container volume (l-max)	18
Max. suction power (W)	250
Plug for electric tools (W)	No
Sound level lpa/lwa (dB(A))	87/74

FEATURES

Compact design	•
Wet & dry performance	•
MultiFit accessory system	•
Suction control on hand tube	•
Storage of accessories	•
Blow function	•
Steel container	•

STANDARD EQUIPMENT

CREVICE NOZZLE D36X200	29541
FILTER KIT FOR BUDDY II	81943047
TUBE WITH PARKING CLIPS	31000862
WET & DRY NOZZLE KIT	81943049
FLOOR NOZZLE D36 W/D 1 PCS	107417197
ITEM NO.	18451129



Lightweight and compact wet and dry vacuum cleaner with electrical outlet for power tool

- The Nilfisk Buddy II 18 T makes it handy working with power tools and removing dust and dirt in the same process.
- Attach your power cord to the machine and connect the suction hose to your power tool with the included power tool adapter.
- 1200 watt motor will pick up any debris you want to get rid of.
- The Blow function provides you with another option for cleaning - perfect for e.g. an inflatable boat
- Two big wheels at the back and two rotation wheels in front make the machine very stable and easy to move around.
- The standard wet filter protects your turbine for a long lifetime.
- The built in accessory holder provides storage for your accessories so they are always at hand.
- Ergonomic grip so you will have a balanced machine when you carry it around. The grip is shaped so you can place the tube on top when having a break.

The Nilfisk Buddy II is a powerful helper for picking up Wet & Dry debris... for your home, car, workshop and hobbies. This second generation of household wet and dry vacuum cleaners come with an 18 liters container and is equipped with an electrical power outlet to connect your power tool.



TECHNICAL DATA	NILFISK BUDDY II 18 T EU
Weight (kg)	5,5
Vacuum tube diameter (mm)	36
Hose length (m)	4
Dimensions LxWxH (mm)	360x330x530
Vacuum (mbar/kPa)	200/20
Power pmax (W)	1200
Power piec (W)	1000
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz
Container volume (l-max)	18
Max. suction power (W)	250
Plug for electric tools (W)	Yes - 1100
Sound level lpa/lwa (dB(A))	87/74
FEATURES	
Compact design	•
Wet & dry performance	•
MultiFit accessory system	•
Suction control on hand tube	•
Storage of accessories	•
Blow function	•
STANDARD EQUIPMENT	
CREVICE NOZZLE D36X200	29541
FILTER KIT FOR BUDDY II	81943047
TUBE WITH PARKING CLIPS	31000862
WET & DRY NOZZLE KIT	81943049
TOOL ADAPTER	302002356
ITEM NO.	18451134



- a compact wet & dry Vacuum with outlet for powertools

- The Nilfisk Buddy II 18 T makes it handy working with power tools and removing dust and dirt in the same process.
- Attach your power cord to the machine and connect the suction hose to your power tool with the included power tool adapter.
- 1400 watt motor will pick up any debris you want to get rid of.
- The Blow function provides you with another option for cleaning - perfect for e.g. an inflatable boat
- Two big wheels at the back and two rotation wheels in front make the machine very stable and easy to move around.
- The standard wet filter protects your turbine for a long lifetime.
- The built in accessory holder provides storage for your accessories so they are always at hand.
- Ergonomic grip so you will have a balanced machine when you carry it around. The grip is shaped so you can place the tube on top when having a break.

The Nilfisk Buddy II 18 is a small, lightweight, yet powerful helper for picking up Wet & Dry debris... for your home, car, workshop, hobbies and even for outside cleaning. With electrical outlet it build in it is very convenient cleaning up after 'do it yourself' task.



TECHNICAL DATA

NILFISK BUDDY II 18L T INOX EU

Weight (kg)	5,6
Vacuum tube diameter (mm)	36
Hose length (m)	4
Dimensions LxWxH (mm)	400x350x550
Vacuum (mbar/kPa)	200/20
Power pmax (W)	1200
Power piec (W)	1000
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz
Container volume (l-max)	18
Max. suction power (W)	250
Plug for electric tools (W)	Yes, 1100
Sound level lpa/lwa (dB(A))	87/74

FEATURES

Compact design	•
Wet & dry performance	•
MultiFit accessory system	•
Suction control on hand tube	•
Storage of accessories	•
Blow function	•
Steel container	•

STANDARD EQUIPMENT

CREVICE NOZZLE D36X200	29541
FILTER KIT FOR BUDDY II	81943047
TUBE WITH PARKING CLIPS	31000862
WET & DRY NOZZLE KIT	81943049
TOOL ADAPTER	302002356

ITEM NO.

18451500



- a versatile wet & dry vacuum cleaner in a compact design

- Filter clean indicator
- Sturdy build with a robust 1200 W engine for long life
- High suction power
- Blow function
- 22 l container with good net filling capacity
- Polypropylene container for easy cleaning

The Multi II is a good companion to the "Do it yourself" person in any house.
It is also a good second vacuum cleaner dedicated to dirt and debris inside as well as outside the house.



TECHNICAL DATA	NILFISK MULTI II 22 EU	NILFISK MULTI II 22 INOX EU
Vacuum (kPa)	200/20	200/20
Weight (kg)	7.85	9.20
Vacuum tube diameter (mm)	36	36
Hose length (m)	2.2	2.2
Dimensions LxWxH (mm)	400x365x564	426x374x599
Power pmax (W)	1200	1200
Power piec (W)	1130	1130
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz	220-240V/ 1~/ 50/60 Hz
Max. suction power (W)	270	270
Plug for electric tools (W)	No	No
Capacity (l)	22	22
Sound level Ipa/lwa (dB(A))	85/72	85/72
FEATURES		
Wet & dry performance	•	•
Push&Clean filter cleaning		•
Blow function	•	•
Steel container		•
Filter Clean Indicator	•	•
STANDARD EQUIPMENT		
FLOOR NOZZLE D36 W/D -KIT	107402706	107402706
CREVICE NOZZLE D36X200	29541	29541
FILTER KIT 1 PCS	107417194	107417194
TUBE WITH PARKING CLIPS	31000862	
FLOOR NOZZLE D36 W/D 1 PCS	107417197	107417197
ITEM NO.	18451550	18451551



- a powerful and versatile wet & dry vacuum cleaner

- Filter clean indicator
- Push to Clean, a semi-automatic filter cleaning function
- Sturdy build with a robust 1400 W engine for long life
- High suction power
- Blow function
- 30 l container with good net filling capacity
- Polypropylene container for easy cleaning
- Variable Suction control and Inox container offered as a variant

The Multi II is a good companion to the Do it yourself person in any house. It is also a good second vacuum cleaner dedicated to dirt and debris inside as well as outside the house, car or the like.



TECHNICAL DATA

	NILFISK MULTI II 30 T EU	NILFISK MULTI II 30 T INOX VSC EU
Vacuum (kPa)	210/21	210/21
Weight (kg)	9.60	10.50
Vacuum tube diameter (mm)	36	36
Hose length (m)	4	4
Dimensions LxWxH (mm)	426x374x684	426x374x684
Power pmax (W)	1400	1400
Power piec (W)	1260	1260
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz	220-240V/ 1~/ 50/60 Hz
Max. suction power (W)	292	292
Plug for electric tools (W)	Yes, 1100	Yes, 1100
Capacity (l)	30	30
Sound level Ipa/lwa (dB(A))	87/74	87/74

FEATURES

Softstart	•	•
Push&Clean filter cleaning	•	•
Automatic On/Off-elec. tools	•	•
Variable speed control		•
Blow function	•	•
Steel container		•
Filter Clean Indicator	•	•

STANDARD EQUIPMENT

CREVICE NOZZLE D36X200	29541	29541
FILTER KIT 1 PCS	107417194	107417194
SUCTION HOSE 4M 1 PCS	107417193	107417193
FLOOR NOZZLE D36 W/D 1 PCS	107417197	107417197
TOOL ADAPTER	302002356	302002356

ITEM NO.

18451552

18451553



a powerful wet & dry vacuum cleaner with a large container

- Filter clean indicator
- Push to Clean, a semi-automatic filter cleaning function
- Sturdy build with a robust 1400 W engine for long life
- High suction power
- Blow function
- 50 l container with very good net filling capacity
- Stainless steel tubes

The Multi II is a good companion to the Do it yourself person in need of picking up sizeable dust and dirt like wood chips. The machine may also be used for more stationary usage like in workshops or sheds due to its large container



TECHNICAL DATA

NILFISK MULTI II 50 EU

Vacuum (kPa)	210/21
Weight (kg)	11.70
Vacuum tube diameter (mm)	36
Hose length (m)	2,2
Dimensions LxWxH (mm)	516x485x700
Power pmax (W)	1400
Power piec (W)	1260
Mains connection (V~/Hz/A)	220-240V/ 1~/ 50/60 Hz
Max. suction power (W)	292
Plug for electric tools (W)	No
Capacity (l)	50
Sound level Ipa/lwa (dB(A))	87/74

FEATURES

Push&Clean filter cleaning	•
Blow function	•
Steel container	•
Filter Clean Indicator	•

STANDARD EQUIPMENT

FLOOR NOZZLE D36 W/D -KIT	107402706
CREVICE NOZZLE D36X200	29541
FILTER KIT 1 PCS	107417194
SUCTION HOSE 2.5M 1 PCS	107417192
FLOOR NOZZLE D36 W/D 1 PCS	107417197

ITEM NO.

18451554

Accessories for Vacuum cleaners



System 36 Hose Vacuum Cleaner

SUCTION HOSE D32x1900 CPL.



Nilfisk BUDDY II 12 EU

Nilfisk BUDDY II 18 EU

Nilfisk BUDDY II 18 INOX EU

Nilfisk BUDDY II 18 TU

Nilfisk BUDDY II 18L TINOX EU

Nilfisk BUDDY II 22 EU

Nilfisk MULTI II 22 NOX EU

Nilfisk MULTI II 30 TU

Nilfisk MULTI II 30 INOX VSC EU

Nilfisk MULTI II 50 EU

Item no.

107405600

System 36 Brush/Universal Nozzle

SUCTION BRUSH D36 BLACK



○

○

○

○

○

○

○

○

○

○

302002509

UNIVERSAL NOZZLE D36X115



○

○

○

○

○

○

○

○

○

14295

System 36 Vac Floor Nozzle



COMBI NOZZLE Ø36X260MM

○

○

○

○

○

○

○

○

○

302002365

FLOOR NOZZLE D36 W/D-KIT



○

○

○

○

●

●

○

○

●

107402706

SUCTION NOZZLE WATER Ø36 300MM



○

○

○

○

○

○

○

○

○

63992

System 36 Crevice/Cone Nozzle



CREVISE NOZZLE D36X200

●

●

●

●

●

●

●

●

●

29541

System 36 Tube



EXTENSION TUBE D36 2X500MM ALU

○

○

○

○

○

○

○

○

○

107400032

EXTENSION TUBE D36 2X515MM PLASTIC



○

○

○

○

○

○

○

○

○

40696

TELESCOPIC TUBE Ø36X550-970 SS



○

○

○

○

○

○

○

○

○

47109

Dust Bag and Filter



DUST BAG 4 PCS FOR BUDDY II

○

○

○

○

○

○

○

○

○

81943048

FILTER KIT FOR BUDDY II



●

●

●

●

●

●

●

●

●

81943047

DUST BAG FLEECE 22L/30L 4 PCS



○

○

○

○

○

○

○

○

○

107417195

DUST BAG FLEECE 50L 4 PCS



○

○

○

○

○

○

○

○

○

107417196

FILTER KIT 1 PCS



●

●

●

●

●

●

●

●

●

107417194

Accessory



TUBE WITH PARKING CLIPS

●

●

●

●

●

○

○

○

○

31000862

● Standard accessories
○ Supplementary accessories
□ Supplementary and mountable accessories


Accessory Kit

BLOW NOZZLE KIT

NILFISK BUDDY II 12 EU

NILFISK BUDDY II 18 INOX EU

 NILFISK BUDDY II 18 EU
NILFISK BUDDY II 18L T INOX EU

NILFISK BUDDY II 22 EU

 NILFISK MULTI II 30 T INOX VSC EU
NILFISK MULTI II 50 EU

Item no.

107402483

WALL DRILL KIT

○

○

○

107402478

WET & DRY NOZZLE KIT

●

●

●

81943049

CONVENIENCE KIT-TOPBOX

○

○

○

○

○

107417191

PREMIUM CAR KIT-TOPBOX

○

○

○

○

○

107417190

Tube

TELESCOPIC TUBE PLAST.-KIT

○

○

○

○

○

107402705

Hose and Connection

SUCTION HOSE D32X4000 CPL

○

○

○

○

○

31001002

SUCTION HOSE 2.5M 1 PCS

○

○

○

○

●
 107417192

SUCTION HOSE 4M 1 PCS

○

○

●

●

○

107417193

Nozzle - Vacuum

FLOOR NOZZLE D36 W/D 1 PCS

●

●

●

●

●
 107417197

Cone Nozzle

TOOL ADAPTER

○

○

●

○

●

●
 302002356



All-in1 Central Vacuum Cleaners – clear air, low noise, high suction power

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The built-in sack filter is self-cleaning through the movement when the central unit starts/stops
- The central unit is equipped with start/stop function
- Built-in soft start system
- Soft grip on bend end for user convenience
- Manual hose kit (depending on model): The central unit starts with the hose connected to wall inlet and stops when removed.
- Wireless+ hose kit (depending on model) - Wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LED display returns with information on a) Empty dust bag, b) Blocked airflow c) Other issues that need service
- Deluxe wireless hose kit (depending on model) – wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LCD info display with information on a) Empty dust bag, b) Blocked airflow c) Issues that need service d) Overheat indicator symbols if the power has become overheated. e) Signal indicator. Flashes if the bend end is out of reach from the central unit f) Battery level of bend end.

Vacuum cleaning the easy way A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes. The 'All-in-1' boxes from Nilfisk contain everything you need for installation of a central vacuum cleaner in old houses as in new-build.



TECHNICAL DATA

	NILFISK ALL-IN-1 SUPREME 150 DELUXE EU	NILFISK ALL-IN-1 SUPREME 150 MAN EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 DELUXE EU	NILFISK ALL-IN-1 SUPREME 250 MAN EU
Rated power (W)	1350	1350	1350	1350	1700	1700
Vacuum (kPa)	30	30	30	30	32	32
Weight (kg)	6,5	6,5	6,5	6,5	6,5	6,5
Container capacity (l)	25	25	25	25	25	25
Dust bag capacity (l)	20	20	20	20	20	20
Suction power motor (W)	650	650	650	650	712	712
Height (cm)	80	80	80	80	80	80
Sound level	66	66	66	66	66	66
Width w/handle (cm)	37	37	37	37	37	37
Airflow (l/sec) measured at central unit	57	57	57	57	58	58
Depth w/bracket (cm)	40	40	40	40	40	40
Fuse circuit (A)	10	10	10	10	10	10
Maximum house size (m²)	150	150	150	500	250	250
Longest pipe line (m)	30	30	30	30	50	50

FEATURES

Bag-full indicator	•		•	•	•	
Airflow sensor	•				•	
Filter Clean Indicator	•				•	
Speed indicator	•		•	•	•	
Handle w. wireless infocenter	•				•	
Wireless on/off on handle	•		•	•	•	
Wireless remote control	•		•	•	•	

STANDARD EQUIPMENT

BAG FILTER	140 8514 500	140 8514 500	140 8514 500	140 8514 500	140 8514 500	140 8514 500
DUST BAGS SMALL CV	107401158	107401158	107401158	107401158	107401158	107401158
NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106				107405106	
NILFISK CV HOSEKIT MANUAL 9M		107405104				107405104
NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ			107405105			
NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ				107405108		
NILFISK NEW TELESCOPIC TUBE	107408043	107408043	107408043	107408043	107408043	107408043
NILFISK NEW BRUSH NOZZLE	107408040	107408040	107408040	107408040	107408040	107408040
NILFISK NEW COMBI NOZZLE	107408042	107408042	107408042	107408042	107408042	107408042
NILFISK NEW CREVICE NOZZLE	107408039	107408039	107408039	107408039	107408039	107408039
NILFISK NEW UPHOLSTERY NOZZLE	107408041	107408041	107408041	107408041	107408041	107408041
3 INLET FITTINGS AND PIPES KIT	42000202	42000202	42000202	42000202	42000202	42000202
ITEM NO.	42000502	42000500	42000501	42000514	42000505	42000503



All-in1 Central Vacuum Cleaners – clear air, low noise, high suction power

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The built in sack filter is self-cleaning through the movement when the central units starts / stops
- The central unit is equipped with start stop function
- Build in soft start system
- Soft grip on bend end for user convenience
- Manual hose kit (depending on model): The central unit starts with the hose is connected to wall inlet and stops when removed.
- Wireless+ hose kit (depending on model) - Wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LED display returns with information on a) Empty dust bag, b) Blocked airflow c) Other issues that needs service
- Deluxe wireless hose kit (depending on model) – wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LCD info display with information on a) Empty dust bag, b) Blocked airflow c) Issues that needs service d) Overheat indicator symbols if the power has become overheated. E) Signal indicator. Flashes if the bend end is out reach from the central unit f) Battery level of bend end.

Vacuum cleaning the easy way A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes. The 'All-in-1' boxes from Nilfisk contain everything you need for installation of a central vacuum cleaner in old houses as in new-build.



TECHNICAL DATA

	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU	NILFISK ALL-IN-1 SUPREME LCD WIRELESS+EU
Rated power (W)	1700	1700	1700	1700	1700
Vacuum (kPa)	32	32	33	33	33
Weight (kg)	6,5	6,5	6,5	6,5	6,5
Container capacity (l)	25	25	25	25	25
Dust bag capacity (l)	20	20	20	20	20
Suction power motor (W)	712	712	727	727	727
Height (cm)	80	80	80	80	80
Sound level	66	66	66	66	66
Width w/handle (cm)	37	37	37	37	37
Airflow (l/sec) measured at central unit	58	58	60	60	60
Depth w/bracket (cm)	40	40	40	40	40
Fuse circuit (A)	10	10	10	10	10
Maximum house size (m ²)	250	500	500	500	500
Longest pipe line (m)	50	50	70	70	70

FEATURES

Bag-full indicator	•	•	•	•	•
Airflow sensor			•	•	
Filter Clean Indicator			•	•	
Speed indicator	•	•	•	•	•
Handle w. wireless infocenter			•	•	
Wireless on/off on handle	•	•	•	•	•
Wireless remote control	•	•	•	•	•

STANDARD EQUIPMENT

BAG FILTER	140 8514 500	140 8514 500	140 8514 500	140 8514 500	140 8514 500
DUST BAGS SMALL CV	107401158	107401158	107401158	107401158	107401158
NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ			107405106		
NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ				107405109	
NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	107405105			107405105
NILFISK NEW TELESCOPIC TUBE	107408043	107408043	107408043	107408043	107408043
NILFISK NEW BRUSH NOZZLE	107408040	107408040	107408040	107408040	107408040
NILFISK NEW COMBI NOZZLE	107408042	107408042	107408042	107408042	107408042
NILFISK NEW CREVISE NOZZLE	107408039	107408039	107408039	107408039	107408039
NILFISK NEW UPHOLSTERY NOZZLE	107408041	107408041	107408041	107408041	107408041
3 INLET FITTINGS AND PIPES KIT	42000202	42000202	42000202	42000202	42000202
ITEM NO.	42000504	42000515	42000507	42000516	42000506



For apartments and small houses up to 100 sqm

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The central unit is equipped with start/stop function
- Build in soft start system
- The built in sack filter is self-cleaning through the movement when the central units starts / stops

Vacuum cleaning the easy way

A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes. If you need a machine that takes up little space, this is the one to choose. It offers you the performance needed in houses up to 100 sqm, or a pipe line of maximum 30 meters.



TECHNICAL DATA

NILFISK SUPREME 100 EU 50-60HZ 220-230V

Rated power (W)	1350
Vacuum (kPa)	30
Weight (kg)	5,5
Container capacity (l)	-
Dust bag capacity (l)	10
Suction power motor (W)	650
Height (cm)	42,7
Sound level	66
Width w/handle (cm)	36
Airflow (l/sec) measured at central unit	57
Depth w/bracket (cm)	40
Fuse circuit (A)	10
Maximum house size (m ²)	100
Longest pipe line (m)	30
FEATURES	
Softstart	•
Low working sound level	•
On/off on machine	•
STANDARD EQUIPMENT	
BAG FILTER	140 8514 500
ITEM NO.	107404969



Nilfisk Central Vacs. For houses up to 500 sqm.

- LCD info center on the machine, where information on: Indicator for dust bag / filter change, suction level, indicator for service needed, indicator for overheated product, indicator for reduced airflow, indicator for handle is out of reach
- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The central unit is equipped with start stop function
- Build in soft start system
- The build in sack filter is self-cleaning through the movement, when the central units starts / stops

Vacuum cleaning the easy way
A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes. High performance in houses up to 500 sqm. Nilfisk Supreme LCD is a central power unit with a LCD info center display, where information on status of the machine performance is displayed.



TECHNICAL DATA

NILFISK SUPREME LCD EU 50-60HZ 220-230V

Rated power (W)	1700
Vacuum (kPa)	33
Weight (kg)	6,5
Container capacity (l)	25
Dust bag capacity (l)	20
Suction power motor (W)	727
Height (cm)	80
Sound level	66
Width w/handle (cm)	37
Airflow (l/sec) measured at central unit	60
Depth w/bracket (cm)	40
Fuse circuit (A)	10
Maximum house size (m ²)	500
Longest pipe line (m)	70
FEATURES	
Softstart	•
Low working sound level	•
Display on machine	•
On/off on machine	•
STANDARD EQUIPMENT	
BAG FILTER	140 8514 500
ITEM NO.	107404972



Central Vacuum Cleaner for houses up to 250 sqm

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The central unit is equipped with start/stop function
- Build in soft start system
- The build in sack filter is self-cleaning through the movement, when the central units starts / stops

Vacuum cleaning the easy way

A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around, when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes. The Supreme 250 central power unit gives you performance you need in a house up to 250 sqm or a pipe line of maximum 50 meters.



TECHNICAL DATA

NILFISK SUPREME 250 EU 50-60HZ 220-230V

Rated power (W)	1700
Vacuum (kPa)	32
Weight (kg)	6,5
Container capacity (l)	25
Dust bag capacity (l)	20
Suction power motor (W)	712
Height (cm)	80
Sound level	66
Width w/handle (cm)	44
Airflow (l/sec) measured at central unit	58
Depth w/bracket (cm)	40
Fuse circuit (A)	10
Maximum house size (m ²)	250
Longest pipe line (m)	50
FEATURES	
Softstart	•
Low working sound level	•
On/off on machine	•
STANDARD EQUIPMENT	
BAG FILTER	140 8514 500
ITEM NO.	107404971



Central Vacuum Cleaner for houses up to 150 sqm

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The central unit is equipped with start/stop function
- Build in soft start system
- The build in sack filter is self-cleaning through the movement, when the central units starts / stops

Vacuum cleaning the easy way
A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around, when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes. The Supreme 150 central power unit gives you performance you need in a house up to 150 sqm or a pipe line of maximum 30 meters.



TECHNICAL DATA

NILFISK SUPREME 150 EU 50-60HZ 220-230V

Rated power (W)	1350
Vacuum (kPa)	30
Weight (kg)	6,5
Container capacity (l)	25
Dust bag capacity (l)	20
Suction power motor (W)	650
Height (cm)	80
Sound level	66
Width w/handle (cm)	37
Airflow (l/sec) measured at central unit	57
Depth w/bracket (cm)	40
Fuse circuit (A)	10
Maximum house size (m ²)	150
Longest pipe line (m)	30
FEATURES	
Cyclone system	•
Softstart	•
Low working sound level	•
Self-cleaning filter	•
Use with or without bag	•
On/off on machine	•
STANDARD EQUIPMENT	
BAG FILTER	140 8514 500
ITEM NO.	107404970



Dust Bag and Filter

BAG FILTER

	NILFISK ALL-IN-1 SUPREME 150 DELUXE EU	NILFISK ALL-IN-1 SUPREME 150 MAN EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 DELUXE EU	NILFISK ALL-IN-1 SUPREME 250 MAN EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU	NILFISK ALL-IN-1 SUPREME LCD WIRELESS+EU	NILFISK SUPREME 100 EU 50-60HZ 220-230V	NILFISK SUPREME 250 EU 50-60HZ 220-230V	NILFISK SUPREME 150 EU 50-60HZ 220-230V	
	●	●	●	●	●	●	●	●	●	●	●	●	●	140 8514 500

DUST BAGS SMALL CV

●	●	●	●	●	●	●	●	●	●	○	○	○	○	107401158
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

Hose and Connection

NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ

●	○	○	○	●	○	○	○	●	○	○	○	○	○	107405106
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ

○	○	○	○	○	○	○	○	○	●	○	○	○	○	107405109
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK CV HOSEKIT MANUAL 9M

○	●	○	○	○	●	○	○	○	○	○	○	○	○	107405104
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK CV HOSEKIT MANUAL 12M

○	○	○	○	○	○	○	○	○	○	○	○	○	○	107405107
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ

○	○	●	○	○	○	●	●	●	○	○	○	○	○	107405105
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ

○	○	○	●	○	○	○	○	○	○	○	○	○	○	107405108
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK NEW TELESCOPIC TUBE

●	●	●	●	●	●	●	●	●	●	●	○	○	○	107408043
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

Nozzle - Vacuum

NILFISK NEW BRUSH NOZZLE

●	●	●	●	●	●	●	●	●	●	○	○	○	○	107408040
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK NEW COMBI NOZZLE

●	●	●	●	●	●	●	●	●	●	●	○	○	○	107408042
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK NEW CREVICE NOZZLE

●	●	●	●	●	●	●	●	●	●	●	○	○	○	107408039
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NILFISK NEW UPHOLSTERY NOZZLE

●	●	●	●	●	●	●	●	●	●	●	○	○	○	107408041
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NOZZLE HARDFLOOR 32MM BLACK

○	○	○	○	○	○	○	○	○	○	○	○	○	○	107409852
---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

Accessory

ADAPTER FLOOR INLET

○	○	○	○	○	○	○	○	○	○	○	○	○	○	42000244
---	---	---	---	---	---	---	---	---	---	---	---	---	---	----------

FLOOR INLET CHROME

○	○	○	○	○	○	○	○	○	○	○	○	○	○	42000243
---	---	---	---	---	---	---	---	---	---	---	---	---	---	----------

HOSE FLEXIBLE 1 TO 6 M

○	○	○	○	○	○	○	○	○	○	○	○	○	○	42000122
---	---	---	---	---	---	---	---	---	---	---	---	---	---	----------

HOSEHANGER METAL

○	○	○	○	○	○	○	○	○	○	○	○	○	○	42000133
---	---	---	---	---	---	---	---	---	---	---	---	---	---	----------

- Standard accessories
- Supplementary accessories
- Supplementary and mountable accessories



Accessory	NILFISK ALL-IN-1 SUPREME 150 DELUXE EU	NILFISK ALL-IN-1 SUPREME 150 MAN EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 DELUXE EU	NILFISK ALL-IN-1 SUPREME 250 MAN EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU	NILFISK ALL-IN-1 SUPREME LCD WIRELESS+EU	NILFISK SUPREME 100 EU 50-60HZ 220-230V	NILFISK SUPREME 120 EU 50-60HZ 220-230V	NILFISK SUPREME 150 EU 50-60HZ 220-230V	Item no.
VACPAN ALU	○	○	○	○	○	○	○	○	○	○	○	○	○	42000237
VACPAN ALU WITH BEND AND TEE IN BAG	○	○	○	○	○	○	○	○	○	○	○	○	○	42000238
VACPAN BLACK	○	○	○	○	○	○	○	○	○	○	○	○	○	42000235
VACPAN WHITE	○	○	○	○	○	○	○	○	○	○	○	○	○	42000233
VACPAN WHITE WITH BEND AND TEE IN BAG	○	○	○	○	○	○	○	○	○	○	○	○	○	42000234
VACSOC HOSECOVER	○	○	○	○	○	○	○	○	○	○	○	○	○	42000303
<hr/>														
Accessory Kit														
3 INLET FITTINGS AND PIPES KIT	●	●	●	●	●	●	●	●	●	●	○	○	○	42000202
1 INLET FITTINGS AND PIPES KIT	○	○	○	○	○	○	○	○	○	○	○	○	○	42000200
3 INLET FITTINGS KIT	○	○	○	○	○	○	○	○	○	○	○	○	○	42000205
INSTALLATION KIT FOR VACPAN	○	○	○	○	○	○	○	○	○	○	○	○	○	42000484
HOSEKIT AUTO 6 M										○	○	○	○	42000111



Steam cleaners for multi-purpose indoor/outdoor cleaning and disinfection

- Short heating time due to the powerful heater.
- High steam pressure makes it very efficient.
- Easy to use, one button control.
- Complies with all standards and is very safe to use.
- Big rear wheels and front caster make operation easy.
- Compact design, easy storage.
- Large standard accessory range.

The range of consumer steam cleaners has comfortable carrying handles and stainless steel boilers. They are suitable for multi purpose cleaning and disinfection tasks... indoor and outdoor.



TECHNICAL DATA

STEAMTEC 312 230/1/50 EU

Cable length (m)	4
Weight (kg)	3,2
Hose length (m)	2
Power supply (V)	230
Heating capacity (kW)	1,45
Boiler volume (l)	1,2
Max operation pressure (bar)	3,8
Steam temperature boiler (°C)	145
Heat-up time approx. (min/l)	6

FEATURES

Single-phase	•
Stainless steel boiler	•
Contains candidate list substance dehp > 0,1 % w/w with regard to the reach regulation	•

STANDARD EQUIPMENT

ADAPTER 130X55X37	303000424
CARPET NOZZLE	303000425
DETAIL NOZZLE STEAMTEC PA/CuZn	303000429
FLOOR BRUSH	303000419
FUNNEL	303000428
CLOTH CORNER BRUSH	303000520

ITEM NO.

303000404



Item no.



Steam Cleaner Accessory		
ACCESSORY KIT	○	303000431
ADAPTER 130X55X37	●	303000424
BRUSH KIT Ø23 STEAMTEC PA/CuZn	○	303000420
CARPET NOZZLE	●	303000425
CORNER BRUSH	○	303000427
DETAIL NOZZLE STEAMTEC PA/CuZn	●	303000429
FLOOR BRUSH	●	303000419
FLOOR CLOTH 460X120X5	○	303000423
FUNNEL	●	303000428
SCRAPER	○	303000430
WINDOW NOZZLE	○	303000426
CLOTH CORNER BRUSH	●	303000520

Professional service makes a difference



Making the most of your cleaning has two important requirements. The ability to deploy high quality cleaning machines is a critical first step. But having easy and quick access to professional service is another key factor in running your operations smoothly, predictably, and with maximum uptime. That is why we are highly committed to delivering our Service Solutions to you.

Nilfisk Service Solutions not only provide fast and reliable back-up in the event of a breakdown. They also provide the reassurance of scheduled maintenance visits from our trained technicians. You can rest assured that your

machines will run at their optimum throughout their lifetime – and keep your business performing at its best. We understand that productivity is what matters to you.

Nilfisk Service Solutions – how can we help you?

We realize that one size does not fit all. When signing a service contract with Nilfisk you have the opportunity to select between a range of different service solutions developed to match your specific needs. We are ready to assist you in choosing the professional service contract that best suits your operations.

Balancing your needs and demands

We suggest that you carefully consider how important the following factors are to you before settling on a specific service programme:

- Maximised uptime
- Fast response time
- Knowing your service costs at all times
- Regular maintenance visits



Service Solutions Standard – Professional maintenance

Your contract encompasses two yearly maintenance visits and 48 hours response time. Breakdown visits and spare parts are billed separately.



Service Solutions Plus – Optimised performance

With the Plus solution you have a firm grip on your maintenance and repair costs while knowing that your performance is never compromised, only optimised.



Service Solutions Premium – Maximised uptime

If uptime is your absolute top priority and key concern, Service Solutions Premium is the best choice. A quarterly maintenance visit is included, and there are no sudden financial surprises.

Nilfisk Service Solutions are packed with benefits

Based on our customers' feedback we present three different Nilfisk Service Solutions to you. Each solution consists of a carefully selected set of features, fit to match specific needs - and made for you and your business to benefit from.

You can choose between different billing models. Please ask our sales or service team for more detail, and do not hesitate to contact us if you have any special requirements.

CONTRACT COMPONENTS	STANDARD	PLUS	PREMIUM
Labour & travel costs	Yes	Yes	Yes
Extended warranty	Yes	Yes	Yes
Service report at all visits	Yes	Yes	Yes
Yearly maintenance visits	2	2	4
Response time	48h	48h	24h
Spare parts	X	Yes	Yes
Breakdown coverage	X	Yes	Yes
Consumables	X	X	Yes
Misuse and abuse insurance	X	X	Yes
Loan machine	X	X	Yes
Weekend coverage	X	X	Yes

The conditions and specifics of each element included in Nilfisk Service Solutions may be subject to local change.



At Nilfisk, we are proud to be one of the world's leading manufacturers of professional cleaning equipment. With global company headquarters in Denmark, we have developed professional cleaning equipment for over 100 years. Our products are produced in Europe, Americas and China, and used worldwide. Nilfisk has an extensive network of sales entities in 45 countries and is represented in more than 100 countries around the world.

Our products cover almost any needs of the professional cleaning customer. Main product lines are floor care equipment such as professional scrubber-dryers and sweepers, vacuum cleaners, high pressure washers, and outdoor utility machines.

Our products are recognized for their high quality and reliability.

We see sustainability as a part of our sound business practice. We develop cleaning solutions that provide you with cleaning efficiency while using less energy, less water and less detergent. When we reduce consumption of resources, it will benefit both you and the environment.

As your professional business partner, we must constantly innovate our business in order to strengthen yours. This is a promise Nilfisk makes to you as your trusted partner.

Find more information on www.nilfisk.com.

Art. no. 901.000.652 01.17 © Nilfisk. All specifications are approximate values. Subject to technical modifications.